





ARISTOTLE's
Compleat and Experienc'd
MIDWIFE;

In Two Parts.

I. A GUIDE for Child-bearing Women, in the Time of their Conception, Bearing and Suckling their Children; with the best Means of helping them, both in Natural, and Unnatural Labours: Together with suitable Remedies for the various Indisposition of New-born Infants.

II. Proper and safe REMEDIES for the Curing all those Distempers that are incident to the Female Sex; and more especially those that are any Obstruction to their Bearing of Children.

A WORK far more perfect than any yet Extant; and highly Necessary for all Surgeons, Midwives, Nurses, and Child-bearing Women.

Made English by W——S——, M. D.

The Sixth Edition.

London: Printed, and sold by the Booksellers.

ARTIST'S

CONTEMPORARY

MIDWINTER

IN THE

of the year 1840. The winter of 1840
in the time of the American Revolution
and on the 1st of January, with a few
others of the same kind, both in 1840
and 1841, I have been able to
make some observations on the various
of New-England.

Robert and the Rev. Mr. Rogers
Gauguin and the Rev. Mr. Rogers
have been the same, and I have been
able to make some observations on the
of the same.

WORKING men, better than any
before, and the Rev. Mr. Rogers
have been the same, and I have been
able to make some observations on the
of the same.

THE

THE

TO THE MIDWIVES.

It is for your Sakes, worthy Matrons, that I render'd this excellent Treatise of Midwifry into English; and therefore to you it is most properly Dedicated: For though it be necessary to be known by all Women, yet to you does the Practical Part thereof principally belong. And indeed the Deficiency that I have seen in many, that pretend to your Office, in the doing of their Business, was the great, if not the only Motive that induced me to translate it: For tho' their Ignorance advanced my Practice; yet the Regard I had to the saving the Lives of so many Persons, as I saw every Day in danger of Perishing, by the committing themselves into the Hands of unskilful Midwives, was much more than my private Interest I could propose to myself. For when I saw how many Persons took upon them that great and weighty Employment of a Midwife, without any regard to their own Qualifications and Fitness for such a Work, giving an Eye to nothing but their own Gain, I could not but deplore the miserable State of Mankind, whom I saw in so great a Danger of Dying, almost before they were born. And that Compassion that I had for Mankind under such deplorable Circumstances, put me upon considering how I might best Remedy so great an Evil. And that which most readily occurred to my Thoughts, was to render to English the great Aristotle's most elaborate Treatise on this Subject, as being that which is most proper for the Instruction of Midwives and Child-bearing Women, which done in a plain and familiar Style, fitted to the mean Capacities; that thereby being fully instructed in their Duty, they might perform their Office with more Reputation.

tion to themselves, and less Danger to their Parents.
 And this I was the rather inclined to do, because my
 Daily Practice constantly informed me wherein the Defi-
 ciency of many Midwives lay, and also brought me ac-
 quainted with many particular Secrets, relating to the
 safe and speedy Delivery of Travelling Women: My Expe-
 rience being generally when either the Unskilfulness of the
 Midwife, or the Hardness or Difficulty of the Woman's
 Labour, render'd my Assistance necessary, which must needs
 qualify me so much the better, for this Undertaking, Skil-
 wherein I am now engaged. However it be, I have com-
 mitted upon it, and will perform it, with the Divine As-
 sistance, as well as my Ability will give me leave; for
 I fail, it will be in Power, and not in Will; and I hope
 all those that stand in Need thereof, will follow our great
 Examples so far, as to accept of the Will for the Deed.
 And to make this Treatise the more methodical, Aristotle
 herein has not only treated of the Delivery of Women, when
 the Time of their Travail come, but also what shall be
 a Guide to them and you both in their Conception, Bearing
 and Suckling of them. For it is necessary you shall be able
 to direct them in all those Things. And tho' this Book
 will be a Guide for all Child-bearing Women into whose
 Hands it will come; (and it were to be wish'd that every
 Child-bearing Woman had one of them; for observing the
 Rules he has here laid down, they would ease you of much
 Trouble you have with them) yet it cannot be expected, but
 that the most part must have their Directions from you
 and I hope you are not ignorant that upon Womens well
 ordering themselves during the Time they are Bearing
 Children, the Preservation of themselves and Children
 a very great Measure depends: For how many are there
 that for want of Care herein, do ruin both themselves and
 Children?

But were the Rules that are here laid down attended
 to, and put in Practice, you need not have those Difficul-
 ties to encounter with, which you often find; and which
 make you so often stand in need of my Assistance. For
 mu

To the Midwives of England.

iii

must tell you, (tho' it be against my own Interest) that it is
a Disparagement to you, and reflects both upon your Reputa-
tion and Profession, when you cannot deliver a Woman
without the Help of a Man-Midwife. Which tho' it may
be for the Safety of the Travailing Woman, is yet a Dis-
credit to you, who ought to be so accomplished, as to go
through with the Work you have undertaken, and to per-
form it yourselves; and that you may so do, is the Design
of this Treatise. For it is to your Knowledge, Care, and
Skill, that the well-being of a Woman in Labour is com-
mitted, and the Life of every Child you help to bring into
the World, from the first Moment that it draws its
first Breath: And at your Hands, if it miscarry thro' your
Want of Skill, as well as Care, shall it be required.
Which if duly considered, ought to deter all those from
Undertaking this Noble Office (which is no less than being
the Hand-maid of and Fellow-helper of Nature) in bring-
ing into the World the chiefest of her Works, (for such is
the Man) without they know themselves duly qualified for it.
And 'tis no ordinary Qualification will serve: For a Mid-
wife ought to be as quick sighted as Argus; and to have
all her Wits about her; for when her Books are at
home, her Business is Abroad: And all the Affections
that can be in a Woman, ought to be in a Midwife.
And all the Knowledge both of Galen and Hy-
pocrates in the Art of Physick; for the Office of a
Midwife is not only to bring forth a Child when it comes
in your Birth, but to know readily what to apply upon all
occasions, according to the various Exigents in which she
finds the Patient; for want of which Knowledge, many
Women have made their Child-bed their Death-bed, who
might otherwise have recovered and done very well.
In the Second Part of this Book he has endeavoured to
make the Midwife a skilful Physician, by treating of all
those Disorders incident to Women, even from the Cradle
to the Grave; that so she may know how to administer in
all those various Ills with which her Patients may be af-
fected:

For

mu

To the Midwives of England.

affected: And this he did the rather, because he knew that such is the Pudor and Bashfulness of many young Women who happen to be affected with those Distempers that are common to their Sex, that they had rather die than discover them to the Doctor; who yet at the same time will freely enough disclose them to a Midwife: Whom he has therefore in this Second Part furnished with safe and proper Remedies for all those Distempers that are incident to the Female Sex, that she need not in any Case be at a Loss.

To conclude thereof as I began, tho' the Theory of this Book be very requisite to all Women, yet the Practicall Part thereof being more peculiarly your Province, I thought it most proper to make the Dedication to you: And if you shall think fit to make a Tryal of what is here written, you will find the Rules here laid down to be very Plain and very Easy; not so many as to burthen your Memory nor so few, as to be insufficient for every Exigent and Necessity. And if in the faithful Discharge of your Office, you add Diligence to your Skill; and be as careful to prevent Evils before they come, as to provide for them when they are come, you will not only find the good Effect of it while you live, but also the Comfort of it when you come to die. Which that you may do, is the earnest Desire of,

Your Well-wisher,

W. S.

tha
men
t ar
di
e wil
e ha
l pro
ent to
Loss
this
ctica
ough
if y
itten
Plain
mory
it and
ur O
refu
then
d E
wbe
arne

The Compleat Experienc'd

MIDWIFE.

PART. I.

A GUIDE for Child-bearing Women, &c

The INTRODUCTION.

I Have given this Book the Title of, *The Compleat and Experienc'd MIDWIFE*, both because it is chiefly designed for those that profess *Midwifry*, and contains whatsoever is necessary for them to now in the Practice thereof; and also because it is the result of many Years Experience, and that in the most difficult Cases; and is therefore the more to be depended upon. A Midwife is a most Necessary and Honourable Office, being indeed a Helper of Nature; which therefore makes it necessary for her to be well acquainted with all the Operations of Nature in the Work of Generation, and the Instruments with which she works: For she that knows not the Operations of Nature, nor with what tools she works, must needs be at a Loss how to assist therein. And seeing the Instruments of Generation both in Men and Women, are those Things by which Mankind is produced, it is very necessary that all Midwives should be well acquainted with them, that they may the better understand their Business, and assist Nature, as there shall be Occasions. The first Thing, therefore necessary, as Introductory to this Treatise, is an ANA-

2 The Experienced Midwife.

ANATOMICAL DESCRIPTION of the several Parts of Generation, both in Men and Women; and having designed throughout to comprehend much in a little Room I shall avoid all unnecessary and impertinent Matters, with which other Books of this Nature are for the most Part too much clogged; and which are more curious than needful. And though I shall be necessitated to speak plainly, that so I may be understood, yet I shall do with that Modesty, that none shall have need to blush unless it be from something in themselves, rather than from what they shall find here, having the Motto of the Royal Garter for my Defence, which is, *Honi soit qui mal y pense*; or Evil to him that Evil thinks.

CHAP. I.

An Anatomical Description of the Instruments of Generation both in Man and Woman.

§. Of the Parts of Generation in Man.

AS the Generation of Mankind is produced by the Coition of both Sexes, it necessarily follows, that the Instruments of Generation are of two Sorts, to wit Male and Female; the Operation of which are by Action and Passion; and herein the Agent is the Seed, and the Patient Blood; whence we may easily collect that the Body of Man being generated by Action and Passion, must needs be subject thereunto during his Life. Now since the Instruments of Generation are Male and Female it will be necessary to treat of them both distinctly, that the honest and discreet Midwife may be well acquainted with their several Parts, and their various Operations they contribute to the Work of Generation. And in doing this, I shall give the Honour of Precedence to my own Sex, and speak first of the Parts of Generation in Man; which will be comprehended under six Particulars. *The Preparing Vessels, the Corpus Varicosum, the Testis*

The Experienc'd Midwife.

3

testicles, or Stones, the *Vasa Deferentia*, the *Seminal Vessels*, and the *Vard*; of each of which in their Order.

1. The First are the *Vasa Preparentia*, or *Preparing Vessels*, which are in Number four, two Veins, and as many Arteries; and they are called *Preparing Vessels* from their Office, which is to prepare that Matter or Substance which the Stones turn into Seed, to fit it for that Work? Whence you may note, That the Liver is the Original of Blood, and distributes it through the Body by the Veins, and not the Heart, as some have taught; as to the Original of these Veins, the right Vein proceedeth from the *Vena Cava*, or great Vein, which receives the Blood from the Liver, and distributes it by its Branches to all the Body; the left is from the *Emulgent Vein*, which is one of the two main Branches of the hollow Vein passing to the Reins. As to the Arteries, they both arise from the great Artery, which the *Greeks* call *αρτη*, which is indeed the great Trunk and Original of all the Arteries. But I will not trouble you with *Greek* Derivation of Words, affecting more to teach you the Knowledge of Things than Words.

2. The next Thing to be spoken to, is the *Corpus Varicosum*, and this is an Interweaving of the Veins and Arteries, which carry the Vital and Natural Blood to the Stones to make Seed of; These, tho' at their first Descention they keep at a small Distance the one from the other, yet before they enter the Stones, they make an admirable Intertexture of Twisting the one from the other; so that sometimes the Veins go into the Arteries, and sometimes the Arteries into the Veins; the Substance of which is very hard and long, not much unlike a Pyramid in Form, without any sensible Hollowness: Their Use is to make one Body of the Blood and Vital Spirits, which they both mix and change the Colour of, from Red to White; that so the Stones may both have a fit Matter to work upon, and do their work the more easily; for which Reason this, Interweaving reacheth down to the very Stones, and pierceth into their Substance.

3.

4 The Experienced Midwife.

3. The Stones are the third Thing to be spoken to, called also *Testicles*, in Latin *Teste*, that is, a *Witness*, because they witness one to be a Man: As to these, need not tell you their Number, nor where Nature hath placed them; for that is obvious to every Eye. Their Substance is soft, white, and spongy, full of small Veins and Arteries, which is the Reason they swell to such Bigness upon the flowing down of the Humours in them. Their Form is Oval; but most Authors are of Opinion that their Bigness is not equal, but that the Right is the biggest, the hottest, and breeds the best strongest Seed. Each of these Stones hath a Muscle, called *Cremaster*, which signifies to hold up, because they pull up the Stones in the Act of Coition, that so the Vessels being slackened, may the better void the Seed: These Muscles are weakened both by Age and Sickness; and then the Stones hang down lower than in Youth, and Health. These Stones are of great Use, for they convert the Blood and Vital Spirits into Seed: For the Procreation of Man; but this must not be understood as if they converted all the Blood that comes into them, into Seed, for they keep some for their own Nourishment: But besides this they add Heat, Strength, and Courage to the Body, which is evident from this, that Eunuchs are neither Hot, Strong nor Valiant as other Men: Nor is an Ox Hot or Valiant as a Bull.

4. The next in order are the *Vasa Deferentia*; which are the Vessels that carry the Seed from the Stones to the *Seminal Vessels*, which is kept there till its Expulsion. These are in Number two, in Colour white, and in Substance nervous, or sinewy; and from a certain Hollowness which they have in them, are also called *Spermatic Pores*. They rise not far from the Preparing Vessels, and when they come into the Cavity of the Belly, they turn back again, and pass into the Backside of the Bladder, between it and the right Gut; and when they come near the Neck of the Bladder, they are joined to the *Seminal Cells*, which somewhat trouble the Cells of a Honey

they comb; which Cells contains an oily Substance; they draw the fatty Substance from the Seed, which they empty out into the *Urinal Passage*; which is done by the most part, in the Act of Copulation; that so the internal Skin of the Yard suffers not through the Friction or Sharpness of the Seed. And when the *Vasa Deferentia* has passed, as above declared, they fall into the *Glandula Prostate*, which are the Vessels by which Nature ordained to keep the Seed, and which are is that to be spoken to. The *Seminal Vessels*, called *Glandula Seminales*, are certain Kernels placed between the Neck of the Bladder and the right Gut; composing about the *Vasa Deferentia*, the *Urethra*, or common Passage for Seed and Urine, passing through the midst of it: and may properly be called the *Conduit of the Yard*: At the Mouth of the *Urethra*, where it meets with the *Vasa Deferentia*, there is a thick Skin, whose Office is to hinder the *Seminal Vessels*, which are of an spongy Nature, from shedding their Seed against their Wills; this Skin is very full of Pores, and through the Heat of the Act of Copulation, these Pores open, and so give Passage to the Seed, which being of a very subtle Spirit, and especially being mothered, will pass through this Caruncle or Skin, as Quick-Ox through a Leather; and yet the Pores of this Skin are not discernable, unless in the Anatomy of a Man, who after some violent Running of the Reins when he died, and to that they are conspicuous, those Vessels being the principal Seat of that Disease. The last of the Parts of Generation in Man to be mentioned, is the Yard, which has a principal Share in the Work of Generation; and is called *Penis*, from its being without the Belly; and it consists of Skin, Tendons, Veins, Arteries, Sinews, and great Ligaments, and is long and round; being ordained by Nature both for the Passage for the Urine, and for the conveying of Seed to the *Matrix*: It hath some Parts common with it to the rest of the Body, as the Skin, or the *Membrana Corporalis*;

The Experienced Midwife

nosa; and some Parts it has peculiar to itself, as the *Nervous Bodies*, the *Septum*, the *Uretbra*, the *Gla*, the four *Muscles*, and the *Vessels*: The Skin, which the Latins call *Cutis*, is full of Pores, thro' which the *Siv* and *Fuliginous*, or sooty black Vapours of the third *Coction* (which concocts the Blood into Flesh) pass out: these Pores are very many and thick, but hardly visible to the Eye; and when the Yard stands not, it is flaccid, but when it stands it is stiff; the Skin is very sensible, because the Nerves concur to make up its Being; for the Brain gives Sense to the Body by the Nerves. As to the *Carnus Membrana*, or fleshy Skin, it is so called, because its Body is fleshy, but because it lies between the Flesh, and passeth in other Parts of the Body underneath the Fat, and sticks close to the Muscles; but in the Yard there is no Fat at all, only a few superficial Veins and Arteries pass between the former Skin and the Yard, which when the Yard stands are visible to the Eye; these are the Parts common both to the Yard and to the rest of the Body. I will not speak to those Parts of the Yard, which are peculiar to itself, and to no other Parts of the Body: And those are likewise Six, as has been already said, of which it will also be necessary to speak particularly. And,

1. Of the *Nervous Bodies*: These are two, tho' joined together, and are hard, long, and sinewy; they are full of black Blood, the spongy Substance of the inward Part of it seems to be woven together like a Net, consisting of innumerable Twigs of Veins, and Arteries. The black Blood contained therein, is full of Spirits, and the Delights or Desire of *Venus*, and Heat, to these, which causeth the Yard to stand; that is the Reason that both Veneral Sights and Tales do it: Nor needs it be strange to any, that *Venus*, a Planet cold and moist, should add Heat to those since the Moon (tho' colder and moisture than she) burns by Night, as the Psalmist testifies, *Psal.* 121. 6. this hollow spongy Intertexture or Weaving, was

he is created by Nature, on purpose to contain the Spirit of Vegetal Heat, that the Yard may not fall before it has done his Work. These two Side-ligaments of the Yard, where they are thick and round, arise from the lower End of the Share-bone, and at the Beginning are separated from the one from the other, resembling a Pair of Horns, like the Letter Y, where the *Urethra*, or common Passage of Urine and Seed passeth between them.

2. Those Nervous Bodies of which I have spoken, so far as they come to the joining of the Share-bone, are bound by the *Septum Lucium*, which is the Second internal Part to be described; which in Substance is white between nervous, or sinewy, and its Use is to uphold the two Side-ligaments and the *Urethra*.

3. The third Thing in the internal Parts of the Yard, is the *Urethra*, which is the Passage or Channel by which the Seed and Urine is conveyed out thro' the Yard. The Substance of it is sinewy, thick, soft, and loose, as the Side-ligaments are; it begins at the Neck of the Bladder, and being joined to it, passeth to the Glans. It has at the Beginning of it three Holes, of which the largest of them is in the midst, which receives the Urine into it; the other two are smaller, by which it receives the Seed from the Seminal Vessel.

4. The Yard has four Muscles on each Side two: these Muscles are Instruments of voluntary Motion, without which no Part of the Body can move itself: It consists of nervous Flesh to make up its Body of Nerves for its Sense, Veins for its Nourishment, of Arteries for its vital heat, and a Membrane or Skin to knit it together, and to distinguish one Muscle from another, and all of them from the Flesh; of these Muscles, as I said before, the Yard takes two of each Side, and the use of them is to erect the Yard, and make it stand, and therefore are they also called *Erectores*: But here you must note, that of the two on each Side, the one is shorter and thicker than the other: And these are they that do erect the Yard, and so called *Erectores*: But the other two being longer and smaller

smaller, their Office is to dilate the lower Part of *Urethra*, both for making Water, and emitting the Semen upon which Account they are called *Acceleratores*.

5. That which is called the *Glans*, is the extremity of the Yard; which is very soft, and of a most exquisite Feeling by Reason of the Thinness of the Skin, with which it is covered: This is covered with the *Præputium* or Foreskin, which in some Men covers the Top of the Yard quite close, but in others it doth not; which moving up and down in the Act of Copulation, brings Pleasure both to the Man and Woman. This outer Skin is that which the Jews were commanded to cut off in the eighth Day. This *Præputium*, or Foreskin is ty'd to the *Glans* by a Ligament or Bridle, which is called *Frenulum*.

6. The last internal Part of the Yard, are the *Vas Deferens* thereof, Veins, Nerves, and Arteries. Of these the first pass by the Skin, and are visible to the Eye, when the Yard stands; others pass by the inward Parts of the Yard, the Arteries are admirably dispersed through the Body of the Yard, much exceeding the Dispersion of the Veins, for the right Artery is dispersed to the left Side, and the left to the right Side. It hath two Nerves, the lesser whereof is bestowed upon the Skin, the greater upon the Muscles and Body of the Yard. But this much will suffice to be said in Describing the Parts of Generation in Men. And shall therefore in the next Place proceed to describe those of Women; that so the Honest and Industrious Midwife may the better know how to help them in their Extremities.

§. 2. Describing the Parts of Generation in Women.

WHatever ignorant Persons may imagine, or good Women think, that are unwilling those private Parts which Nature has given them, should be exposed; yet it is in this Case absolutely Necessary. I do positively affirm, that it is impossible truly to comprehend what a Midwife ought to do, if these Parts

The Experienced Midwife. 9

perfectly understood by them. Nor do I know any
son they have to be ashamed to see or hear a particular
scription of what God and Nature has given them;
it is not the having these Parts, but the unlawful
of them, that causes Shame.

to proceed then in this Description more regularly; I
speak in order to these following principal Parts.

Of the Privy Passage. 2d, *Of the Womb.* 3d, *Of the*
cles, or Stones. 4thly, *Of the Spermatick Vessels.*

Of the Privy Passage. Under this Head I shall
der the six following Parts:

The *Lips*, which are visible to the Eye, and are de-
d by Nature as a cover to the *Fissura Magna*, or
Orifice: These are framed of the Body, and have
y store of spungy Fat; and their Use is to keep the
nal Parts from Cold and Dust: These are the only
gs that are obvious to the Sight; the rest are con-
d, and cannot be seen unless these two Lips are
ched asunder, and the Entry of the Privities opened.
When the Lips are severed, the next thing that
rs in the *Nymphae*, or Wings; they are framed of
nd spungy Flesh, and are in Form and Colour like
Comb of a Cock.

In the uppermost Part, just above the Urinary Pas-
may be observed the *Clitoris*, which is a sinewy and
Body, full of spungy and black Matter within, like
de-ligaments of the Yard, representing in Form the
of a Man, and suffers Erection and Falling as
oth; and it grows hard, and becomes erected as a
s Yard doth, in proportion to the Desire a Woman
n Copulation: And this also is that which gives a
an Delight in Copulation: For without this a Wo-
ath neither a Desire to Copulation, and Delight
nor Conceive by it: And I have heard that some
en have had their *Clitoris* so long, that they have
other Women therewith; nay, some have gone
as to say that those Persons who have been report-
be Hermaphrodites, as having the Cenitals both of
Men

Men and Women, are only such Women to whom *Clitoris* hangs out externally, resembling the Form of a *Yard*. But tho' I will not be positive in that, yet certain that the larger the *Clitoris* is in any Woman, more lustful she is.

4. Under the *Clitoris*, and above the Neck, appears the *Orifice*, or Urinary Passage, which is much larger in Women than Men, and causes their Water to come forth in a greater Stream; on both sides the Urinary Passage may be seen two small membranous Appendices, a little broader above than below, issuing forth of the inward Parts of the great Lips, immediately under the *Clitoris*, the Use whereof is to cover the Orifice of the Urine, and defend the Bladder from the cold Air: So when a Woman pisseth, she contracts herself so, she conducts out the Urine, without suffering it to spill along the Privities, and often without so much as wetting the Lips? And therefore these small membranous Works are called the *Nymphae*, because they govern the Women's Water. Some Women have these so great and long, they have been necessitated to cut off so much as has exceeded, and grew without the Lips.

5. Near this are four *Caruncles*, or fleshy Knobs, commonly called *Caruncles Myrtiformes*; these are placed on each side to, and a small one above, just under the Urinary Passage; And in Virgins are reddish, and plump and round, but hang flagging when Virginity is lost. In Virgins they are joined together by a thin and fine Skin or Membrane, which is called the *Hymen*, and keeps them in Subjection, and makes them resemble a kind of Rose-bud half blown: This Disposition of the *Caruncles* is the only certain Mark of Virginity; it being vain to search for it elsewhere, or hope to be informed in any other way: And 'tis from the pressing and bruising these *Caruncles*, and forcing and breaking the little Membranes (which is done by the *Yard* in the first Act of Copulation) that there happens an Effusion of Blood: which, they remain separated, and never recover

st Figure; but become more and more Flat, as the Acts of Copulation are increased; and in those that have had children, they are almost totally defeated by Reason of the great Distention these Parts suffer in the Time of their Labour; Their Use is to straiten the Neck of the Womb, to hinder the cold Air from incommoding it; and likewise to increase the mutual Pleasure in the Act of Coition; for these *Caruncles* being then extreamly swelled, filled with Blood and Spirits, they close with more measure upon the Yard of the Man; whereby the Woman is much more delighted. What I have said of the effusion of Blood which happens in the first Act of Copulation, tho' when it so happens it is an undoubted Sign of Virginity, showing the *Caruncles Myrtiformes* have never been pressed till then; yet when there happens no blood, it is not always a Sign that Virginity is lost; for the *Hymen* may be broken without Copulation, by the Defluxion of sharp Humours; which sometimes happens to young Virgins, because in them it is the nearest: It may be also done by the unskilful applying of Testaries to provoke the Terms, &c. But these Things happen so rarely, that those Virgins to whom it so happens do thereby bring themselves under a just Suspicion. There is next to be spoken to, the Neck of the Womb; which is nothing else but the Distance between the Privy Passage, and the Mouth of the Womb, into which the Man's Yard enters in the Act of Copulation; in Women of reasonable Stature, is about eight Inches in length; Its of a membranous Substance, fleshy without, skinny, and very much wrinkled within; and both because it may retain the Seed cast into it in the Act of Copulation, and also that it may dilate and contract itself to give sufficient Passage to the Infant at its Birth. It is composed of two Membranes, the inner of them being white, nervous, and circularly wrinkled much like the Palate of an Ox, that so it might contract or dilate itself, according to the Bigness of the Man's Yard; and to the End that by the Colli-

Collision, or Squeezing, or Pressing made by the Y in Copulation, the Pleasure may be mutually augmented. The external or outermost Membrane is red and fleshy like the Muscle of the Fundament, surrounding the f to the End the Yard may be the better closed within and it is by means of this Membrane, that the Neck heres the Stronger both to the Bladder and the right C. The internal Membrane in young Girls is very soft and delicate; but in Women much addicted to Copulation grows harder: and in those that are grown aged, if t have been given much to Venery, it is almost become gr

2. Having spoken to the *Privy Passage*, I come to speak of the Womb: which the Latins call *Matrix*, the only *English* Word is the Womb. Its Parts are T the Mouth of the Womb, and the Bottom of it: Mouth is an Orifice at the Entrance into it, which t be both dilated and shut together like a Purse: For al In the Act of Copulation, it be big enough to receive *Glans* of the Yard, yet after Conception it is so c shut, that it will not admit of the Point of a Bodkin enter: And yet again at the Time of the Woman's D very, it is opened so extraordinary, that the Infant p eth thro' it into the World: At which Time this Or wholly disappears, and the Womb seems to have but a great Cavity from its Bottom to the very Entrance of Neck. When a *Woman* is not with Child, 'tis a l oblong, and of Substance very thick and close: but w she is with Child, it is shortned: and its Thickness d nisheth proportionably to its Distention. And there it is a Mistake of some Anatomists, to affirm tha Substance waxeth thicker a little before a *Woman's* labour: For any one's Reason will inform them, tha; more it is distended, the thinner it must be: And, nearer a *Woman* is to the Time of her Delivery, ge short her *Womb* must be extended. As to the Action in which this inward Orifice of the *Womb* is open'd and shut it is purely Nature: for where it otherway there wou not be so many Bastards begotten as there are: nor wou

Why married Women have so many Children, were it
 their own Choice, but they would hinder Conception;
 they would be willing enough to use Copulation; for
 Nature has attended that Action with something so plea-
 sant and delightful, that they are willing to indulge them-
 selves in the Use thereof, notwithstanding the Pains they
 afterwards endure, and the Hazard of their Lives that
 follows it: And this comes to pass not so much
 from any inordinate Lust in Women, as for that the Great
 DIRECTOR of Nature, for the Increase and Multipli-
 cation of Mankind, and even of all other Species in the
 elementary World, hath placed such a Magnetick Virtue
 in the Womb, that it draws the Seed to it, as the Load-
 stone draws Iron.

The AUTHOR of Nature has placed the Womb in the
 lower Part of the Belly, that the Heat might always be main-
 tained by the Warmth of the Parts surrounding it; it is
 therefore seated in the middle of the *Hypogastrium* (or
 lower Part of the Belly) between the Bladder and the
Sigmoidum, (or right Gut) by which also it is defended from
 receiving any hurt thro' the hardness of the Bones; and is
 placed in the lower Part of the Belly, for the convenience
 of Copulation, and of the Birth's being thrust out at the
 Time.

It is of a Figure almost round, inclining somewhat to
 Oblong, in part resembling a Pear; for from being
 broad at the Bottom, it gradually terminates in the Point
 of the Orifice, which is narrow.

The Length, Breadth and Thickness of the Womb, dif-
 fer according to the Age and Disposition of the Body:
 in Virgins not ripe, 'tis very small in all its Dimensi-
 ons; but in Women whose Terms flow in great Quanti-
 ties, and such as frequently use Copulation, it is much
 larger; and if they have had Children, it is larger in them
 than in such as have had none; but in Women of a good
 Nature, and well-shaped, it is (as I have said before)
 from the Entry of the Privy Parts, to the Bottom of the
 Womb, usually about eight Inches; but the Length of
 the

the Body of the Womb alone, does not exceed three Inches, and the Breadth thereof is near about the same, and of the Thickness of the Little Finger, when the Woman is not pregnant; but when the Woman is with Child it becomes of a prodigious Greatness; and the nearer it is to her Delivery, the more is the Womb extended.

It is not without Reason then that Nature (or the God of Nature rather) has made the Womb of a membranous Substance; for thereby it does the easier open to conceive, and is gradually dilated from the Growth of the Fetus, or young One; and is afterwards contracted and closed again, to thrust forth both it and the After-burden, and then to retire to its primitive Seat. Hence also it is enabled to expel any noxious Humours, which may sometimes happen to be contained within it.

Before I have done with the Womb, which is the Field of Generation, and ought therefore to be the more particularly taken Care of: (For as the Seeds of Plants can produce no Fruits, nor spring unless sown in Ground proper to waken and excite their vegetative Virtue; likewise the Seed of Man, tho' potentially containing all the Parts of a Child, would never produce so admirable an Effect, if it were not cast into that fruitful Field of Nature, the Womb.) I shall proceed to a more particular Description of the Parts thereof, and the Uses which Nature has design'd them.

The Womb then is composed of variout similiary Parts, that is, of Membranes, Veins, Arteries, and Nerves. The Membranes are two, and they compose the principal Part of its Body, the outmost of which ariseth from the Peritonium, or Cawl, and is very thin, without smooth but within unequal, that it may the better cleave to the other, which is indeed the most proper Membrane of the Womb, as it were fleshy and thicker than any else, to meet with in the Body, when a Woman is not pregnant, and is interwoven with all sorts of Fibres, or small Strings, that it may the better suffer the Extension of the Child and the Waters raised during Pregnancy; and also that it may the easier cōdē gain after Delivery.

Veins and Arteries proceed both from the *Hypoga-*
strum, and the *Spermatick Vessels*, of which I shall speak
by: All these are inserted and terminated in the
Membrane of the Womb. The Arteries supply
Blood for its Nourishment; which being brought
in too great quantity, sweats thro' the Substance
and distils as it were a Dew into the Bottom of its
; from whence do proceed both the Terms in
Virgins, and the Blood which nourisheth the *Embryo*
feeding Women. The Branches which issue from
Spermatick Vessels, are inserted in each Side of the
bottom of the Womb, and are much less than those which
issue from the *Hypogastricks*, those being greater, and
serving the whole Substance of it. There are yet some
small Vessels, which arising the one from the other,
conducted to the internal Orifice, and by these those
who are pregnant, do purge away the Superfluity of their
; when they happen to have more than is used in
Nourishment of the Infant; by which means Nature
has taken such care of the Womb, that during its Preg-
nancy, it shall not be obliged to open itself, for the pas-
sage away those excrementitious Humours; which should
be forced to do, it might often endanger Abortion.
As touching the Nerves, they proceed from the Brain,
and furnishes all the inner Parts of the lower Belly with
; which is the true Reason it hath so great a Sym-
ptom with the Stomach, which is likewise very conside-
rably furnished from the same Part; so that the Womb
is not be afflicted with any Pain, but the Stomach is im-
mediately sensible thereof; which is the Cause of those
Sicknesses, or frequent Vomitings which happen to it.
Besides all these Parts which compose the Womb,
it hath yet for Ligaments, whose Office is to keep it firm
in Place, and prevents its constant Agitation by the con-
stant Motion of the Intestines, which surround it, two
which are above, and two below: Those above are
the broad Ligaments, because of their broad and
membranous Figure, and are nothing else but the Pro-
duction

duction of the *Peritoneum*, which growing out of Sides of the Loins towards the Reins, come to be inserted in the Sides of the Bottom of the Womb, to hinder the Body from bearing too much on the Neck, and so suffering a Precipitation; as will sometimes happen when the Ligaments are too much relaxed; and do contain the Testicles; and as well safely conduct the different Vessels, as the Ejaculatories to the Womb. The lowermost are called Round-ligaments, taking their origin from the Side of the Womb, near the Horns, whence they pass the Groin, together with the Production of the *Peritoneum*, which accompanies them through the Rings and Holes of the Oblique and Transverser Muscles of the Belly, where they divide themselves into many little Branches, resembling the Foot of a Goose, of which some are inserted into the *Os Pubis*, and the rest are lost and confounded with the Membranes that cover the upper and interior Part of the Thigh: And that which causes that Numbness which Women and Child feel in their Thigh. Those two Ligaments are long, round, and nervous, and pretty big in their beginning near the *Matrix*, hollow at their rise, and all the way to the *Os Pubis*, where they are a little smaller, and become flat, the better to be inserted in the manner aforesaid. It is by their means the Womb is hindered from rising too high. Now altho' the Womb is held in its natural Situation by means of these four Ligaments, it has liberty enough to extend itself when pregnant, because they are very loose, and so easily yield to its Distension. But besides these Ligaments, which keep the Womb as it were in a Poise, yet it is fastened, for greater security by its Neck both to the Bladder and *Rectum*, between which it is situated: Whence it comes to pass, that at any time the Womb be inflamed, it communicates the inflammation to the neighbouring Parts.

Its Use, or proper Action in the Work of Generation is to receive and retain the Seed, and to reduce it from Power to Action, by its Heat, for the Generation of

ant ; and is therefore absolutely necessary for the Conservation of the Species. It also seems by accident to receive and expel the Impurities of the whole Body, as when Women have abundance of Whites, and to purge away from time to time the superfluity of the Blood, and doth every Month by the Evacuation of the Blood, & thus much shall suffice for the Description of the Womb, in which I have been the larger, because, as I have said before, it is the Field of Generation.

III. The next Thing to be described in the Genitals of Women, is the Testicles, or Stones, for such Women as well as Men, but are not for the same Use ; and their Seed are different from those in Men, in several Particulars ; as 1st, in Place, as being within the Belly ; whereas in Men they are without. 2dly, In Figure, being uneven in Women, but smooth in Men. 3dly, in Magnitude, being lesser in Women than in Men. 4thly, They are not fixed in Women by Muscles, but by Ligaments. 5thly, They have no Prostrates, or Kernals, as Men have. 6thly, They differ in Form, being depressed and flattish in Women, but Oval in Men. 7thly, They have but one Skin, whereas Mens have four ; for the inner ones of Men being more exposed, Nature has provided Covering for them accordingly. 8thly, Their Substance is more soft than in Mens. And 9thly, Their Temperature is colder than Mens. And as they differ in all these Respects, so do they also in their Use, for they perform not the same Actions as Mens ; as I shall shew presently : As for their Seat, it is in the Hollowness of the *Uterus*, and therefore not extreamly pendulous, but upon the *Ova* or Egg : 'Tis true, *Gallen* and *Hippocrates* did erroneously imagine that the Stones in Women both contain and elaborate the Seed, as those do in Men ; but it is a great mistake ; For the Testicles of a Woman are as it were no more than two Clusters of Eggs, which lie there to be impregnated by the most spirituous particles or animating *Effluvia* conveyed out of the

Womb thro' the two *Tubes*, or different Vessels : But however, the Stones in the Women are very usual ; for where they are defective, Generation-work is at an End : For tho' these little Bladders which are on their Superficies, contain nothing of Seed, yet they contain several Eggs, (commonly to the Number of Twenty in each *Testicle*) one of which being impregnated in the Act of Coition, by the most spirituous Part of the Seed of the Man, descends thro' the *Oviducts* into the Womb, and there in process of Time becomes a living Child.

IV. I am not now to speak of the *Spermatick Vessels* in Women, which are two, and are fastened in their whole Extent, by a membranous Appendix, to the Broad-ligament of the Womb : These do not proceed from the *Testicles*, as in Men, but are distant from them a Figure's Breadth at least ; and being disposed after the manner of the *Miseraick Veins*, are trained along this membranous Distance between the different Vessels and the *Testicles*. Their Substance is, as it were, nervous and moderately hard, they round, hollow, big, and broad enough at their End, joyning to the Horn of the Womb. Some Authors by these Affirm, that Women discharge their Seed into the Bottom of the Womb ; but the whole Current of our Modern Authors run quite another Way, and are positive that there is no Seed at all in their Vessels ; but that after the Egg or Eggs, in the *Ovaria* or *Testicles* are impregnated by the Seed of the Man, they descend through these two Vessels into the Womb where being placed, the *Embryo* is nourished. These Vessels are shorter in Women than they are in Men ; for the Stone of a Woman lying within the Belly, their Passage must needs be shorter ; but their various Wreathings and Windings in and out makes amends for the shortness of their Passage. These Vessels are not united before they come to the Stones, but divide themselves into two Branches, whereof the biggest only passes thro' the *Testicles*, the Lesser to the Womb, both for the Nourishment of itself and the Infant in it. I will only observe further, That

These Spermatick Veins receive the Arteries as they pass by the Womb; and so there is a mixture between vital and natural Blood, that so the Work might be the better wrought; and that is so, appears by this, That if you blow up the Spermatick Vein, you may perceive the right and left Vessel of the Womb blown up; from whence also the Communion of all the Vessels of the Womb may be easily perceived.

The *Deferentia*, or Carrying-Vessels, sprung from the lower Part of the Testicles, and are in Colour white, and in Substance sinewy, and pass not to the Womb straight, but wreathed with several Turnings and Windings, as was said of the Spermatick Vessels, that so the shortness of the Way may be likewise recompensed by their winding Meanders; yet near the Womb they become broad again. They proceed in two Parts from the Womb, which resemble Horns, and are therefore called the Horns of the Womb. And this is all that is needful to be known or treated of, concerning the Parts of Generation both in Men and Women.

Only since our modern Anatomists and Physicians are of different Sentiments from the Ancients, touching the Woman's contributing of Seed for the formation of the Child, as well as the Man; the Ancients strongly affirming it, but our modern Authors being generally of another Judgment, I will here declare their several Reasons for their different Opinions, and so pass on.

3. Of the Difference between the ancient and modern Physicians, touching the Womens contributing Seed to the Formation of the Child.

I will not make my self a Party in this Controversy, but set down impartially, but yet briefly, the Arguments on each side, and leave the judicious Reader to judge for himself.

Tho' it is apparent, says the Ancients, that the Seed of Man is the principal, efficient and beginning of Acti-

The Experienced Midwife.

on, Motion and Generation; yet that the Woman affords Seed, and contributes to the Procreation of the Child, is evident from hence, That the Woman has Seminal Vessels, which had been given her in vain, had she wanted Seminal Excrecence; but since Nature doth not think vain, it must be granted they were made for the use of Seed and Procreation, and fixed in their proper Places to operate, and contribute Virtue and Efficacy to the Seed: And this, say they, is further proved from hence, That if women at Years of Maturity use not Copulation to eject their Seed, they often fall into strange Diseases, as appears by young Women and Virgins; and also it is apparent that women are never better pleased than when they are often satisfied this way; which argues the Pleasure and Delight they take therein; which Pleasure and Delight, say they, is double in women, to what it is in Men: For as the Delight of Men in Copulation, consists chiefly in the Emission of the Seed, so women are delighted both in the Emission of their own, and the Reception of the Man's.

But against all this, our modern Authors affirm, That the Ancients were very erroneous; forasmuch as the Articles in women do not afford Seed, but are two Eggs like those of Fowls or other Creatures, neither have they any such Offices as those of Men; but indeed are *anvarium*, or Receptacles for Eggs; wherein these Eggs are nourished by the sanguinary Vessels, dispersed in them; and from thence one or more, as they are fecundated by the Man's Seed, are conveyed into the womb by the Oviducts. And the Truth of this, say they, is plain, that if you boil them, their Liquor will have the same Taste, Colour, and Consistency, with the Taste of Birds Eggs. And if it be objected, That they have Shells, the Answer easy, For the Eggs of Fowls while they are in the Ovary, nay, after they are fallen into the Uterus, they have no Shell: and tho' they have one when they are laid, yet it is no more than a Fertilum, which Nature has provided for them against outward injury.

aries, they being hatched without the Body ; but those of Women, being hatched within the Body have no need of any other Fence than the Womb to secure them.

They also further say, There are in the Generation of the *Fetus*, or young one, two Principles, Active and Passive ; the Active is the Man's Seed, elaborated in the Testicles, out of the Arterial Blood, and Animal Spirits ; the Passive Principle is the *Ovum* or Egg impregnated by the Man's Seed : For to say, that Women has true Seed (say they) is erroneous. But the Manner of Conception is thus : The most Spiritous Part of Man's Seed in the Act of Copulation, reaching up to the *Ovarium*, or Testicles of the Woman, (which contains divers Eggs, sometimes more, sometimes fewer) impregnates one of them, which being convey'd by the Oviducts to the Bottom of the Womb, presently begins to swell bigger and bigger, and drinks in the Moisture that is plentifully sent thither after the same manner that Seeds in the Ground suck the fertile Moisture thereof, to make them sprout.

But notwithstanding what is here urged by our modern Anatomist, there are some late Writers of the Opinion of the Ancients, *viz.* That Women both have, and emit Seed in the Act of Copulation ; and the good Women themselves take it ill to be thought merely passive in those Wars wherein they make such vigorous Encounters ; and positively affirm they are sensible of the Emission of their Seed in those Engagements ; and that it is a great Part of the Delight which they take in that Act consists : I will not therefore go about to take any of their Happiness away from them, but leave them in the Possession of their imagined Felicity.

Having thus laid the Foundation of this Work, in the Description I have given of the Parts dedicated to the Work of Generation both in Man and Woman, I will now proceed to speak of Conception, and of those Things that are necessary to be observed by Women, from the Time of their Conception, to the Time of their Delive-

C H A P. III.

Of Conception; what it is; the Signs thereof; whether conceive of a Male or Female; how Women are to order themselves after Conception.

§. 1. What Conception is, and the Qualifications requisite thereto.

CONCEPTION is nothing else but an Action of the Womb, by which the Prolifick Seed is received and retained, that an Infant may be ingendered and formed out of it. There are two Sorts of Conception, the one according to Nature, which is followed by the Generation of the Infant in the Womb; the other is false and wholly against Nature; in which the Seed changes into Water, and produce only false Conception, Males, or other strange Matter. Now there are three Things principally necessary, in order to a true Conception, for that Generation may follow; to wit, Diversity of Sex, Congression, and Emission of Seed. Without Diversity of Sexes there can be no Conception: For tho' some will have a Woman to be an Animal, that can Ingender of herself, it is a great mistake; for there can be no Conception without a Man to discharge his Seed into her Womb: What they alledge of Pullets laying Eggs without a Cock's treading them, is nothing to the purpose. For those Eggs, should they be set under a Hen, will never become Chickens, because they never received any Prolifick Virtue from the Male; which is absolutely necessary to this Purpose, and is sufficient to convince us, that Diversity of Sex is necessary, even to those Animals, as well as to the Generation of Man. But diversity of Sex, though it be necessary to Conception, yet it won't do alone, there must also be a Congression of those different Sexes; for diversity of Sex would profit little if Copulation did follow: I confess I have heard of some sterile Woman, who to cover their Sin and Shame, have

endeavoured to persuade some Persons, that they were never touched by Men to get them with Child; and that one in particular, pretended; to conceive by going into a bath wherein a Man had washed himself a little before, and spent his Seed in it, which was drawn and suck'd into her Womb, as she pretended; but such Stories as these are only fit to amuse them that know no better. — Now that these different Sexes should be obliged to come to the Touch, which we call Copulations, or Coition, besides the natural Desire of begetting their Like, which stirs up Men and Women to it, the Parts appointed for Generation, and indowed by Nature with a delightful and mutual Itch, which begets in them desire to the Action; without which, it would not be very easy for a Man to perform for the Contemplation of Divine Mysteries, to joyn himself by the way of Coition to a Woman, in regard of the Uncleaness of the Part and of the Action: and, on the other Side, if Women did but think of those Pains and inconveniences to which they are subjected by their great Bellies, and those Hazards even of Life itself, besides the unavoidable Pains that attend their Delivery, it is reasonable to believe they would be affrighted from it. But neither Sex make these Reflections till after the Action is over, considering nothing before-hand but the Pleasure of enjoyment. So that it is from this voluptuous Itch, that Nature obligeth both Sexes to this Congression. Upon which the third Thing followeth of Course, to wit, the emission of Seed into the Womb, in the Act of Copulation. For the Woman having received this Prolifick Seed into her Womb, and retained it there, the Womb thereupon becomes compressed, and embraces the Seed so closely, that being closed, the Point of a Needle, as saith Hippocrates, cannot enter it without Violence: and now the Woman may be said to have conceived: being reduced by its Heat from Power into Action: The several Faculties which are in the Seed it contains, making use of the Spirits with which the Seed abounds, and which

are the Instruments by which it begins to trace out the first Lineaments of all the Parts ; to which afterwards of making use of the menstruous Blood flowing to it, gives in time Growth and final Perfection. And thus much shall suffice to shew what Conception is, I shall now proceed to shew,

§. 1. The Signs of Conception.

THere are many Prognosticks, or Signs of Conception, I will name some of the chief, which are the most certain, and let alone the rest.

1. If a Woman has been more than ordinary desirous of Copulation, and hath taken more Pleasure than usual therein, (upon which Recollection she may easily know it is a Sign of Conception.

2. If she retain the Seed in her Womb, after Copulation; which she may know if she perceives it not to flow down from the Womb, as it used to do before for that is a sure Sign the Womb has received it into the inward Orifice, and there retains it.

3. If she finds a Coldness and Chilliness after Copulation, it shews the heat retired to make the Conception.

4. If after this she begins to have Loathings to those Things which she loved before; and this attended with Loss of Appetite; and a Desire after Meats, to which she was not affected before; and hath often Nauseatings and Vomittings, with sour Belchings, and exceeding weakness of Stomach.

5. After Conception, the Belly waxed very flat because the Womb closeth itself together, to nourish and cherish the Seed; contracting itself so as to leave no empty Space.

6. If the Veins of the Breast are more clearly seen than they are wont to be, it is a Sign of Conception.

7. So it is also if the Tops of the Nipples look redder than formerly, and the Breasts begin to swell, and grow harder than usual; especially if this be attended with Pain and Soreness.

8. If a Woman has twining and griping Pains, much like those of the Cramp, in her Belly, and about her Navel, is is a Sign she has conceiv'd.

9. If under the lower Eye-lid the Veins be swell'd, and appear clearly, and the Eye be something discoloured, is a certain Sign she is with Child, unless she have her *Menfes* at the same Time upon her, or that she has set up the Night before. This Sign has never failed.

10. Some also make this Tryal of Conception, they stop the Woman's Urine close in a Glass or Vial for three Days, and then strain it thro' a fine Linnen Cloth; and if they find small living Creatures in it, they Conclude, that the Woman has certainly conceived.

11. This also is another easy Tryal: Let the Woman that suppose she has conceived, take a green Nettle, and put it into her Urine, cover it close, and let it remain therein a whole Night; if the Woman be with Child, it will be full of red Spots on the Morrow: but if she be not with Child, it will be blackish.

12. The last Sign I shall mention, is that which is most obvious to every Woman, which is the Suppression of the Terms: For after Conception, Nature makes use of that Blood for the Nourishment of the *Embryo*, which before was cast out by Nature, because it was too great in Quantity: For it is an Error, to think that the Menstrual Blood, simply in itself consider, is bad: For if a Woman's Body be in a good Temper, the Blood must needs be good; and that it is voided monthly is because it offends in Quantity, but not in Quality; But tho' the Suppression of the Terms is generally a sure Sign of Conception to such Persons as have had 'em orderly before; yet it is not the having them always a Sign there is no Conception: Forasmuch as many that have been with Child have had there Terms, and some even till the fifth or sixth Month; which happens according to the Woman's being more or less Sanguine: For if a Woman has more Blood than will suffice for the Nourishment of the *Embryo*.

8. Nature continues to avoid it in the usual Way. When

The Experienced Midwife.

the experienced Midwife may learn, there are very few general Rules, which do not sometimes admit of an Exception. But this shall suffice to be spoken of the Signs and Prognosticks of Conception.

§. 3. Whether Conception be of a Male or Female.

AUthor gives us several Prognosticks of this, tho' they are not all to be trusted, yet there is some Truth amongst 'em: The Signs of a Male Child conceived, are,

1. When a Woman at her rising up, is more apt to stay herself upon her right Hand, than her left.

2. Her Belly lies rounder and higher, then when she has conceived of a Female.

3. She first feels the Child to start on her right Side.

4. She carries her burden more lighter, and with less Pain than when 'tis a Female.

5. Her right Nipple is redder than her left, and her right Breast harder, and more plump.

6. Her Colour is more clear, nor is she so swarthy when she has conceived a Female.

7. Observe the Circle under her Eye, which is a purple and bluish Colour; and if that under her right Eye is most apparent, and most discoloured, she has conceived of a Son.

8. If she would know whether she hath conceived a Son or a Daughter, let him mix a Drop of her milk in a Basen of fair Water; if it spread and swims a Top is certainly a Boy; but if it sinks to the Bottom drops in, round in a Drop, it is a Girl. This last is an infallible Rule, And in all it is to noted, that what is a Sign of Male conception, the contrary hold good of a Female.

How a Woman ought to order herself a Conception.

MY Design in this Treaty being Brevity, I shall pretermitt all that others say of the Causes of Ins, and whither there be any such Thing as Superfecundation, or a second Conception in a Woman, which yet is common enough; and as to Twins, I shall have Occasion to speak of them, when I come to shew how the Midwife ought to proceed in the Delivery of those Women that are Pregnant with them. But having already spoke of Conception, I think it now necessary to shew such as have conceived ought to order themselves during their Pregnancy, that they may avoid those Inconveniences which often endanger the Life of the Child, many times their own to boot.

A Woman after her Conception, during the Time of being with Child, ought to be look'd on as indispos'd Sick, tho' in good Health; for Child-bearing is a kind of Nine Months Sicknes, being all that Time in expectation of many Inconveniences, which such a Condition usually causes to those that are not well governed during that Time. And therefore ought to resemble a good Pilot, who, when sailing in a rough Sea and full of Rocks, avoids and shuns the Danger, if he steers with Prudence; but if not, 'tis a thousand to one but he suffers Shipwreck: In like manner a Woman with Child, is often in Danger of Miscarrying, and losing her Life, if she is not very careful to prevent those Accidents, to which she is subject all the Time of her Pregnancy: All which Time her Care must be double, first of herself, and secondly of the Child she goes with; for otherwise a single Error may produce a double Mischief; for if she receives any prejudice, her Child also suffers with her.

Let a Woman therefore after Conception observe a good Diet, suitable to her Temperament, Custom, Constitution and Quality: And, if she can, let the Air where she

the ordinarily dwells be clear and well tempered, from Extreame either of Heat or Cold; for being too hot, it dissipareth the Spirits too much, and causes many Weaknesses; and by being too cold and foggy, may bring down Rheums and Distillations on the Lungs and so cause her to cough, which, by its impetuous Motions forcing downwards, may make her miscarry: She ought also to avoid all nauseous and ill Smells; for sometimes the Stink of a Candle not well put out, may cause her to come before her Time; and I have known the Smell of Charcoal to have the same Effect. Let her so avoid smelling to Rue, Mint, Penny-royal, Castoreum, Brimstone, &c.

But with respect to her Diet, Women with Child have generally so great Loathings and so many different Longings, that it is very difficult to prescribe an exact Diet to them. Only this I think adviseable, that they may avoid of those Meats and Drinks which are to them most detestable, though perhaps not in themselves so wholesome as some others, nor it may be so pleasant: But this Liberty must be made use of with this Caution, that what she so desires be not in itself absolutely unwholesome; and also that in every Thing they take care of Excess. If a Child-bearing Woman finds not herself troubled with such Longings as we have spoken of, and in such a Quantity as may be sufficient for herself and the Child, which her Appetite may in a great Measure regulate: For it is as like hurtful for her to fast too long, and to eat too much; and therefore rather let her eat a little and oft, especially let her avoid eating too much at Night; because the Stomach, being too much filled, compresses the Diaphragma, and thereby causes Difficulty of Breathing. Let her Meat be easy of Concoction, such as the tenderest Parts of Beef, Mutton, Veal, Fowl, Pullen, Capons, Pidgeons and Partridges, either boyld or roasted, as she likes best: New-laid Eggs are also very good for her: And let her put into her Broths those Herbs that purify it; as Sorrel, Lettice, Succory, and Burnage.

they will purge and purify the Blood: Let her avoid whatever is hot-seasoned, especially Pies and baked meats; which being of hot Digestion over-charge the stomach. If she desires Fish, let it be fresh, and such taken out of Rivers and running Streams. Let her use Quinces or Marmalade, to strengthen her Child; for such purpose, sweet Almonds, Honey, sweet Apples, full ripe Grapes are also good. Let her abstain from sharp, sour, bitter and salt Things, and all Things tend to provoke the Terms, such as Garlick, Onions, Olives, Mustard, Fennel, with Pepper and all Spices, except Cinnamon, which in the three last Months is good for her. If at first her Diet be sparing, as she increases sickness, let her Diet be also increased; for she ought to consider she has a Child as well as herself to nourish. Let her be moderate in her Drinking; and if she drinks, let it be rather Claret than White (which will not good Blood, help the Digestion, and comfort the stomach, which is always but weakly during her Pregnancy) but White Wine being diuretick, or that which provokes Urine, ought to be avoided. Let her have a little of too much Exercise, and let her avoid Dancing, Riding in a Coach, or whatever else puts the Body into violent Motion, especially in her first Months. But to be more particular, I shall here set down Rules proper for every Month, for the Child-bearing Woman to Order herself; from the Time she has first Conceived, to the Time of her Delivery.

Rules for the first two Months.

As soon as a Woman knows (or has Reason to believe) she has Conceived, she ought to abstain from violent Motions and Exercise; whether walk on Foot, ride on Horseback, or in a Coach, it ought to be very gently. Let her also abstain from Venery, to which before Conception, she has usually no great inclination. Let there be a Mole or Superfœtation; which is the adding.

ding of one *Embrio* to another.—Let her beware she lay not her Arms too high, nor carry great Burthens, nor repose herself on hard and uneasy Seats.—Let her moderately use Meat of good Juice, and easy Concoction, and let her Wine be neither too strong, nor too sharp, but a little mingled with Water, or if she be very ambitious, she may use Water wherein Cinnamon is boiled. Let her avoid Fastings, Thirst, Watching, Mourning, Sadness, Anger, and all other Perturbations of the Mind.—Let none present any Strange and unwholesome Thing to her, not so much as name it, lest she should desire it, and not be able to get it, and so either cause her to miscarry, or the Child to have some Deformity on that Account.—Let her Belly be kept loose, with Prunes, Raisins, or Manna in her Broth. And let her use the following Electuary, to strengthen the Womb and the Child.

Take Conserve of Burrage, Bugloss, and red Rose each two Ounces; of Balm an Ounce, Citron peel, and Shebs Mirobolans candied, each an Ounce; Extract of Wood-aloes, a Scruple; Pearl prepared, half a Dram; red Coral, Ivory, each a Dram; precious Stones, each a Scruple; candied Nutmegs, two Drams; and Syrup of Apples and Quinces, make an Electuary.

Let her use the following Rules:

Take Pearls prepared, a Dram; red Coral prepared, Ivory, each half a Dram, precious Stones, each a Scruple; yellow Citron-peels, Mace, Cinnamon, Cloves, each half a Dram; Saffron a Scruple, Wood-aloes, half a Scruple, bergreece six Drams; and with six Ounces of Sugar dissolved in Rose-water, make Rouls. Let her also apply Strengtheners to the Navel, of Nutmegs, Mace, Mass made up in Bags, or a Toast dipped in Mamssey, sprinkled with Powder of Mints.—If she happens to miscarry, give her Beans boild with Sugar: And if she happens long for any Thing which she can't obtain, let her presently drink a large Draught of pure cold Water.

Rules for the Third Month.

This Month, and the next to be sure to keep from bleeding; for tho' it may be safe at other Times, it is not so to the end of the fourth Month: And yet much Blood abound, or some incident Disease hap- which requires Evacuation, you may use Cupping- with Scarrification, and a little Blood may be drawn from the Shoulders and Arms, especially if she has been accustomed to bleed. — Let her also take care of lacing herself too straightly, but give herself more liberty than she does to do; for inclosing her Belly in too strait a Band, she hinders the Infant from taking its free growth, and often makes it come before its Time.

Rules for the Fourth Month.

In this Month you ought also to keep the Child-bearing Woman from Bleeding, unless on extraordinary Cases; when this Month is past, Blood-letting and Physick may be permitted, if it be gentle and mild; and perhaps may be necessary to prevent Abortion. In this Month you may purge in an acute Disease; but Purging may be avoided from the beginning of this Month, to the end of the Sixth; but let her take care, that in Purging she use no vehement Medicine, nor very bitter, as Aloes, which is an Enemy to the Child, and opens the Mouth of the Vessels; neither let her use *Coloquindita*, nor *Scammony*, nor *Turbit*; but she may use *Cassia*, *Manna*, *Rhubarb*, *Prick* and *Senna*; but *Diacidonium purgans* is best, with a little of the Electuary of the Juice of *Roses*.

Rules for the Fifth, Sixth and Seventh Month.

In these Months Child-bearing Women are often troubled with Coughs, Heart-beating, Fainting, Watch-Pains in the Loyns and Hips, and Bleeding — The Cough

Cough is from a sharp Vapour, that comes to the and rough Artery from the Terms, or from a thin of that Blood gotten into the Veins of the Breast, or ing from the Head to the Breast; this endangers tion, and Strength fails from Watching: Therefore the Humours that fall from the Breast with *Rhubarb* *Agarick*; and strengthen the Head as in a Catarrh, give sweet *Lenitives*, as in a Cough.—Palpitation Fainting, arises from Vapours that go to it by the ries; or from Blood that aboundeth, and cannot get at the Womb, but ascends, and oppresseth the He And in this Case Cordials should be used both inwardly and outwardly.—Watching is from dry sharp Vapours that trouble the Animal Spirits: And in this Case Frictions, and let the Woman wash her Feet at Bed-time and let her take Syrup of Poppies, dried Roses, Extractions of sweet Almonds, and white Poppy-seeds. If she be troubled with Pain in the Loins and Hips, as in the Months she is subject to be, from the Weight of the Child who is now grown big and heavy, and so stretcheth the Ligaments of the Womb, and Parts adjacent, let her tie it up with swathing-bands about the Neck.—About Time also the Woman often happens to have a Flux of Blood either at the Nose, Womb, or Hemorrhoids from Plenty of Blood, or from the Weakness of the Child that takes it not in; or else from evil Humours the Blood that stir up Nature to send it forth: And sometimes it happens that the Vessels of the Womb may be broken, either by some violent Motion, Fall, Cough, or Trouble of Mind, (for any of these will work that effect) and this is so dangerous, that in such a Case the Child cannot be well: But if it be from Blood only, the Danger is the less, provided it flows by the Veins of the Neck of the Womb, for then it prevents Plethory, and takes not away the Nourishment of the Child: But if it proceeds from the Weakness of the Child that draws it not, Abortion of the Child often follows, or hard travail; or else she goes beyond her Time. But if it

the inward Veins of the Womb, there is more Danger
the Oppeness of the Womb. If it come from evil
, the Danger is alike from Cacochimy, which is
to fall upon both: If it arise from Plethory, open a
but with very great Caution, and use Astringents;
which, this following will do well; Take Pearls pre-
a Scruple, red Coral two Scruples, Mace, Nutmegs,
a Dram: Cinnamon half a Dram; make a Powder,
with Sugar Rouls. Or give this Powder in Broath.
red Coral a Dram, Pearl half a Dram, precious
s, each half a Scruple; red Sarder half a Dram,
a Dram, sealed Earth, Tormentil-roots, each two
le, with Sugar of Roses and Manus Christi; with
six Drams make a Powder. You may also strengthen
child at the Navel; and if there be a Cacochimy,
the Humours; and (if you may do it safely) evacuate:
may likewise use Amulets in her Hands and about
Neck. In Flux of Hemorrhoids beware of the
and let her drink hot Wine with a toasted Nutmeg.
in these Months the Belly is also subject to be bound,
it be without any apparent Disease, the Breath of a
en, or of Veal sodden, with Oyl or with the Decoction
allows, or Mash-mallows, Mercury, and Linseed put
a Clister; will not be amiss, but in a less Quantity
is given in other Cases: to wit, of the Decoction five
s of common Oyl three Ounces, of Sugar two Ounces,
ssia fistula one Ounce. But if she will not take Cli-
one or two Yolk of new laid Eggs, or a few Pease-
ge warm, with a little Salt and Sugar, supped up a
before Meat, will be very convenient; But if her
shall be distended and stretched out with Wind, a
Fennel-Seed and Anniseed reduced into Powder, and
el with Honey and Sugar, made after the Manner of
lectuary, will do very well. Also if the Thighs and
swell, let them be anointed with Oxphrodinum
ch is a liquid Medicine made with Vinegar and Rose
) mingled with a little Salt.

Rules for the Eighth Month.

THE Eighth is commonly the most dangerous, therefore the greatest Care and Caution ought to be used? And her Diet ought to be better in Quality, not more, nor indeed so much in Quantity, as before. But as she must abate her Diet, so she must increase Exercise: And because then Women with Child by reason the sharp Humour alter the Belly, are accustomed to weaken both their Spirits and Strength; they may take before Meat an Electuary of *Diarrhoden*, or *Aromaticum Rosatum*, or *Diamargariton*; and sometimes may lick a little Honey; as they with loath and nausea their Meat, may take green Ginger, condited with Sugar, or the Rhinds of Citron and Oranges condited. And her often use Honey for the Strengthening of the Intestines. When she is not far from her Labour, let her eat every Day seven toasted figs before Meat; and sometimes let her lick a little Honey. But let her beware of salt powdered Meat; for it is neither good for her nor Child.

Rules for the Ninth Month.

IN the Ninth Month, let her have a Care of lifting great Weight; but let her move a little more to dilate the Parts, and stir up natural Heat. Let her have heed of stooping, and neither sit too much, nor lye on her Sides, lest thereby she gives the Child an Occasion to turn itself, but let her lye with her Face upwards, or on her Back; neither ought she to bend herself, lest the Child be unfolded in the Umbilical Ligament, which means it often perished. Let her walk and move often, and let her Exercise be rather to go upwards than downwards: Let her Diet now especially be light and easy Digestion; as Damask Prunes with Sugar; or Raisins and Raisins, before Meat; and also the Yolk of Eggs.

and Broth of Chickens, Birds, Partridges, and Pheasants; Astringent and roasted Meats, with Rice, hard Millet, and such like other Things are very proper. of sweet Water with emollient Herbs, ought to be by her this Month with some Intermiſſion. And the Bath, let her Belly be anointed with Oyl of and Violets; but for her Privy Parts, it is better to t them with the Fats of Hens, Geese, or Ducks, or Oyl of Lillies, and the Decoction of Linseed and greek, boiled with Oyl of Linseed and Marsh-mallows, or with the following Liniment:

Take of Mallows and Marsh-mallows, cut and shred of one Ounce; of Linseed one Ounce; let them be boiled in twenty Ounces of Water to ten; then let her take Ounces of the boiled Broth, of Oyl of Almonds, and Flower-de-luce, of each one Ounce; of Deer Suet, Ounces; let her bathe with this, and anoint her it warm.

For fourteen Days before the Birth, she do every Morning and Evening bathe and moisten her Belly with Rose-madine and Lavender Water, the Child will be much strengthened thereby. And if every Day she eat roasted it will hinder any thing from growing to the Child. Privy Parts may be also gently stroaked down with omentation.

Take three Ounces of Linseed; of Mallows and of Marsh-mallows sliced, of each one Handful, let them be put into a Stewpan, and boiled moderately; and let the Woman with every Morning and Evening take the Vapour of this in a hollow Stool, taking great heed that no wind come to her in any Part: And then let her wipe her self so anointed with a Linnen Cloth, that she may cover the Belly and Groins, as at first. When she is so near her Time as to be within ten or fourteen Days hereof, if she begins to feel any more than ordinary pain, let her use every Day the following Bath:

Take of Mallows and Marsh-mallows, of each one Handful; of Rose-madine, Herb Mercury, Maiden-hair, of each half a Handful.

*Handful ; of Linseed four Ounces ; let there be added
such a sufficient Quantity of Water, as may make a
therewith : But let her not sit too hot upon the Seat
higher than a little above her Navel ; nor let her sit
longer than above half an Hour, lest her Strength
guish and decay ; for it is better to use it often, than
stay too long in it. And thus have I shewn how a
bearing Woman ought to govern herself in each Month
during her Pregnancy : How she must order herself
her Delivery, shall be shewn in another Chapter, and
have first shewn the industrious Midwife how the Child
is formed in the Womb, and the Manner of its De-
cumbiture there.*

C H A P. IV.

*Of the Parts proper to a Child in the Womb. How
formed there, and the manner of its Situation there.*

IN the last Chapter I treated of Conception, and
what it was, how accomplished, its Signs ; and
the who had conceived ought to order herself during
Time of her Pregnancy : Now, before I come to
of her Delivery, it is necessary that the Midwife be
acquainted with the Parts proper to a Child in the Womb,
and also, that she know how it is formed, and the Man-
ner of its Situation or Decumbiture there ; which is
necessary to her, that without the Knowledge thereof
one can tell how to deliver a Woman as she ought.
This therefore shall be the Work of this Chapter, which
shall begin with the First of these.

§. 1. *Of the Parts proper to a Child in the Womb.*

IN this Section I must first tell you what I mean
Parts proper to a Child in the Womb, and that
only those that either help to nourish it, while it is
lodged in that dark Repository of Nature, and that

hath and defend it there; and are cast away, as of
 ore use, after it is born; and these are two; to
 the Umbelicans or Navel-Vessels, and the Secundum;
 the first it is nourished, and by the second cloathed
 defended from wrong: Of each of these I shall
 distinctly; and first,

Of the Umbelicans, or Navel-Vessels.

These are four in Number, viz. One Vein, two Ar-
 teries, and the Vessel which is called *Urachos*:
 The Vein is that by which the Infant is nourished from
 Time of its Conception, till the Time of its Delivery:
 being brought into the Light of this World, it has
 the same way of concocting its Food that we have. This
 ariseth from the Liver of the Child, and is divided
 into two parts when it hath passed the Navel; and these
 are again divided and subdivided, the Branches be-
 ing upheld by the Skin called *Chorion*, (of which I shall
 say by and by) and are joyned to the Veins of the Mo-
 ther's Womb; from whence they have their Blood for
 Nourishment of the Child. 2. The Arteries are two
 on each Side, which proceed from the Ilac Branches of
 the great Artery of the Mother; and the Vital Blood is
 sent by these to the Child, being ready concocted by
 the Mother. 3. A nervous or sinewy Production is led
 from the Bottom of the Bladder of the Infant, to the Na-
 vel, and this is called *Urachos*; and its use is to convey
 the Urine of the Infant from the Bladder to the *Alentois*
 The Physicians do very much vary in their Opinions concern-
 ing this, some denying any such Thing to be in the Deli-
 very of Women; and others, on the contrary, affirm-
 ing it; But Experience has testified there is such a Thing.
 Bartholomew Carbrolius, the Ordinary Director of
 the Colledge of Physicians at Montpelier in
 France, records the History of a Maid, whose Water be-
 ing long Time stopped, at last issued out through her
 Navel; and Johannes Fernelius speak of the same Thing
 that

that happened to a Man of thirty Years of Age, having a Stoppage in the Neck of the Bladder, his Urine issued out at his Navel, many months together, and without any Prejudice at all to his Health: which he ascribes to the ill-lying of his Navel, whereby the Orifice was not well dried. And *Volcher Coites* quotes such another Instance, in a maid of 34 Years of Age at *Nuremberg* in *Germany*: These Instances, though they happen seldom, are yet sufficient to prove, that there is such a Thing as an *Urachos* in Men. These four Vessels, be mentioned, to wit, one Vein, two Arteries, and the *Urachos*, do joyn near to the Navel, and are united by Skin which they have from the *Chorion*; and so become like a Gut or Rope, and are altogether void of Sense, and this is that which the good Women call the Navel-string. The Vessels are thus joyned together, that so they might neither be broken, severed, nor intangled; and when the Infant is born, are of no use, save only to make the Ligament which stops the Hole of the Navel, and some other Physicial Use, &c.

Of the Secundine, or After-Birth.

Setting aside the Name given to this by the Greeks and Latins, it is called in English by the Nature of *Secundine*, *After-Birth*, and *After-Burden*; which are held to be four in Number.

1. The first is called *Placenta*, because it resembles the Form of a Cake, and is knit both to the Navel and *Chorion*, and makes up the greatest Part of the *Secundine* or *After-Birth*. The Flesh of it is like that of the Liver or Spleen, soft, red, and tending something to Blackness, and hath many small Veins and Arteries in it; and certainly the chief Use of it is for the containing the Child in the Womb.

2. The second is the *Chorion*: this Skin, and that which the *Amnios*, involve the Child round, both above and underneath, and on both Sides, which the *Alantois* do

This Skin is that which is most properly called the *Secundine*, and is thick and white, garnished with many Veins and Arteries, ending in the *Placentia*, before described, being very light and slippery. Its Use is not only to wrap the Child round about, but also to receive and safe-keep up the Root, and the Veins and Arteries, or Nerves before described.

The third Thing which makes up the *Secundine*, is the *Alantois*, of which there is a great Dispute amongst Anatomists, some say there is such a Thing, and others say there is not: Those that will have it to be a Membrane, say it is white and soft, and exceeding thin, and lies under the *Placentia*, where it is knit to the *Urachus*, whence it receives the Urine: And its Office is to keep it separate from the Sweat, that the saltness of it may not offend the tender Skin of the Child.

The fourth and last covering of the Child is called, the *Amnios*, and it is white, soft and transparent, being furnished by some very small Veins and Arteries. Its Use is not only to enwrap the Child round, but also to keep off the Sweat of the Child.

Having thus described the Parts proper to the Child in the Womb, I will next proceed to speak of the Formation of the Child therein; as soon as I have explained the hard Terms in this Section; that those for whose Use this is designed, may understand what they read. There is none sure can be so Ignorant as not to know that a *Vein* is that which receives Blood from the Liver, and distributes it in several Branches to all the Parts of the Body. *Arteries* proceed from the Heart, are in a continual Motion, and by their continual Motion quicken the Body. *Nerve* is the same with a Sinew, and is that by which the Brain adds Sense and Motion to the Body, the *Placentia* properly signifies a Sugar-cake; but in this Book it is used to signify a spongy Piece of Flesh, resembling a Cake, full of Veins and Arteries, and is made use of to receive the Mother's Blood appointed for the Infant's nourishment in the Womb. *Chorion* is the outward Skin, which

which compasseth the Child in the Womb. The *Amnion* is the inner Skin which compasseth the Child in the Womb: The *Alantois* is the Skin that holds the Uterus of the Child, during the Time that it abides in the Womb. The *Urachus* is the Vessel that conveys the Urine from the Child in the Womb to the *Alantois*. — I now proceed to.

§. 2. Of the Formation of the Child in the Womb.

TO speak of the Formation of the Child in the Womb, we must begin where Nature begins; that is at the Act of Coition, in which the Womb having received the generative Seed, without which there can be no Conception, the Womb immediately shutteth itself so close that not the Point of a Needle can enter the inward Orifice: And this it does partly to hinder the issuing out of the Seed again, and partly to cherish it by its inbred Heat, the better to provoke it to Action; which is one Reason why Womens Bellies are so lank at their Conception. The Woman having thus conceived, the first Thing which is operative in the Conception is the Spirit, whereof the Seed is full, which Nature quickning by the Heat of the Womb, stirs it up to Action. This Seed consists of very different Parts, of which some are more, and some are less pure: The internal Spirit therefore separateth those Parts that are less pure, which are thick, cold and clammy, from those that are pure and noble. The less pure are cast to the outside, and with them the Seed is circled round, and of these the Membranes are made, in which that Seed which is the most pure, is wrapped round, and kept close together, that it may be defended from Cold and other accidents, and operate the better.

The first Thing that is formed, is the *Amnion*, the *Chorion*, and they enwrap the Seed round, as it were a Curtain. Soon after this, (for the Seed thus shutteth the Womb lies not idle) the *Navel Vein* is bred,

perceeth those Skins, being yet very tender, and carries a Drop of Blood from the Veins of the Mother's Womb to the Seed; from which Drop is formed the *Liver*, from which Liver there is quickly bred the *Vena Cava* Chief Vein, from which all the rest of the Veins that nourish the Body Spring; and now the Seed hath something to nourish it, whilst it performs the rest of Nature's work, and also Blood administered to every part of it to form Flesh.

This Vein being formed, the Navel-Arteries are soon after formed, then the great Artery, of which all others are but Branches, and then the Heart: For the Liver furnishes the Arteries with Blood to form the Heart; the Arteries being made of Seed, but the Heart and the Flesh of Blood. After this the Brain is formed, and then the Nerves, to give Sense and Motion to the Infant. Afterwards the Bones and Flesh are formed; and of the Bones, first the *Vertebrae*, or Chine Bones, and then the Skull, &c. As to the Time in which this curious Part of Nature's Workmanship is form'd, Physicians assign four different Seasons, wherein this Microcosm is formed, and its Formation perfected in the Womb: The first is immediately after Coition; the second Time of forming, say they, is when the Womb by the force of its own innate Power and Virtue makes a manifest Mutation or Coagulation in the Seed, so that all the Substance thereof seems coagulated into Flesh and Blood, which happens about the twelfth or fourteenth Day after Copulation: And tho' this Conception, or fleshy Mass abound with Spirits, yet it remains indistinguishable, without any Form, and may be called though Diought of the *Fætus* or *Embryo*. The third Time in which this Fabrick is come to some further Maturity, is when the principal Parts may be in some Measure distinguished; and one may discern the Liver, Umbilical Vein, Arteries, Nerves, Brain and Heart; and this is about eighteen Days after Conception. The fourth and last Time assigned by Physicians for the Formation of the Child, is about the thirtieth Day after Conception

for a Male, but for a Female they tell us forty two, forty five Days is required; tho' for what Reason I know not; nor does it appear by the Birth: for if the Male receive its Formation fifteen Days sooner than the Female, why should it not be born so much sooner too? But, as to that, every Day's Experience shews us the contrary; for Women go the full Time of nine Months both with Males and Females. But at this Time of thirty Days (or some will have it 45) the outwards Parts may also seen exquisitely elaborated, and distinguished Joynts; and from this Time the Child begins to be animated, tho' as yet there is no sensible Motion: and all the Parts of the Body, though small and very tender yet intirely formed and figured, altho' no longer in whole, than one's middle finger: And from then forward, the Blood flowing every Day more and more to the Womb, not by Intervals, like their Courses, continually, it grows bigger and stronger to the End of nine Months, being the full Time of a Woman's ordinary Labour.

Very great have been the Disputes among both Philosophers and Physicians about the Nourishment of the Child in the Womb, both as to what it is, and what way it receives it: *Almaeon* was of Opinion, that the Infant drew in his Nourishment by his whole Body, because it is rare and spungy: as a Sponge sucks in Water on every Side: And so he thought the Infant sucked Blood, not only from its Mother's Veins, but also from the Womb. *Democritus* held, that the Child sucked the Nourishment at its Mouth; *Hippocritus* affirms, that the Child sucks in both Nourishment and Breath by its Mouth from the Mother; for which he gives two Reasons. 1. That it will suck as soon as 'tis born, and therefore must have learn to suck before. 2. Because there are Excrements found in the Guts as soon as 'tis born. But neither of these Reasons are sufficient to prove the Assertion: For as to the first, That a Child will suck as soon as it is born, 'tis for a natural Instinct; for the

young Cat, that never saw her Dam catch a Mouse, and yet she will catch Mice herself as soon as she is able: And as to his second Reason, it is a sufficient Answer to say that the Excrements found of the Guts of an Infant new born, are not Excrements of the first Concoction; which is evident, because they dont stink; but are the thickest Part of the Blood, which is conveyed from the Vessels of the Spleen to the Guts. Having therefore said enough to confute the Opinion of the Child's receiving the Nourishment by the Mouth, I do affirm, that the Child receives its Nourishment into the Womb by the Navel; and that it should be so, is much more consonant to Truth and Reason: Which being granted, it will easily follow, That the Nourishment the Child receives, is by pure Blood conveyed into the Liver by the Navel-Vein, which is a Branch of the *Vena Porta*, or Gate-Vein, and passeth to the small Veins of the Liver: Here this Blood is made more pure: and the thicker and rawer Part of it is conveyed to the Spleen and Kidneys, and the thick Excrement of it to the Guts; which is that Excrement found there so soon as they are born. The pure part is conveyed to the *Vena Cava*, and by it distributed throughout the Body, by the small Veins which like so many small Rivulets, pass to every Part of it. This Blood is accompanied (as all Blood is) with a certain watry Substance, the better to convey it thro' the Passage it is to run in; which as in Men is breathed out by sweating, and contained in the *Amnios*, as I have already said.

3. Of the Manner of the Child's lying in the Womb.

Come now to shew after what Manner the Child lies in the Womb, a Thing so essential for a Midwife to know, that she can be no Midwife that's Ignorant of it: and yet, even about this, Authors extremely differ; for there is not Two in Ten that agree what is the Form that the Child lies in, in the Womb, or in what Fashion it lies there: And yet this may arise in a great Measure

from the different Figure that the Child is found in, according to the different Times of the Woman's Pregnancy: For near the Time of its deliverance out of those Winding Chambers of Nature, it oft-times changes the Form in which it lay before for another: *Hippocrates* affirms the Child is so placed in the Womb, as to have his Hands, and his Knees, and his Head bent down towards his Feet, so that he lies round together, his Hand upon both his Knees, and his Face between them: so that each Eye toucheth each Thumb, and his Nose between his Knees; and *Bartholinus* was also of the same Opinion. *Columbus* describes the Posture of the Child thus: The right Arm bowed, the Fingers thereof under the Ear, and above the Neck; the Head bowed down, that the Chin toucheth the Breast; the left Arm bowed above both Breast and Face; and the left Arm is propped up by the bending of the right Elbow; the Legs are lift upwards, the right of which is so lifted up, that the Thigh toucheth the Belly, the Knees the Navel, the Heel toucheth the left Buttock, and the Foot is turned back, and covered the Secrets; the left Thigh toucheth the Belly, and the Leg is lifted to the Breast, the Back lying outwards. And thus much shall suffice touching the Opinion of Authors.

I will now shew the several Situations of the Child in the Mother's Womb, according to the different Times of Pregnancy; by which those that are contrary to Nature, and are the chief Cause of all ill Labours, will be the more easily conceived by the understanding Midwife.

It ought therefore in the First Place to be observed, that the Infant, as well Male as Female, are generally situated in the Midst of the Womb; for tho' sometimes the appearance a Woman's Belly seems higher on one Side than the other, yet it is so with respect to her Belly only, and not of her Womb, in the midst of which it is always placed.

But in the second Place a Woman's great Belly may be of different Figures, according to the different Times

regnancy : For when she is young with Child the *Em-*
*br*io is always found of a round Figure, a little Oblong ;
 having the Spine moderately turned inwards, the Thighs,
 folded, and a little raised, to which the Legs are so
 joined, that the Heels touch the Buttocks ; the Arms
 are bending, and the Hands placed upon the Knees, to-
 wards which the Head is inclining forwards, so that the
 chin toucheth the Breast : In which Posture it resembles
 the sitting to ease Nature, and stooping down with the
 head to see what comes from him. The Spine of his
 back is at that Time placed towards the Mother's, the
 head uppermost ; the Face forwards, and the Feet down-
 wards ; and proportionably to its growth, it extends its
 members by little and little, which were exactly folded
 the first Month. In this Posture it usually keeps till
 the seventh or eighth Month ; and then by a natural Pro-
 pensity and Disposition of the upper Parts of the Body ;
 the Head is turned downwards towards the inward Orifice
 of the Womb, tumbling as it were over its Head, so that
 when the Feet are uppermost, and the Face towards the
 Mother's great Gut : And this turning of the Infant in
 this manner, with his Head downwards, towards the lat-
 ter End of a Woman's Reckoning, is so ordered by Na-
 ture, that it may thereby be the better disposed for its
 passage into the World, at the Time of its Mother's La-
 bour, which is not then far off, (and indeed several
 children turn not at all, until the very Time of Birth)
 in this Posture all its Joynts are most easily extended
 coming forth ; for by this Means the Arms and Legs
 cannot hinder its Birth because they cannot be bended
 against the inward Orifice of the Womb ; and the rest
 of the Body, being very supple, passeth without any
 difficulty after the Head, which is hard and big, being
 at the Birth. 'Tis true, there are divers Children that
 in the Womb in another Posture, and come to the
 birth with their Feet downwards, especially if there be
 twins ; for then by their different Motions they do so
 disturb one another, that they seldom come both in the

same Posture at the Time of Labour; but one will come with the Head, and another with the Feet, or perhaps lye Cross: And sometimes neither of them will come right. But however, the Child may be situated in the Womb, or in whatever Posture it presents itself at the Time of Birth, if it be not with its Head forwards, as I have before described, it is always against Nature; and the Delivery will Occasion the Mother more Pain and Danger, and require greater Care and Skill from the Midwife, than when the Labour is more Natural: Of which the following Scheme will give a great Demonstration; which is the Form of a Child in the Womb ready for the Birth, naked and disrobed of all its Tunics, proper and common.

C H A P. IV.

A Guide for Women in Travail, shewing what is to be done when they fall in Labour, in order to their Delivery.

THE End of all that we have been treating of, is the bringing forth a Child into the World, with safety both to the Mother and the Infant; and the whole Time of a Woman's Pregnancy may very well be term'd a kind of Labour; for from the Time of her Conception, to the Time of her Delivery, she labours under many Difficulties, is subject to many Distempers, and in continual Danger, from one Effect or another, till the Time of Birth comes; and when that comes, the greatest Labour and Travail comes along with it; insomuch that then all her other Labours are forgotten, and that only is called the Time of her Labour; and to deliver her safely is the principal Business of the Midwife: And to assist her therein, shall be the chief Design of this Chapter. The Time of the Child's being ready for her Birth, when Nature endeavours to cast it forth, is that which is properly the Time of a Woman's Labour, Nature then labouring to be eased of its Burden. And since many Child-bearing

Women (especially of their first Child) are often mistaken in their Reckoning, and so when they draw near their Time, take every Pain they meet with for their Labour, which oft prove prejudicial and troublesome to 'em, when it is not so; I will in the first Section of this Chapter set down some Signs by which a Woman may know when the true Time of her Labour is come.

1. *The Signs of a true Time of a Woman's Labour.*

When Women with Child, especially of their first, perceive any extraordinary Pains in their Belly, they immediately send for their Midwife, as taking it for their Labour; and then if the Midwife be not a skilful and judicious Woman, to know the Time of her Labour, but takes it for granted, without further Enquiry, (for some there are) and so goes about to put her into Labour, before Nature is prepared for it, she may endanger the Lives both of Mother and Child, by breaking the Amnios and Chorion. Those Pains which are often taken for Labour, are removed by warm Baths laid to the Belly, and the Application of a Clyster or two, by which those Pains that precede a true Labour, are rather furthered than hindered. There are also other Pains incident to Women in that Condition, from a Flux of the Belly; which are easily known by the frequent Stools that follow them.

The Signs therefore of Labour, some few Days before, That the Woman's Belly, which before lay high, sinks down, and hinder her from walking so easily as she used to do; also there flows from the Womb slimy Humours, which Nature has appointed to moisten and both the Passage, that its inward Orifice may be there easily dilated, when there is Occasion; which beginning to open at that Time, suffers that Slime to flow away, which proceeds from the Glandules called Prostate.

These are Signs preceding Labour; but when she is presently falling into Labour, the Signs are great Pains

about the Region of the Reins and Loins, which come and reiterating by Intervals, answer to the Bottom of the Belly by congruous Throws: And sometimes the Face is red and inflamed, the Blood being much heated by the endeavours a Woman makes to bring forth her Child, and likewise, because during these strong Throws, the Respiration is intercepted, which causes the Blood to have recourse to her Face: Also her Privy Parts are swelled by the Infant's Head lying in the Birth, which, by often thrusting, causes these Pains to distend outwards: She is much subject to Vomiting, which is a Sign of good Labour, and speedy Delivery, tho' by ignorant Women thought otherwise, for good Pains are thereby excited and redoubled: Which Vomiting is occasioned by the Sympathy there is between the Womb and the Stomach. Also when the Birth is near, Women are troubled with trembling in the Thighs and Legs; not with Cold, like the beginning of an Ague fit, but with the Heat of the whole Body; tho' it must be granted, this does not happen always. Also if the Humours, which then flow from the Womb, are discoloured with Blood, it is that which the Midwives call *Shows*, and is an infallible Mark of the Births being near: And if then the Midwife puts up her Finger into the Neck of the Womb, she will find the inner Orifice dilated; at the Opening of which, the Membranes of the Infant, containing the Waters, present themselves, and are strongly forced downwards with each Pain she hath; at which Time one may perceive them sometimes to resist, and then again press forward, the Finger, being more or less hard and extended, according as the Pains are stronger or weaker. These Membranes, with the Waters in them, when they are got before the Head of the Child, which the Midwives call the *Gather of the Waters*, resemble, to the Touch of the Finger, those Eggs which have no Shell, but are covered only with a simple Membrane: After this, the Pains do redoubling, the Membranes are broken by the strong Impulsion of the Waters, which presently flow away; and

When the Head of the Infant is presently felt naked, and presents itself at the inward Orifice of the Womb: When these Waters come thus away, than the Midwife may be assured the Birth is very near, this being the most certain Sign that can be; for the *Amnios* and *Allantois* being broken, which contained those Waters) by the pressing forward of the Birth; the Child is no better able to subsist long in the Womb afterwards, than a naked Man in a Heap of Snow: Now these Waters, if the Child come presently after them, facilitate the Labour, by making the Passage slippery; and therefore let no Midwife (as some have foolishly done) endeavour to force away the Water, for Nature knows best when the true Time of the Birth is, and therefore retains the Water all that Time: But if by Accident the Water break away too long before the Birth, then such Things as will happen it may be safely admitted: And what those are, I shall shew in another Section.

2. *How a Woman ought to be ordered, when the Time of her Labour is come.*

When it is known that the true Time of her Labour is come, by the Signs laid down in the foregoing Section; of which those that are most to be relied on, are Pains and strong Throws in the Belly, forcing downwards towards the Womb, and a Dilation of the inward Orifice, which may be perceived by touching it with the Finger, and the gathering of the Waters before the Head of the Child, and thrusting down of the Membranes which contain them; through which, between the Pains, one may in some Manner with the Finger discover the Part which presents, (as was said before) especially if it be the Head of the Child, by its roundness and hardness; I say, if these Things concur, and are evident, the Midwife may be sure it is the Time of her Labour; and Care must be taken to get all Things ready that are necessary to comfort the Woman in that Time;

And, the better to Help her, be sure to see she be not strait-laced: You may also give her a pretty strong Clyster, or more, if there be Occasion; provided it be done at the beginning, and before the Child be too forward; for it will be difficult for her to receive them afterwards. The Benefit accruing hereby will be, that they excite the Gut to discharge itself of its Excrements, that so the Rectum being emptied, there may be more Space for the Dilatation of the Passage; likewise to cause the Pains to bear the more downwards, through the Endeavours she makes when she is at Stool: And in the mean Time all other necessary Things for her Labour should be put in Order, both for the Midwife and the Child. To this End some will get a Midwife's Stool; but a Pallet-bed girted, is much the best Way, placed near the Fire, if the Season so require; which Pallet ought so to be placed, that there may be easy Access to it on every Side, that the Woman may be the more readily assisted as there is Occasion.

If the Woman abounds with Blood, to bleed her a little may not be improper; for thereby she will both breathe the better, and have her Breasts more at liberty, and likewise more Strength to bear down her Pain; and this she may do without Danger, because the Child being about that Time ready to be born, has no more need of the Mother's Blood for its Nourishment: Besides, this Evacuation does many times prevent her having a Fever after Delivery: Also before her Delivery, if her Strength will permit, let her walk up and down her Chamber; and that she may have Strength so to do, it will be necessary to give her some good strengthening Things, such as Jellly-broth, new-laid Eggs, or some Spoonfuls of burnt Wine. And let her by all Means hold out her Pains bearing them down as much as she can, at the Time when they take her: And let the Midwife from time to time touch the inward Orifice with the Finger, to know whether the Waters are ready to break, and whether the Birth will follow soon after: Let her also anoint the Woman

an's Privities with emollient Oyls, Hogs-greese and fresh butter, if she finds they are hard to be dilated. Let the Midwife be likewise all the while near the labouring woman, and diligently observe her Gestures, Complaints and Pains : for by this she may guess pretty well how her Labour advanceth ; for when she changeth her ordinary groans into loud Cries, it is a Sign the Child is very near the Birth : for at that Time her Pains are greater and more frequent. Let the woman likewise by Intervals, sit herself on the Bed, to regain her Strength ; but not so long ; especially, if she be little, short and thick ; for such Women have always worse Labour : if they lye long on their Beds in their Travail ; it is better therefore that they walk as much as they can about the Chamber, the Women supporting her under their Arms, if it be necessary ; for by this Means, the Weight of the Child causeth the inwards Orifice of the Womb to dilate sooner than in Bed, and her Pains being stronger and frequenter her Labour will not be near so long.

Let not the Labouring Woman be concerning at those Qualms and Vomittings which perhaps she may find some upon her ; for they will be much for her Advantage in the Issue, however uneasy she may be for the Time ; for they further her Throws and Pains, provoking downwards. But to proceed :

When the Waters of the Child are ready, and gathered, which may be perceived through the Membranes to present themselves to the inward Orifice, of the bigness of the whole Dilation, the Midwife ought to let them break of themselves ; and not, like some hasty Midwives, who being impatient of the Woman's long Labour, break them, intending thereby to hasten their Business ; when instead thereof, thereby retard it : For by the too hasty breaking of these Waters, (which Nature designed to cause the Infant to slide forth the more easily) it remains dry, by which Means the Pains and Throws of the labouring Woman are less efficacious to bring forth the Infant than they would otherwise have been :

been: It is therefore much the better Way to let the Waters break of themselves; after which the Midwife may with ease feel the Child bare, by that which first presents; and thereby discern whether it comes right, that is, with the Head foremost, for that's the most proper and natural Way of its Birth; If the Head comes right, she will find it round, big, hard, and equal, but if it be in any other Part, she will feel it unequal, rugged and soft or hard, according to the Nature of the Part it is. And this being the true Time when the Woman ought to be delivered, if Nature be not wanting to perform its Office: And therefore when the Midwife finds the Birth thus coming forward, let her hasten to assist and deliver it; for it ordinarily happens soon after, if it be natural.

But if it happens, as sometimes it may, that the Waters break away too long before the Birth; in such a Case, those Things that hasten Nature may be safely admitted: To which purpose, let her make use of Pennyroyal, Dittony, Juniper-berries, red Coral, Bettony, Featherlew boyl'd in White-Wine, and a Draught of it drunk; Or it would be much better to take Juyce of it when it is in its Prime, which is in May; and having clarify'd it, let them make it into a Syrup with double its Weight in Sugar, and keep it by them all the Year, to use when Occasion calls for it. Mugwort, used in the same manner, is also good in this Case. Also a Dram of Cinnamon Powder gives inwardly, profits much in this Case: And so does Tansey bruised and applied to the Privities, or an Oyl of it so made, and used as you were taught before. The Stones *Ætites* held to the Privities is of extraordinary Virtue, and instantly draw away both Child and After-burden; but great Care must be taken to remove it presently, or it will draw forth the Womb and all; for such is the magnetick Virtue of this Stone, that both Child and Womb follow it as readily as Iron doth the Lead-stone, or as the Loadstone doth the North Star.

There are many other Things that Physicians affirm to be good in this Case: Among which are an Ass's or Horse's Hoof, hung near the Privities: A Piece of red Coral hung near the said Place: A Load-stone helps much, held in the Woman's left Hand: the Skin which a Snake hath cast off, girt about the Middle next the Skin. These Things are mentioned by *Mizaldus*; but seeing these Things aside, as not so certain, notwithstanding *Mizaldus* quotes them, the following Prescriptions are very good to give speedy Deliverance to Women in Travail.

1. *A Decoction of White-wine made in Savoury and drunk.*
2. *Take wild Tansy, or Silver-weed, bruise it, and apply it to the Woman's Nostrils.*
3. *Take Date-stones, and beat them to Powder, and let her take half a Dram of them in White-wine at a Time.*
4. *Take Parsly, and bruise it, and press out the Juice, and put a Linnen Cloth into it, and put it up so dipped into the Mouth of the Womb, it will presently cause the Child to come away, tho' it be dead; and will bring away the After-burden also: The Juice of Parsly is a Thing of so great Vertue (especially Stone Parsly) that being drunk by a Woman with Child, it cleanseth not only the Womb, but the Child in the Womb, of all gross Humours.*
5. *A Scruple of Castorum in Powder, in any convenient Liquor, is very good to be taken in such a Case; and so is two or three Drops of Spirit of Castorum in any convenient Liquor; also eight or nine Drops of Spirit of Turpentine, given in any convenient Liquor, gives speedy deliverance.*
6. *Give a Woman in such Case another Woman's Milk to drink, it will cause speedy delivery, and almost without any pain.*
7. *The Juice of Leeks being drank with warm Water, hath a mighty Operation to cause speedy delivery.*
8. *Take Piony seeds, and beat them in Powder, and mix the Powder with Oyl; with which Oyl anoint the Loins and Privities of the Woman with Child, it gives her deliverance*

liverance very speedily, and with less pain than can be imagined.

9. Take a Swallow's Nest, and dissolve it in Water, strain it, and drink it warm, it gives delivery with great speed and much ease.

Note this also in general, That all Things that move the Terms, are good for making the Delivery easy: Such is Myrrh, white Amber in White-wine, or Lilly water two Scruples or a Dram: Or give a Drop of Oyl of Amber in Vervain-water: Or Cassia Lignea, Dittany, each a Dram, Cinnamon half a Dram, Saffron a Scruple give a Dram: Or, Take Borax Mineral a Dram: Cassia Lignea a Scruple: Saffron 6 Grains, and give it in Sack Or, Take Cassia Lignea a Dram: Dittany, Amber, each half a Dram: Cinnamon, Borax, of each a Dram and half: Saffron a Scruple: and give her half a Dram Or give her some Drops of Oyl of Hazel in convenient Liquor, or two or three Drops of Oyl of Cinnamon in Vervain-water. Some prepare the Secundine thus: Take the Navel-string and dry it in an Oven: take two Drams of the Powder, Cinnamon a Dram, Saffron half a Scruple with Juice of Savin make Torches, give two Drams, wash the Secundine in Wine, and bake it in a Pot: then wash it in Endive-water and Wine: take half a Dram of it, long Pepper, Galangal, of each half a Dram Plantain and Endive-seed, of each a Dram and a half Lavender-seed four Scruples: make a Powder: Or, Take Labdanum two Drams, Storax, Calamite, Benzoin each half a Dram: Musk, Ambergreese, each six Grains Make a Powder, or Torches for a Fume: Or use Pessaries to provoke the Birth. Take Galbanum dissolved in Vervain an Ounce: Myrrh two Drams, Saffron a Dram, Oyl of Orris make a Pessary.

An Oyntment for the Navel.

Take Oyl of Keir, two Ounces, Juice of Savin an Ounce of Leeks and Mercury each half an Ounce: boil them till the Consumption of the Juice: add Galbanum dissolved in Wine

egg half an Ounce, Myrrh two Drams, Storax liquid
 ram, round Birthwort; Sowbread, Cinnamon, Saffron
 ruple; with wax make an Ointment, and apply it.

If the Birth be retarded, through the Weakness of the
 her, refresh her with applying Wine and Sope to
 Nose, Confect. Alkermes. Diamosc. Diamarg.

These Things may be applied to help Nature in the
 every, when the Child comes to the Birth the right
 way, and yet the Birth is retarded: But if she finds the
 Child comes the wrong way, and that she is not able to
 deliver the woman as she ought to be, by helping Na-
 ture, and saving both mother and Child: (For it is not
 enough to lay a woman, if it might be done by another
 with more safety and ease, and less hazard both to wo-
 man and Child) then let her send speedily for better and
 more able Help; and not as I once knew a midwife,
 when a woman she was to deliver had hard Labour, ra-
 ther than a man-midwife should be sent for, would un-
 dertake to deliver the woman herself, though told by
 others, that it was Man's Business) and in her attempting
 brought away a Child, but left the Head of the
 Child behind in the mother's womb; and had not a
 man-midwife been presently sent for, the mother had
 lost her Life, as well as the Child: Such Persons may
 better be termed Butchers than midwives. But supposing
 a woman's Labour to be natural, I will next shew what
 a midwife ought do, in order to her Delivery.

CHAP. V.

*Natural Labour; What it is, and what the Midwife
 is to do in such a Labour.*

§. 1. What Natural Labour is.

Here are four Things requisite to denominate a wo-
 man's Labour natural: The first is, That it be at
 full Time, for if a woman come before her Time,

it cannot be properly termed natural Labour; neither will it be so easily as if she had compleated her Months. The second Thing is, That it be speedy, without any ill Accident; for when the Time of Birth is come, Nature is not dilatory in the bringing forth, without some ill Accident intervene, which renders it natural. The third is, That the Child be alive for all will grant, that the being delivered of a dead Child, is very unnatural. The fourth Thing requisite to a natural Birth is, That the Child come right: For the Position of the Child in the Womb to be contrary to what is natural; and the Event proves it so too often making that which should be a Time of Life, the Death born of the mother and the Child.

Having thus told you what I mean by natural Labour I shall next show how the Midwife is to proceed therein in Order to the Woman's Delivery: When all the foregoing Requisites concur, and after the Waters be broken of themselves, let the labouring Woman be conducted to a Pallet-bed, provided near the Fire for that purpose as has been already said; and let there rather be a Quilt laid upon the Pallet Bedstead, than a Feather-bed, covering thereon Linnen and Cloaths in many Folds, with such other Things as are necessary, and may be changed according to the Exigence requiring it, that so the Woman may not be incommoded with the Blood, Waters, or other Filth which is void in Labour. The Bed ought so to be ordered, that the Woman, being ready to be delivered, should lye on her Back upon it, having her Body in a convenient Posture; that is, her Head and Breasts a little raised, so that she be between lying and sitting: being so placed, she is best capable of Breathing, likewise will have more Strength to bear her Pain than if she lay otherwise, or sunk down in her Bed. When so placed, she must spread her Thighs abroad, drawing her Legs a little towards her Buttocks, somewhat raised by a small Pillow underneath, to the End her Back should have more Liberty to retire back; and let

Let her be staid against some firm Thing : Besides this, let her take hold of some of the good Women attending her, with her Hands, that she may the better stay herself during her Pains. She being thus placed near the Side of the Bed, having her Midwife by, the better to assist upon Occasion, let her take Courage, and help her Pains as best she can, bearing them down when they take her ; which she must do by holding in her Breath, and forcing herself as much as possible, in like manner as when she goes to Stool : For, by such straining, the Diaphragma, Midriff, being strongly thrust downwards, necessarily presses down the Womb, and Child in it. In the mean time let the Midwife endeavour to comfort her all she can, exhorting her to bear her Labour courageously, telling her it will be quickly over, and that there is no fear that she will have a speedy Deliver. Let the Midwife also, having no Rings on her Hand, anoint it with a little of fresh Butter, and therewith dilate gently the inward Orifice of the Womb, putting her Fingers Ends in the Entry thereof, and then stretch them one from the other, when her Pains take her : By this Means endeavouring to help forward the Child, and thrusting by little and little the Sides of the Orifice towards the hinder Part of the Child's Head, anointing these Parts also with Butter, if it be necessary,

When the Head of the Infant is somewhat advanced to this inward Orifice, the Midwife's Phrase is, *It is Crowned*; because it girds and surrounds it just as a Crown, when it is so far that the Extremity begins to appear without the Privy Parts, then they say, *The Child is in Passage*; and at this Time the Woman feels herself as if she were scratched, or pricked with Pins, and is ready to imagine, that the Midwife hurts her, when it is occasion'd by the violent Distention of those Parts, and the Laceration, which at sometimes the bigness of the Child's Head maketh there. When Things are in this Posture, let the Midwife seat herself conveniently to receive the Child ; which will now come quickly ; and with her Fingers Ends

58. The Experienc'd Midwife.

Ends (which she must be sure to keep close pared) by her endeavour to thrust the Crowning of the Womb (which I have spoken before) back over the Head of the Child: And as soon as it is advanced as far as the Ear or thereabouts, let her take hold of the two Sides with her two Hands, that when a good Pain comes, she may quickly draw forth the Child, taking care that the Navel-string be not then entangled about the Neck, or any other Part, as sometimes it is, lest thereby the After-burden be pulled with Violence, and perhaps the Womb also to which it is fastened; and so either cause her to Flood or else break the Strings; both which are of bad Consequence to the Woman, whose Delivery may thereby be rendered the more difficult. It must also be carefully heeded, that the Head be not drawn forth straight, but shaking it a little from one Side to the other, that the Shoulders may the sooner and easier take their Place, immediately after it be past, which must be done without losing any Time, lest the Head being past, the Child be stopt there, by the largest of the Shoulders, and so come in Danger of being suffocated and strangled in the Passage as it sometimes happens, for want of care therein. But so soon as the Head is born, if there be need, she may slide in her Fingers under the Arm-pits, and the rest of the Body will follow without difficulty.

As soon as the Midwife hath in this Manner drawn forth the Child, let her put it on one Side, lest the Blood and Waters which follow immediately should do it any Injury, by running into its Mouth and Nose, as it would do if it lay on her Back, and so endanger the choaking. The Child being thus born, the next Thing requisite is to bring away the After-burden; But before that, let the Midwife be very careful to examine whether there be more Children in the Womb; for sometimes a Woman may have Twins that expected it not; which the Midwife may easily know by the Countenance of the Patient after the Child is born, and the Bigness of the Mother's Belly: But the Midwife may be more sure of it, if

her Hand up to the Entry of the Womb, and finds another Water gathering, and a Child in it present to the Passage; and, if she finds it so, she must have care of going about to fetch the After-Birth, till she can be delivered of all the Children she is pregnant. Wherefore the first String must be cut, being first with a Thread three or four double, and fasten the End with a String to the Woman's Thigh, to prevent the Inconvenience it may cause by hanging between the Thighs. And then removing the Child already born, must take care to deliver her of the rest, whether more or less; observing all the same Circumstances as to the first. All which it will be necessary to fetch the After-birth or Births. But of that I shall treat in another Section; and first shew what is to be done to the New-born Infant.

2. Of the Cutting of the Child's Navel-string.

Though this is by many accounted but a Trifle, yet great Care is to be taken about it; and it shews of the least Art and Skill of a Midwife to do it as it should be: And that it may be so done, the Midwife must observe. 1. The Time. 2. The Place. 3. The Manner. 4. The Event.

The Time is as soon as ever the Infant comes out of the Womb, whether it brings part of the After-birth with it or not: For sometimes the Child brings into the World a Piece of the *Amnion* upon its Head, and is what good Women call the Caul; and ignorantly attribute extraordinary Virtue to the Child that is so born: This Opinion is the only Effect of their Ignorance; for if a Child is born with such a Crown (as some call it) upon its Brows, it generally betokens Weakness, and denotes a short Life.——But to the Matter in Hand: As soon as the Child is come into the World, consider whether it be weak or strong; and if it be weak, let the Midwife gently put back part of the vital and natural Blood

Blood into thy Body of the Child by its Navel: for recruits a weak Child; (the vital and natural Spirit communicated by the Mother to the Child by its Navel-string.) But if the Child be Strong, that Operation needless. Only let me advertise you, that many Children that are born seemingly dead, may be soon brought to Life again, if you squeeze out six or seven Drops of Blood out of that Part of the Navel-string which is cut, and gives it to the Child inwardly.

As to the Place in which it shou'd be cut, that is, whether it should be cut long or short, it is that which Authors can scarce agree in, and which many Midwives Quarrel about; some prescribing it to be cut at a Fingers Breadth; which is at the best but an uncertain Rule, unless all Fingers were of one Size; It is a received Opinion that the Parts adapted to Generation are either contracted or dilated, according to the Cutting of the Navel-string; and that's the Reason that Midwives are generally so kind to their own Sex; that they leave a longer Part of the Navel-string of a Male, than of a female; because they would have the Males well provided for the Encounters of *Venus*. And the Reason they give why they cut that of Females shorter, is, because they believe it makes them modest, and their Privities narrower, which makes them more acceptable to their Husbands. *Mizaldus* was not altogether of the Opinion of the Midwives; and therefore he orders the Navel-string to be cut long both Male and Female Children; for which he gives this Reason, that the Instruments of Generation following the Proportion of it; and therefore if it be cut short in a Female, it will be a hindrance to her having Children. I will not go about to contradict this Opinion of *Mizaldus*, because he was a great Searcher into the Mysteries of Nature; And for that Reason, I will acquaint you with two Things more out of *Mizaldus*, which Experience has made good: The one is, That if the Navel-string of a Child after it is out, be suffered to touch the Ground, the Child will never hold its Water,

sleeping nor waking ; but will be subject to an incessant making of Water all its Life-time. The other is that a Piece of the Child's Navel-string carried about so that it touch his Skin, defends him that wears it from the Falling-sickness and Convulsions.

As to the Manner how it must be cut. Let the Midwife take a brown Thread four or five Times double, of half-long, or thereabouts, tied with a single Knot at both the Ends, to prevent their entangling ; and with this Thread so accommodated (which the Midwife must have in a Readiness before the Woman's Labour, as also a good Pair of Scissars, that so no Time may be lost) she tie the String within an Inch of the Belly with a single Knot ; and turning about the Ends of the Thread, she tie two more on the other Side of the String, repeating it again, if it be necessary ; then let her cut off the Navel another Inch below the Ligature, towards the Child's birth ; so that there only remains but two Inches of the String, in the midst of which will be the Knot we speak of ; which must be so strait knit, as not to suffer a Drop of Blood to squeeze out of the Vessels, but care must be taken not to Knit it so strait, as to cut it in two ; therefore the Thread must be pretty thick, and very strait knit ; it being better too strait, than too loose ; for some Children have miserably lost their Lives, by losing all their Blood, before it was discovered, because the Navel-string was not well tied. Therefore great Care must be taken that no Blood squeeze through ; for if it do, new Knots must be made with the rest of the String : You need not fear to bind the Navel-string very strait, because it is void of Sense, and that part of it which you leave on, falls off its own accord in a very few Days ; ordinarily six or seven, and sometimes sooner. But rarely carries longer than the eighth or ninth : When you have thus cut the Navel-string, take care that the Piece that falls off, touch not the Ground, for the reason I told you *Mizaldus* gave, which Experience has confirmed.

As to the last Thing I mentioned which is the *Event* Consequent, or what follows cutting of the Navel-string: As soon as the Navel-string is cut off, apply a little Cotton or Lint to the Place, to keep it Warm, lest the Cold enter into the Body of the Child; which I most certainly do, if you have not bound it hard enough. If the Lint or Cotton you apply to it be dipt in *Oyle of Roses*, it will be the better; then having put another small Rag three or four Times double upon the first. Upon the Top of all, put another small Bolster, then swathe it with a Linnen Swathe, four Fingers broad, to keep it steady: lest by toiling too much, or by being continually stirred from Side to Side, it comes to fall off before the Navel-string which you left remaining, shall be fallen off. It is the usual Custom of Midwives to put a Piece of a burnt Rag to it, which we commonly call *Tinder*; But I would rather advise them to put a little of *Bole-Armoniac* to it, because of its drying Quality. But this shall suffice to be spoken, as to the Cutting of the Navel-string.

§. 3. *How to bring away the After-burden.*

A Woman cannot be said fairly to be delivered, till the Child be born, till the After-burden be taken from her; herein differing from most Animals, who, when they have brought forth their Young, bring forth nothing else, but some Waters, and the Membranes which contained them. But Women have an After-burden, which sometimes prove more dangerous than the first: And how to bring it safely away, without Prejudice to her, shall be my Business to shew in this Section.

As soon as the Child is born, before the Midwife unties or cuts the Navel-string, lest the Womb should contract, let her, having taken the String, wind it once or twice about one or two of the Fingers of her left Hand, and together, the better to hold it, with which she may squeeze it moderately, and with the right Hand she may on

single hold of it above the left near the Privities, draw-
likewise with that very gently, resting the while the
e-finger of the same Hand, extended and stretched
h along the String towards the Entry of the *Vagina*;
ays observing for the more Facility, to draw it from
Side where the Burden cleaves least, for in so doing
rest will separate the better: And special Care must
aken, that it be not drawn forth with too much Vio-
ce, lest by breaking the String near the Burden, the
dwife be obliged to put up the whole Hand into the
mb, to deliver the Woman; and she had need be a
y skilful Person that undertakes it, lest the Womb, to
ch this Burden is sometimes very strongly fastened, be
drawn away with it, as it has sometimes happened:
s therefore best to use such Remedies as may assist
ure. And here take Notice, that what brings away
Birth, will also bring away the After-birth. And
efore, for the effecting this Work, I will lay down
following Rules:

Use the same Means in bringing away the After-
n, that you made use of in bringing away the Birth;
he same Care and Circumspection is needful now,
was then.

Consider the Labouring Woman cannot but be much
t by what she has already undergone in bringing forth
infant; and therefore be sure to take care to give
something to comfort her. And in this Case good
broths, also a little Wine and Toast in it, and other
orting Things will be very necessary.

A little white Hellebore in Powder, to make her
ze, is in this Case very proper,

Tansy and the Stone *Aetitis*, applied as before di-
d, is also of good use in this Case.

If you take the Herb Vervain, and either boil it in
e, or make a Syrup with the Juice of it, which you
do by adding to it its double Weight of Sugar (ha-
clarified the Juice before you boil it) and a Spoon-
two of that given to the Woman, is very efficaci-

us to bring away the Secundine ; and Featherfew
Mugwort, have the same Operation, taken as the former.

6. Alexander boiled in Wine, and the Wine drawn
also sweet Chervile, sweet Cicely, Angelica roots,
Muster-wort, are excellent Remedies in this Case.

7. Or if these fail, the Smoak of Marigolds receiv-
ing up a Woman's Privities by a Funnel, have been known
to bring away the After-birth, even when the Midwife
let go her hold.

8. Which is all I shall add in this Case : Boil Ma-
gwort in Water, till it be very soft ; then take it out,
and apply it in a manner of a Pultis to the Navel of a labor-
ing Woman, and it instantly brings away both Birth
After-birth ; but special Care must be taken to remove
as soon as they are come away, lest by its longer stay-
ing, it should draw away the Womb also. But
much shall suffice to be spoken of bringing away
After-burden in all Natural Labours.

*§. 4. Of Laborious and Difficult Labours, and how
the Midwife is to proceed therein.*

TO proceed in this Section the more regularly
will be necessary to acquaint the Reader, that
there are three Sorts of bad Labours ; all painful
difficult ; but not all properly unnatural. It will be
necessary therefore to distinguish these :

The first of these bad Labours is that wherein the
Mother and Child suffers very much, by extream Pain
Difficulty, even tho' the Child come right ; and this
distinguishably call'd Labourious Labour.

The second is that which is difficult, and different
much from the Former : Except that besides those
ordinary Pains, it is generally attended with some
other Accident, which by retarding the Birth, causes
Difficulty. And these Difficulties being removed,
accelerates the Birth, and hastens Delivery.

Some have asked what the Reason is that Women bring forth their Children with so much Pain? I answer, The sense of Feeling is distributed to the whole Body by the Nerves; and the Mouth of the Womb being so strait that must of Necessity be dilated at the Time of the Woman's Delivery; the delating thereof stretched the Nerves, and from thence comes the Pain. And therefore the Reason why some Women have more Pain in there Labour than others, proceeds from their having the Mouth of the Matrix more full of Nerves than others, as skilfull Anatomists do easily discover.

But to proceed: The best way to remove these Difficulties that Occasion such hard Pains and Labour as I am here to treat of, is to show from whence they proceed: For the Cause of any Distemper being known, is as much half the Cure. Now the Difficulties of Labour, proceed either from the Mother, or Child, or both.

From the Mother, by Reason of the Indisposition of her Body; or it may be from some particular Part only, and chiefly the Womb; as when the Woman is weak, and the Mother is not Active to expel its Burden; or from Weakness, or Disease, or want of Spirits: Or it may be from some strong Passion of the Mind, with which she was before possessed: It may be also because she may be too young, and so may have the Passages too strait, or too old; and then, if it be her first Child, because her Parts are too dry and hard, and cannot be so easily dilated; as happens also to them which are too young. Likewise those who are either small, short, or misshapen, as crooked Women, who have not a Breast strong enough to help their Pains, and to bear them down, and those whose Bones that are crooked, having sometimes the Bones of the Passage not well shaped: The Cholick also hinders Labour, by preventing the true Pains: And all great acute Pains make Labour very Troublesome, by obscuring the true Pains: As when the Woman is taken with a violent Fever, a great Flooding, frequent Conversions, Bloody Flux, or any other great Distemper.

Also Excrements retained, cause much difficulty, and so does a Stone in the Bladder; or when the Bladder is full of Urine, without being able to void it; or when the Woman is troubled with great and painful Piles. It may also be from the Passages, when the Membranes are thick, the Orifice too strait, and the Neck of the Womb is not sufficiently open, the Passage are dressed and strained by Tumours in the adjacent Parts, or when the Bones are too firm, and will not open, which very much indangers Mother and Child; or when the Passages are not slippery, by reason of the Waters having broke so soon, or of the Membranes being too thin. The Womb may be also out of Order, with respect to its bad Situation, or Conformation, having its Neck too strait, hard, and callous, which may either be so naturally, or may come by Accident, being many Times caused by a Tumour, Apoplexy, Ulcer, or superfluous Flesh.

As to hard Labour, occasioned by the Child, it is when the Child happens to stick to a Mole, or when it is so weak it cannot break the Membrane; or if it be too big all over, or in the Head only, or if the Navel-Vessels are twisted about its Neck; when the Belly is Hydrocephalic, or when it is Monstrous, having two Heads, or being joyned to another Child; also when the Child is dead, or so weak that it cannot contribute nothing to its Birth, likewise when it comes wrong, or when there are two more. And to all these various Difficulties, there is often-time one more; and that is, the Ignorance of the Midwife for want of Understanding her Business, hinders Nature in her Work, instead of helping her.

Having thus looked into the Causes of hard Labour, will not shew the industrious Midwife how she may minister some Relief to the labouring Women under these difficult Circumstances: But it will require Understanding and Judgment in the Midwife, when she finds a Woman in difficult Labour, to know the particular Obstruction, or Cause thereof, that so a suitable Remedy may be applied: As for Instance, when it happens by the

her's being too young, and too strait, she must be gently treated, and the Passages anointed with Oyl, Hog's Lard, or fresh Butter, to relax and dilate them the easier; lest there should happen a Rupture of any Part when the Child is born; for sometimes the *Peritonæum* breaks with the Skin, from the Privities to the Fundament. But if a Woman be in Years of her first Child, let her lower Parts be anointed to mollifie the inward Orifice, which in such a Case, being more hard and callous, does not easily yield to the Distention of Labour; which is the true Cause why such Women are longer in Labour, and also why their Children, being forced against the inward Orifice of their Womb (which, as I have said, is a little callous) are born with great Bumps and Bruisers on their Heads. Those Women that are very small and mishapen, should not be put to Bed, at least till their Waters are broke; but rather kept upright, and assisted to walk about the Chamber, by being supported under the Arms; for by that Means they will breathe more freely, and mend their Pains better than on the Bed, because there they lie all on a Heap. As for those that are very lean, and have hard Labour from that Cause, let them moisten the Parts with Oyls and Oynments, to make them more smooth and slippery, that the Head of the Infant and the Womb be not so compressed and bruised by the hardness of the Mother's Bones which from the Passage. If the Cause be Weakness, she ought to be strengthened the better to support her Pains; to which End give her good belly Broths, and a little Wine with a Toast in it. If she fears her Pains, let her be comforted, assuring her that she will not endure many more, but be delivered in a little Time. But if her Pains be slow and small, or none at all, they must be provoked by frequent and pretty strong Clysters, that so they may be excited thereby: after which, let her walk about the Chamber, that so the Weight of the Child may help 'em forward. But if she Flood or have Convulsions, she must then be helped by a speedy Delivery, the Operation whereof I shall relate

Also Excrements retained, cause much difficulty, and so does a Stone in the Bladder; or when the Bladder is full of Urine, without being able to void it; or when the Woman is troubled with great and painful Piles. It may also be from the Passages, when the Membranes are thick, the Orifice too strait, and the Neck of the Womb is not sufficiently open, the Passage are dressed and strained by Tumours in the adjacent Parts, or when the Bones are too firm, and will not open, which very much indangers Mother and Child; or when the Passages are not slippery, by reason of the Waters having broke so soon, or of the Membranes being too thin. The Womb may be also out of Order, with respect to its bad Situation, or Conformation, having its Neck too strait, hard, and callous, which may either be so naturally, or may come by Accident, being many Times caused by a Tumour, Apoplexy, Ulcer, or superfluous Flesh.

As to hard Labour, occasioned by the Child, it is when the Child happens to stick to a Mole, or when it is so weak it cannot break the Membrane; or if it be too big all over, or in the Head only, or if the Navel-Vessels are twisted about its Neck; when the Belly is Hydropical, or when it is Monstrous, having two Heads, or being joyned to another Child; also when the Child is dead, or so weak that it cannot contribute nothing to its Birth, likewise when it comes wrong, or when there are two more. And to all these various Difficulties, there is often-time one more; and that is, the Ignorance of the Midwife for want of Understanding her Business, hinders Nature in her Work, instead of helping her.

Having thus looked into the Causes of hard Labour, will not shew the industrious Midwife how she may minister some Relief to the labouring Women under the difficult Circumstances: But it will require Understanding and Judgment in the Midwife, when she finds a Woman in difficult Labour, to know the particular Obstruction, or Cause thereof, that so a suitable Remedy may be applied: As for Instance, when it happens by the

her's being too young, and too strait, she must be gently treated, and the Passages anointed with Oyl, Hog's Lard, or fresh Butter, to relax and dilate them the easier; lest there should happen a Rupture of any Part when the Child is born; for sometimes the *Peritonæum* breaks with the Skin, from the Privities to the Fundament. But if a Woman be in Years of her first Child, let her lower Parts be anointed to mollifie the inward Orifice, which in such a Case, being more hard and callous, does not easily yield to the Distention of Labour; which is the true Cause why such Women are longer in Labour, and also why their Children, being forced against the inward Orifice of their Womb (which, as I have said, is a little callous) are born with great Bumps and Bruisers on their Heads. Those Women that are very small and mishapen, should not be put to Bed, at least till their Waters are broke; but rather kept upright, and assisted to walk about the Chamber, by being supported under the Arms; for by that Means they will breathe more freely, and mend their Pains better than on the Bed, because there they lie all on a Heap. As for those that are very lean, and have hard Labour from that Cause, let them moisten the Parts with Oyls and Oyntments, to make them more smooth and slippery, that the Head of the Infant and the Womb be not so compressed and bruised by the hardness of the Mother's Bones which from the Passage. If the Cause be Weakness, she ought to be strengthened the better to support her Pains; to which End give her good belly Broths, and a little Wine with a Toast in it. If she fears her Pains, let her be comforted, assuring her that she will not endure many more, but be delivered in a little Time. But if her Pains be slow and small, or none at all, they must be provoked by frequent and pretty strong Clysters, that so they may be excited thereby: after which, let her walk about the Chamber, that so the Weight of the Child may help 'em forward. But if she Flood or have Convulsions, she must then be helped by a speedy Delivery, the Operation whereof I shall relate

late in this Section of Unnatural Labours. If she be Costive, let her use Clysters, which may also help to dispel the Cholick, at those Times very Injurious, because attended with useful Pains, because such as bear not downwards, and so help not forward the Birth. If she finds an Obstruction or Stoppage in Urine, by Reason the Womb bears too much on the Bladder, let her lift up her Belly a little with her Hands, and try if by that she receives any Benefit; if she finds she does not, it will be necessary to introduce a Cartheter into her Bladder, and thereby draw forth her Urine. If the Difficulty be from the ill Posture of a Woman, let her be placed otherwise, in a Posture more suitable and convenient for her: Also if it proceed from the Indispositions of the Womb, as from its oblique Situation, &c. it must be remedied as well as can be, by the placing of her Body accordingly: Or if it be by a vicious Conformation, having the Neck too hard, too callous, and too strait, it must be anointed with Oyls and Oyntments, as before directed. If the Membranes be so strong, as that the Waters don't break in due Time, they may be broken with the Fingers; if the Midwife be first well assured, that the Child be come very forward into the Passage, and ready to follow presently after; or else by the breaking of these Waters too soon, the Child may be in Danger of remaining dry a long Time, to supple which Defect, you may moisten the Parts with Fomentations, Decoctions, and emollient Oyls; which yet is not half so well as when Nature does the Work in her own Time, with the ordinary Slime and Waters, which do best when they come in their own proper Time and Place. But the Membranes do sometimes press forth with the Water three or four Fingers breadth out of the Body before the Child, resembling a Bladder full of Water; but there is then no great Danger to break them, if they be not already broken; for when the Case is so, the Child is always in a Readiness to follow, being in the Passage: But if the Midwife be very careful not to pull it with her

Hand

Hand, lest the After-burden be thereby loosened before its Time, for it adheres thereto very strongly. If the Navel-string happen to come first, it must presently be put up again, and kept up too, if possible; or otherwise the Woman must be immediately delivered. But if the After-burden should come first, it must not be put up again by no Means; for the Infant having no further Occasion for it, it would be but an Obstacle if it were put up; in this Case it must be cut off, having tied the Navel-string; and afterwards draw forth the Child with all the speed that may be, lest it be suffocated.

§. 5. *Of Women labouring with a dead Child.*

WHEN the Difficulty of Labour arises from a dead Child, it is a Case of great Danger to the Mother, and great Care ought to be taken therein. But before any thing be done, the Midwife ought to be well assured, that the Child is dead indeed: Which may be known by these Signs:

1. The Breast suddenly slacks, and falls flat, or bags down.
2. A great Coldness possesses the Belly of the Mother, especially about the Navel.
3. Her Urine is thick, with a filthy stinking Settling at the Bottom.
4. No Motion of a Child can be perceived; for the Trial whereof, let the Midwife wet her Hand in warm Water, and lay it upon her Belly; for that, if it be alive, will make it stir.
5. She is very Subject to dream of dead Men, and be frighted therewith.
6. She has extravagant Longings to eat such Things as are against Nature.
7. Her Breath stinks, though not used so to do.
8. When she turns herself in her Bed, or rises up, the Child swags that Way, like a Lump of Lead.

By these Things carefully observed, the Midwife may make a Judgment whether the Child be alive or dead; especially if the Child-bearing Woman takes the following Prescription:

Take half a Pint of White-wine and burn it, and add thereto half an Ounce of Cinnamon, but no other Spice whatsoever; and when she has drank it, if her travailling Pains come upon her, the Child is certainly dead; but if not, the Child may possibly be either Weak or Sick, but not dead; and this which will bring her Pains upon her, if it be dead, will refresh the Child, and give her ease, if it be living: For Cinnamon refresheth and strengtheneth the Child in the Womb.

Now if upon Tryal, it be found the Child be dead, let the Mother do all she can to further her Delivery, because a dead Child can be no ways helpful therein. It will be necessary therefore, that she take some comfortable Things to prevent her Fainting, by Reason of those putrid Vapours ascending from the dead Child. And in Order to her Delivery, let her take the following Herbs boiled in White-wine (or at least as many of them as you can get) viz. Dittany, Betony, Penny-royal, Sage, Featherfew, Centaury, Ivy-leaves and Berries. Let her also take sweet Basil in Powder, half a Dram at a Time in White-wine. Let her Privities be also anointed with the Juice of Garden-tansie. Or if you take Tansie in the Summer, when it may be most plentifully had, and before it run up to flower, and having bruised it well boyl in Oyl till the Juice of it be consumed. If you se it in the Sun, after you have mixed it with Oyl, before you boyl it, and there let it remain a Month together, it will be more effectual. This an industrious Midwife, who would be prepared against all Events, ought to have all ways by her. As to the Manner of her Delivery, the same Methods must be used as are mentioned in the Section of natural Labour. And here I cannot but commend again the Stone *Ætites*, held near the Privities, whose magnetick Virtue renders it exceeding necessary on the Occa

Occasion, for it draws the Child any Way, with the same Facility as the Load-stone draws Iron.

Let the Midwife also make a strong Decoction of Hyssop with Water, and let the Woman drink it very hot, and it will in a little Time bring away the dead Child.

If so soon as she is delivered of the dead Child, you are in doubt that Part of the After-birth be left behind in her Body, (for in such Case as these, many Times it is rotten, and comes away by Piece-meal) let her continue drinking the same Decoction till her Body be cleansed. A Decoction made of the Herb Master-wort, used as you did the Decoction of Hyssop, works the same Effect. Let the Midwife also take Roots of Polipodium, and stamp them very well; warm them a little, and bind them on the Sides of her Feet, and it will soon bring away the Child either alive or dead.

The following Medicines likewise are such as stir up the expulsive Faculty: But in this Case they must be made stronger, because the Motion of the Child ceaseth.

Take Savin, round Birthwort, Troches of Myrrh, Castor, each a Dram; Cinnamon half an Ounce, Saffron, a Scruple; give a Dram with Savin water. Or,

Take Borax, Savin Dittany, each an Ounce, Myrrh, Asaram-roots, Cinnamon, Saffron, each half a Dram; make a Powder, give a Dram.

But she may purge first, and put her in an emollient Bath; anointing her round about the Womb, with Oyl of Lillies, sweet Almonds, Camomile, Hens and Goose-grease. Also foment to get out the Child with a Decoction of Mercury, Orris, wild Cucumber, Stachas, Broom flowers. Then anoint the Privities and Loyns with Oyntment of Sow-bread. Or,

Take Coliquintida, Argarick, Birthwort, each a Dram; make a Powder; add Ammoniacum dissolved in Wine, Oxall, each two Drams; with Oyl of Kier make an Oyntment. Or, This Pessary—

Take Birthwort, Orris, black Hellebore, Coloquintida, Myrrh, each a Dram powdered, Ammoniacum dissolved

in Wine, Ox gall, each two Drams. Or make a Fume with Asses Hoof burnt, or Galbanum, or Castor; and let it be taken in with a Funnel.

To take away Pains and strengthen the Parts, foment with the Decoction of Mugwort, Mallows, Rosemary, Wormwood, Mirtles, St. John's wort, each half an Ounce, Sperma Ceti two Drams, Deers Suet an Ounce, with wax make an Oylment. Or,

Take Wax four Ounces, Sperma Ceti an Ounce, melt them; dip Flax therein, and lay it all over the Belly.

If none of these Things will do, the last Remedy is to use Chyrurgery; and then the Midwife ought without delay to send for an expert and able Man-midwife, to deliver her by Manual Operation; of which I shall treat more at large in the next Chapter.

C H A P. VI.

Of Unnatural Labour, and what is to be done therein.

IN shewing the Duty of a Midwife, when the Child-bearing Woman's Labour is unnatural, it will be requisite to shew in the first Place what I mean by unnatural Labour; for, for Women to bring forth Children in Pain and Sorrow, is natural, and common to all. Therefore that which I call unnatural, is when the Child comes to the Birth in a contrary Posture to that which Nature ordained, and in which the generality of Children come into the World. Now as Truth is both one, but Error dilates itself into infinite Variety; so it is in this Case. There is but one proper, right and natural Way or Posture, in which Children come to the Birth; but there are as many wrong and unnatural Ways of Birth, as there are different Postures of Children when they come to be born: The right and natural Birth, is, when the Child comes with its Head first; and yet even this is too short a Definition of a natural Birth; for if any Part of the Head but the Crown comes first, so that the Body follow

not in a strait Line, 'tis a wrong and difficult Birth, even if the Head come first: Therefore if the Child come with its Feet, or with the Side a-cross, it is quite contrary to Nature; or to speak more plainly, that which I call unnatural. Now there are four general Ways that a Child may come wrong: The first is, When any of the fore-parts of the Body first presents themselves. Secondly, When by an unhappy Transposition, any of the hinder-parts first present themselves: Thirdly, When either of the Sides; or, Fourthly, the Feet, present themselves first: To the four, all the particular and different wrong Posture that a Child can present itself in, for the Birth may be reduced: And therefore I shall confine myself herein to treat only of these four more general wrong Postures.

2. *How to deliver a Woman of a dead Child, by Manual Operation.*

THE last Section of the last Chapter, was about the Delivering of a Woman of a dead Child, wherein several Things were directed to be applied in order to facilitate the Delivery: But when all these fail, a Manual Operation is absolutely necessary: In order to which, let the Operator acquaint the Woman with the absolute Necessity there is of such an Operation; and that as the Child has already lost its Life, there is no Way left for the saving of hers; let him also tell her, for her encouragement, that he doubts not but with the Divine blessing, to deliver her safely, and that the Pain rising thereby, will not be so great as she fears. And then let him endeavour to stir up the Woman's Pains, by giving her some sharp and strong Clysters, to excite her Throes to bear down and bring forth the Child: And if this prevails not, let him proceed with this Manual Operation.

First, therefore let her be placed cross the Bed, that he may Operate the easier; and let her lie on her Back, with her Hips a little higher than her Head; or at least

The Experienced Midwife.

the Body equally placed, when it is necessary to put back or turn the Infant, to give it a better Posture; being thus situated, she must fold her Legs so as her Heels be towards her Buttocks and her Thighs spread, and held so by a Couple of strong Persons; there must be others also to support her under her Arms, that her Body may not slide down when the Child is drawn forth, for which sometimes a great Strength is required; let the Sheets and Blankets cover her Thighs for decency sake, and with respect to the Assistants, and also to prevent her catching cold; the Operator herein governing himself as well with Respect to his own Convenience, and the Facility and Surety of the Operation, as to the other Things. Then let him anoint the Entrance of the Womb with Oyl or fresh Butter, if it be necessary, that so he may with more ease introduce his Hand, which must also be anointed: And having by the Signs before-mentioned received Satisfaction that it is a dead Child, he must do his endeavour to fetch it away as soon as possible he can; and if the Child offers the Head first, he must gently put it back, until he hath Liberty to introduce his Hand quite into the Womb; then sliding it along under the Belly to find the Feet, let him draw it forth by them, being very careful to keep the Head from being locked in the Passage, and that it be not separated from the Body; which may be effected the more easily, because the Child being very rotten and putrified, the Operator is not so mindful to keep the Breast and Face downwards, as he is in living Births. But if notwithstanding all these Precautions, by Reason of the Child's Putrification, the Head should be separated, and left behind in the Womb, it must be drawn forth according to the Directors which shall be given in §. 3. of this Chapter, for that Purpose.— But when the Head coming first, is so far advanced that it cannot be well put back, 'tis better to draw it forth than to torment the Woman too much by putting it back to turn it, and bring it by the Feet: But the Head being so part sound and slippery, it may so happen that the

The Experienced Midwife.

75

Operator cannot take hold of with his Fingers by reason of its Moisture, nor put them up the Side of it, because the Passage is filled with its Bigness, he must take a proper Instrument, and put it up as far as he can without Violence, between the Womb and the Child's Head, observing to keep the Point of it towards the Head, (for the Child being dead before, there can be no Danger in the Operation) and let him fasten it there, giving it good hold upon one of the Bones of the Skull, that it may not slide; and after it is well fixed in the Head, he may therewith draw it forth, keeping the Ends of the Fingers of his left Hand flat upon the opposite Side, the better to help to disengage it, and by wagging it by little and little, to conduct it directly out of the Passage, until the Head be quite born; and then taking hold of it with the Hands only, the Shoulders may be drawn into the Passage, and so, sliding the Fingers of both Hands under the Arm-pits, the Child may be quite delivered; and then the After-burden fetched, to finish the Operation; being careful not to pluck the Navel-string too hard, lest it break, as it often happens, when it is corrupted.

If the dead Child comes with the Arm up to the Shoulders so extremely swelled that the Woman must suffer too great a Violence to have it put back, 'tis then (being first well assured the Child is dead) best to take it off at the Shoulder-joynt, by twisting it three or four Times about, which is very easily done, by reason of the softness and tenderness of the Body; after the Arm is so separated, and no longer possessing the Passage, the Operator will have more room to put up his Hand into the Womb, to fetch the Child by the Feet, and it away.

But altho' the Operator be sure the Child is dead in the Womb, yet he must not therefore presently use Instruments, because they are never to be used, but when Hands are not sufficient, and there is no other Remedy to prevent the Woman's Danger, or to bring forth the Child any other Way: And the judicious Operator will chuse that Way which is the least hazardous and most safe.

S. 2. How a Woman must be delivered, when the Child's Feet come first.

THere is nothing more obvious to those whose Business it is to assist labouring Women, than that the several unnatural Postures in which Children present themselves at their Births, are the Occasion of most of the bad Labours and ill Accidents that happen unto Women in such a Condition.

And since Midwives are very often obliged, because of the unnatural Situations, to draw the Children forth by the Feet, I conceive it to be most proper to shew first how a Child must be brought forth that presents itself in that Posture, because it will be a Guide to several of the rest.

I know indeed, that in this Case, 'tis the Advice of several Authors to change the Figure, and place the Head so, that it may present to the Birth; and this Counsel I should be very inclinable to follow, could they but also shew how it must be done; But it will appear very difficult, if not impossible, to be performed, if we would avoid the Dangers that by such violent Agitations both the Mother and Child must be put into; and therefore my Opinion is, That 'tis better to draw it forth by the Feet, when it presents itself in that Posture, than to venture a worse Accident by turning it.

As soon therefore as the Waters are broke, and it is known that the Child comes thus, and that the Womb is open enough to admit the Midwife's or Operator's Hand into it, or else by anointing the Passages with Oyl or Hog's grease, to endeavour to dilate it by Degrees, using her Fingers to this purpose; spreading them one from the other, after they are together enter'd, and continuing so do so till it be sufficiently dilated, then taking care that her Nails are well paired, and no Rings on her Fingers, and her Hands well anointed with Oyl or fresh Butter, and the Woman placed in the Manner directed in the former Section, let her gently introduce her Hand in

the Entry of the Womb ; where, finding the Child's
 et, let her draw it forth in the Manner I shall presently
 rect: only let her first see whether it presents one Foot,
 both ; and if but one Foot, she ought to consider whe-
 er it be the right Foot or the left ; and also in what Fa-
 on it comes ; for by that means she will soonest come
 know where to find the other ; which as soon as she
 ows, and finds, let her gently draw it forth with the
 er ; but of this she must be especially careful, viz.
 t this Second be not the Foot of another Child ; for
 o, it may be of the most fatal Consequence, for she
 y sooner split both Mother and Children, than draw
 m forth ; but this may be easily prevented, if she
 s but slide her Hand up the first Leg and Thigh, to
 Twist, and there find both Thighs joyned together ;
 depending from one and the same Body : And this
 also the best Means to find the other Foot, when it
 es but with one.

As soon as the Midwife hath found both the Child's
 et, she may draw them forth, and holding them toge-
 er, may bring them by little and little in this Manner,
 ing afterwards hold of the Legs and Thighs as soon as
 can come at them, drawing them so till the Hips be
 e forth : Whilst this is doing, let her observe to
 o the Parts in a single Cloth, that so her Hands being
 dy greasy, slide not on the Infant's Body, which
 ery slippery ; because of the viscous Humours which
 all over it, and prevent one's taking good hold of it ;
 ch being done, she may take hold under the Hips, so
 yl or draw it forth to the Beginning of the Breast, and then
 using her on both Sides with her Hand bring down the Arms
 e from the Child's Body, which she may then easily find ;
 nuing then let her take care that the Belly and Face of the
 g care d be downwards : for if it should be upwards, there
 on her d be some Danger of its being stopt by the Chin
 r fresh the Share-bone : And therefore if it be not so, she
 eted in turn it to that Posture : which may be easily done,
 and in e take hold on the Body, when the Breast and Arms
 are

are forth in the Manner we have said, and draws it with turning it in Proportion on that Side which it most inclines to, till it be turned with the Face downwards; and so, having brought it to the Shoulders, let her lose it Time, desiring the Woman at the same time to bend down, that so in drawing the Head at that Instant, may take its Place, and not be stopt in the Passage. Some Children there are whose Heads are so big, that when the whole Body is born, yet that stops in the Passage tho' the Midwife take all the Care possible to prevent it. And when this happens, she must not endeavour only to draw forth the Child by the Shoulders, lest she sometimes separate the Body from the Head; as I have known it done by a Midwife; but she must disengage it by little and little from the Bones in the Passage with the Fingers of each Hand, sliding them on each Side opposite one to the other, sometimes above, and sometimes under, until the Work be ended, endeavouring to disengage it as soon as possible, lest the Child be suffocated, as will unavoidably be, if it should remain long in that Posture; and this being well and carefully effected, may soon after fetch away the After-birth, as I have before directed.

§. 3. How to bring away the Head of the Child, separated from the Body, and left behind in the Womb.

THO' the utmost Care be taken in bringing away the Child by the Feet; yet if the Child happen to be dead, it is sometimes so putrified and corrupted, that with the least Pull the Body separates from the Head, and remains alone in the Womb; and cannot be brought away but with Manual Operation, and Difficulty is, and from the Roundness of its Figure on which no hold can well be taken: And so great many Times the Difficulty in this Case, that sometimes two or three able Practitioners in the Art of Midwifery, have on

the other left the Operation unfinished, as not able to
 set it, after the utmost Efforts of their Industry, Skill,
 and Strength: So that the Woman, not being able to be
 delivered, perished. To prevent which fatal Accidents
 the Time to come, let the following Operation be
 served:

When the Infant's Head, separated from its Body, is
 alone behind, whether through Putrifaction, or o-
 therwise, let the Operator immediately, without any
 delay, whilst the Womb is yet open, direct up his right
 hand to the Mouth of his Head (for no other hold can
 be had) and having found it, let him put one or
 two of his Fingers into it, and his Thumb under the
 chin, and then let him draw it by little and little, hold-
 ing it so by the Jaw; but if that fails, as sometimes it
 will, when putrified; then let him pull forth his right
 hand, and slide up his left, with which he must support
 the Head, and with the Right let him take a narrow In-
 strument called a *Crotchet*, but let it be strong, and with
 single Branch, which he must guide along the Inside of
 the Hand, with the Point of it towards it for fear of hurt-
 ing the Womb; and having thus introduced it, let him
 draw it towards the Head, for to strike either into an Eye-
 ball, or the Hole of an Ear, or behind the Head, or else
 between the Sutures, as he finds it most convenient and
 safe; and then draw forth the Head so fastened, with the
 Instrument, still helping to conduct it with his left
 hand; but when he hath brought it near the Passage, be-
 cause it is strongly fastened to the Instrument, let him remem-
 ber to draw forth his Hand, that the Passage, not being
 obstructed with it, may be the larger and easier, keeping still
 one or two, on the Side of the Head, the better to
 manage it.

There is also another Way to this, with more ease and
 less hard than the former: Which is this, Let the O-
 perator take a soft Fillet, or Linnen slip, of about four
 fingers breadth, and the length of three Quarters of an
 Yard or thereabouts; taking the two Ends with the left
 hand

Hand, and the Middle with the right: And let him put it up with his right, as that it may be beyond the Head, to embrace it as a Sling doth a Stone: And afterwards, drawing the Fillet by the two Ends together, it will easily be drawn forth, the Fillet not hindering the least Passage, because it takes up little or no Place.

When the Hand is thus fetched out of the Womb, care must be taken that not the least Part of it be left behind, and likewise to cleanse the Woman well of her After-burden, if yet remaining. Some have questioned whether the Child's Head yet remaining in the Womb, and the After-birth too, which ought to be brought away first. The Answer to which Question must be by way of Distinction; that is to say, If the Burden be wholly separated from the Sides of the Womb, that ought to be brought away; because it may also hinder the taking hold of the Head; but if it be still adhering to the Womb, it must not be meddled with till the Head be brought away; for if one should then go about to separate it from the Womb, it might then cause a Flooding, which would be augmented by the Violence of the Operation; the Vessels to which it is joined, remaining for the most part open, as long as the Womb is distended, which the Head causeth while it is retained in it, and cannot close till the strange Body be voided; and then it doth by contraction and compressing itself together; as has been more fully before explained. Besides the After-birth remaining cleaving to the Womb, during the Operation, prevents from receiving easily either Bruise or Hurt.

S-4. How to deliver a Woman when the Side of the Child's Head is presented to the Birth.

THOUGH some may think it a natural Labour, when the Child's Head come first; but yet if the Child's Head presents not the right way, even that is an unnatural Labour; and therefore though the Head comes first, if it be the Side of the Head, instead of the Crown

very dangerous both to the Mother and Child : for the Child may sooner break its Neck than be born in that manner ; and by how much the Mother's Pains continue to bear the Child, which is impossible, unless the Head is rightly plac'd, the more the passages are stop't ; therefore as soon as the Position of the Child is known, the Woman must be laid with all speed, lest the Child should advance further in this vicious Posture, and thereby render it more difficult to thrust it back ; which must be done in order to place the Head in the Passage right as it ought to be.

To this purpose therefore place the Woman so that her Feet may be a little higher than her Head and Shoulders, directing her to lean a little upon the opposite Side to the Child's ill Posture ; then let the Operator slide up this Child well anointed with Oyl, by the Side of the Child's Head to bring it right gently with his Fingers between the Head and the Womb ; but if the Head be so engaged that it cannot be done that Way, he must then put his Fingers up to its Shoulder, that so, by thrusting them back and forth in the Womb sometimes on the one Side, and sometimes on the other, he may by little and little give it its natural Position. I confess it would be better if the Operator could put back the Child by its Shoulder with both his Hands, but the Head takes up so much room, that he will find ado to put up one, with which he may perform his Operation with the Help of the Fingers of the other Hand, put up as far as necessary ; and which, let him excite and put forward the Child's Head, as when the Labour is natural.

When the Child present their Face first, having their Heads thrust back ; in which Posture it is extrramly difficult for a Child should be born ; and, if it continue so long in that Posture, the Face will be so swelled, and withal black and blue, which will at first Sight seem Monstrous ; which is occasioned as well by the Compression of it in that Place, as by the Midwife's Fingers handling it too rudely, in order to place it in a better Posture : But this Blackness will wear

wear away in three or four Days time, anointing it oft with Oyl of Sweet Almonds. To deliver this Birth, the same Operation must be used, as in the Former, when the Child comes with the Side of the Head; only let the Midwife or Operator work very gently; to avoid as much as possible the bruising of the Face.

§. 5. *How to deliver a Woman when the Child presents one or both Hands, together with the Head.*

Sometimes an Infant will present some other Part together with its Head; which if it does, it is usual for one or both its Hands: And this hinders the Birth, because the Hands take up part of that Passage which is not enough for the Head alone; besides that, when this happens, they generally cause the Head to lean on one Side; and therefore this Position may be very well called unnatural. When the Child presents that, the Thing to be done, after it is perceived, must be to prevent it from coming down more, or engaging further in the Passage; and therefore the Operator, having placed the Woman on the Bed, with her Head a little lower than her Hips, must put and guide back the Infant's Hands with his own as much as may be, or both of them, if they both come down, to give way to the Child's Head, and this being done, if the Head be on one Side it must be brought into its natural Posture, in the middle of the Passage, that it may come in a strait Line, and then proceed as directed in the foregoing Section.

§. 6. *How a Woman is to be Delivered, when the Head and Feet of the Infant come together.*

There is none but will readily grant, that when the Hands and Feet of an Infant present together, the Labour must be unnatural, because it is impossible the Child should be born in that Manner: In this case, therefore, when the Midwife guides her Hand towards the

of the Womb, she will perceive only many Fingers together; and if it be not sufficiently dilated, it will be a good while before the Hands and Feet will be easily distinguished; for they are sometimes so shut and pressed together, that they seem to be all of one and same Shape, but where the Womb is open enough to introduce the Hand into it, she will easily know which are the Hands, and which are the Feet; and having well taken Notice thereof, let her slide her Hand, and present it directly towards the Infant's Breast; which she will find very near, and then let her gently thrust back the Body towards the Bottom of the Womb, leaving the Feet in the same Place where she found them: And having placed the Woman in a convenient Posture; that is to say, her Hips are little raised above her Breast and Head, (which Situation ought always to be observed when the Child is to be put back into the Womb) let the Midwife afterwards take hold of the Child by the Feet, and draw it forth, as is directed in the second Part of this Labour, tho' somewhat troublesome, yet is much easier than when the Child presents only his Hands: For the Child must be quite turned about, before it can be drawn forth; but in this, they are ready, presenting themselves; and in this there is not much to do, but to gently thrust back a little the upper Part of the Body, which is almost done of itself, by drawing it alone by the Feet.

I confess there are many Authors that have written of this, who would have all wrong Births reduced to a single Figure; which is to turn it, that it may come out the Head first: but those that have thus written are such as never stood the Practick Part: For if they had the least Experience herein, they would know, that it is very often impossible; at least if it were to be done, Violence must necessarily be used in doing it, that will very probably be the Death of Mother and Child.

in the Operation. I would therefore lay down as a general Rule, That whensoever an Infant presents itself wrong to the Birth, in what Posture soever from the Shoulders to the Feet, it is the best Way, and soonest done, to draw it out by the Feet; and that it is better searching for them, if they do not present themselves rather than to try to put it into a natural Posture, and place the Head foremost; for the great Endeavours necessary to be used, in turning the Infant in the Womb do so much weaken both Mother and Child, that the remains not afterward Strength enough to commit the Operation to the Work of Nature; for usually the Woman hath no more Throws, nor Pains fit for Labour, after she hath been so wrought upon; for which Reason it would be very difficult and tedious at best; and the Child by such an Operation, made very weak, would be in great Danger of perishing, before it could be born. It is therefore much better in these Cases, to bring it out immediately by the Feet; searching for them, as we have already directed, when they do not present themselves: By which the Mother will be prevented tedious Labour, and the Child be often brought alive into the World, who otherwise would hardly escape Death. And thus much shall suffice to be said of Unnatural Labours; for by the Rule already given, as skilful Art will know how to proceed in any other Posture in which the Child shall present itself.

§. 7. *How a Woman shall be Delivered that has Twins which present themselves in different Postures.*

WE have already spoken something of the Birth of Twins in the Chapter of natural Labours; for it is not an unnatural Labour barely to have Twins, provided they come in a right Position to the Birth. When they shall present themselves in divers Postures they come properly under the Denomination of unnatural Labours. And if when one Child presents itself

ing Figure, it makes the Labour dangerous and unusual, it must needs make it much more so, when there are several; and render it not only more painful to the Mother and Children, but the Operator also; for they are then so constrained and pressed, that they often trouble each other and hinder both their Birth; besides which, the Womb is then so filled with them, that the Operator can hardly introduce his Hand, without much violence, which he must do, if they are to be turned, thrust back, to give them a better Position.

When a Woman is Pregnant with two Children, they are present to the Birth together, the one being generally more forward than the other, and that's the Reason that but one is felt, and that many Times the Midwife knows not that there are Twins, till the first is born, that she is going to fetch away the After-birth. In the fifth Chapter, wherein I treated of natural Labour, I shewed how a Woman should be delivered of Twins, presenting themselves both right; and therefore before this Chapter of natural Labours, it only remains, to shew what ought to be done, when they either come wrong, or one of them only, as for the most that happens: The first generally coming right, and the second with the Feet forwards, or in some worse posture. In such a Case, the Birth of the first must be managed as much as possible, to make way for the second, which is best brought away by the Feet without endeavouring to place it right, even though it was somewhat inclining towards it; because it hath been already weakened by the Birth of the first, as well as the other, that there would be greater Danger of its coming out of the Womb, than likelihood of its coming out of the Womb any other Way.

And if when the first is born naturally, the second likewise offer its Head to the Birth, it would be best leaving Nature to finish what she has so well begun; and if Nature should be too slow in her Work, to those Things mentioned in the fourth Chapter to accept.

The Experienced Midwife.

accelerate her Birth, may be properly enough applied. And if after that, the second Birth should be yet delayed, let a Manual Operation be deferred no longer, the Woman being properly placed, as has been before directed, let the Operator direct his Hand gently into the Womb to find the Feet, and so draw forth the second Child; which will be the more easily effected, because there is Way made sufficient by the Birth of the first, and if the Waters of this second Child be not broke, it oft happens, yet intending to bring it away by the Feet, he need not scruple to break the Membranes with his Fingers; for tho' when the Birth of a Child is left to the Operation of Nature, it is necessary that the Waters should break of themselves, yet when a Child is brought out of the Womb by Art, there is no Danger in breaking them; nay, on the contrary, it becomes necessary without the Waters are broke, it would be almost impossible to turn the Child.

But herein principally lies the Care of the Operator, that he be not deceived, when either the Hands or Feet of both Children, offer themselves together to the Birth. In this Case he ought well to consider the Operation, whether they be not joined together, or any other monstrous; and which Part belongs to one Child, and which to the other; that so they may be fetched out after the other, and not both together, as might be if they were not only considered, taking the right Foot of one, and the left Foot of the other, and so drawing them together, as if they belonged both to one Child, because there is a Left and a Right; by which Method would be impossible ever to deliver them: But a skilful Operator will easily prevent this, if having found the Feet of several Children, presenting together to the Passage, and taking side two of the forward, the Right and a Left, and sliding his Hand along the Child's Thighs up to the Twist, if forwards, or to the Groin, if backwards, he finds they both belong to one Body; of which, being thus assured, he may be

draw forth the nearest, without regard which is strongest or weakest, bigger or less, living or dead; having first a little aside that Part of the other Child, which offers to have the more way; and so dispatch the first, when it is, as soon as may be; observing the same Rules, if there were but one, that is, keeping the Breast Face downwards, with every Circumstance directed to that Section where the Child comes with its Feet first; not fetch the Burden till the second Child be born. Therefore when the Operator hath drawn forth one Child, he must separate it from the Burden, having tied cut the Navel-string; and then fetch the other by Feet, in the same Manner; and afterwards bring up the After-burden with the two Strings, as hath been shewed. If the Children present any other Part than the Feet, the Operator must follow the same Method as is directed in the foregoing Section, where the several unnatural Positions are fully treated of.

CH A P. VII.

Directions for Child-bearing Women in their Lying in.

In the fourth, fifth and sixth Chapters, we have treated at large of Womens Labour, and how they may be delivered both in natural and unnatural Labours: being therefore thus brought the good Women to Bed; in this Chapter direct how she ought to be ordered in Lying in.

Shewing how a Woman newly delivered ought to be ordered.

As soon as she is laid in her Bed, let her be placed in it conveniently for the Ease and Rest; which stands in great need of, to recover herself of the Fatigue she underwent during her Travail; and, she may lie the more easily, let her Head and Body be

be a little raised, that she may breathe the more freely and cleanse the better, especially of that Blood which then comes away, that so it may not clod; which, being retained, causes very great Pain.

Having thus placed her in her Bed, let her drink Draught of burnt White-wine, when you have first mixed therein a Dram of *Spermati Ceti*. The Herb *Vervain* is also a most singular Herb for a Woman in this Condition, boyling it in what she either eats or drinks, fortifying the Womb so exceedingly, that it will do it more good in two Days than any thing else you can give her will do in two Weeks, having no offensive Taste, though very pleasant Virtues. And this is more than what she stands in need of; for her lower Parts being greatly distended by the Birth of the Infant, it is good to endeavour the prevention of an Inflammation there. Let this be also outwardly applied all over the Bottom of the Belly and Privities, the following Anodine or Cataplasme. Take two Ounces of Oyl of sweet Almonds, with two three new laid Eggs, Yolks and Whites, stirring them together in an Earthen Pipkin, over hot Embers, till it comes to the consistence of a Pultis; which being spread upon a Cloth, must be applied to those Parts indifferently warm; having first taken away the Clousers, (which were put to her presently after her Delivery) and likewise such Clods of Blood as were there left. Let this lie five or six Hours; and then renew it again, as you shall see Cause.

Great Care ought to be taken at first, that if her Body be very weak, she be not kept too hot, for Excessive Heat weakens Nature, and dissolves the Strength; whether she be weak or strong, be sure that no Cold Air come near her at first; for Cold is an Enemy to the Spermatick Parts, and if it get into the Womb, it increases the After-pains, causeth Swelling in the Womb and hurts the Nerves. As to her Diet, let it be hot, let her eat but a little at a Time. Let her avoid the Light for the three first Days, and longer, if she be weak.

For her Labour weaken her Eyes exceedingly, by a Harmony between the Womb and them. Let her also avoid great Noises, Sadness, and Trouble of Mind.

If the Womb be foul, which may be easily perceived by the Impurity of the Blood, (which then will either come away in Clots, or Stinking, or if you suspect any of the After-burden to be left behind; which sometimes happen) make her a Drink of Featherfew, Mugwort, Penny-royal, and Mother of Thyme, boyled in White-wine, and sweetned with Sugar.

Panada, and new laid Eggs, is the best Meat for her at first, of which she may eat often, but not too much at a Time. And let her use Cinnamon in all her Meats and Drinks; for it is a great Strengtheners of the Womb. Let her stir as little as may be, till after the fifth, sixth or seventh Days of her Delivery, if she be weak. And let her talk as little as may be, for that weakens her.

If she goes not well to stool, give her a Clyster made only with the Decoction of Mallows, and a little browne sugar.

When she hath lain in a Week, or something more, let her use such Things as close the Womb, of which Knotgrass and Comfrey are very good, and to them you may add a little Poligodium, for it will do her good, both Leaves and Roots being bruised.

2. *How to remedy these Accidents to which a Lying-in Woman is subjected.*

THe first common and usual Accident that troubles Woman in their Lying-in, is After-pains, about Cause, whereof Physicians make no small stir, some holding one Thing to be the Cause, and some another; but it is most certain, that they proceed from Cold and are contained in the Bowels, with which they are easily filled after Labour, because there they have more room to dilate, than when the Child was in the Womb, which they were comprest; and also because the Nourishment

ishment and Matter contained as well in them as in the Stomach, have been so confusedly agitated from Side to Side, during the Pains of Labour, by the frequent Throw which always much compress the Belly, that they could not be well digested; whence this Wind is afterwards generated; and by consequence the Gripes which the Woman feels running into her Belly, from Side to Side, according as the Wind moves more or less, and sometimes likewise from the Womb, because of the Compression and Commotion which the Bowels make: This being generally the Cause, let us now apply a suitable Remedy.

1. Boil an Egg soft, and pour out the Yolk of it, with which mix a Spoonful of Cinnamon-water, and let her drink it; and if you mix with it two Grains of Amber-greece, it will be the better, and yet Vervain taken in any thing she drinks, will be as effectual as the other.

2. Give the Lying-in Women, immediately after Delivery, Oyl of sweet Almonds and Syrup of Maiden-hair mixed together. Some prefer Oyl of Walnuts, provided it be made of Nuts that are very good; but it tastes worse than the other at best. This will lenifie the Inside of the Intestines by its unctuousness, and by that Means bring away that which is contained in them more easily.

Take and boil Onions very well in Water, then stam them with Oyl, and Cinnamon and Seed in Powder, spread them upon a Cloth, and apply them to the Region of the Womb.

4. Let her be careful to keep her Belly very hot, and not to drink too cold; and if they prove very violent, hot Cloths from time to time must be laid to her Belly; or Pancake fry'd with Walnut Oil, may be applyed to without swathing her Belly too strait. And for the better evacuating the Wind out of the Intestines, give her a Clyster, which may be repeated as often as necessity requires.

5. Take Bay-berries, beat them to Powder, put the Powder upon a Chaffing-dish of Coals, and let her receive the Smoak of them up her Privities.

6. To

6. Take Tar and Barrows-greese, of each an equal Quantity, boil them together, and whilst it is boyling, add a little Pidgeons Dung to it. Spread some of this upon a Linnen-cloth, and apply it to the Reins of the Back of her that is troubled with After-pains, and it will give her speedy ease.

Lastly, Let her take half a Dram of Bay-berries, beaten into Powder, in a Draught of Muskadel, or Tent.

II. Another Accident to which Women in Child-bed are subject, is the Hemorrhoids or Piles, occasioned through their great straining, in bringing the Child into the World. To cure this,

1. Let her be let Blood in the Vein Saphæna.

2. Let her use Polipodium in her Meat and Drink, bruised and boyled.

3. Take an Onion, and having made a Hole in the Middle of it, fill it full of Oyl, roast it, and having bruised it all together, apply it to the Fundament.

4. Take a Dozen of Snails without Shells, if you can get them, or else so many Shell-snails, and pull them out, and having bruised them with a little Oyl, apply them warm to the Fundament.

5. Take as many Wood-lice as you can get, and bruise them; and having mixed them with a little Oyl, apply them warm as before.

6. If she go not well to stool, let her take an Ounce of Cassia Fistula, drawn at Night going to Bed, she needs no change of Diet after.

III. Retention of the Menstrues in another Accident happening to Women in Child-bed; and which is of so dangerous a Consequence, that if not timely remedied it proves Mortal. Where this happens,

1. Let the Woman take such Medicines as strongly provoke the Terms; and such are Dittany, Bettony, Penny-royal, Savoury, Featherfew, Century, Juniper-berries, and Piony-roots.

2. Let her take two or three Spoonfuls of Briony-water every Morning

3. Gentian-roots, beaten into Powder, and a Dram of them taken every Morning in Wine, is an extraordinary Remedy.

4. The Roots of Birthwort, either long or round, so used and taken as the Former, is very good.

5. Take twelve Piony seeds, and beat them into very fine Powder, and let her drink them in a Draught of hot Cardus Posset drink; and let her sweat after it. And if this last Medicine don't bring them down the first Time she takes it, let her take as much more three Hours after, and it seldom fails.

IV. Over-flowing of the Menstrues is another Accident incident to Child-bed Women.

1. Take Shepherds-purse, either boiled in any convenient Liquor, or dried and beaten into Powder, and it will be an admirable Remedy to stop them; this being especially appropriated to the Privities.

2. The Flowers and Leaves of Brambles, or either of them, being dried, and beaten into Powder, and a Dram of them taken every Morning in a Spoonful of red Wine, or in a Decoction of the Leaves of the same, (which perhaps is much better) is an admirable Remedy for the immoderate Flowing of the Terms in Women.

V. Excoriations, Bruises, and Rents of the lower Part of the Womb, are often occasioned by the violent Distention and Separation of the four Caruncles in a Woman's Labour. For the healing whereof,

As soon as the Woman is laid, if there be only simple Contusions and Excoriations, let the Anodine Cataplasms formerly directed, be applied to the lower Parts to cease the Pain, made of the Yolks and Whites of new laid Eggs and Oyl of Roses boiled a little over warm Embers, continually stirring it till it be equally mixed, and then spread upon fine Cloth, it must be applied very warm to the Bearing place for five or six Hours; and when it is taken away lay some fine Rags dipped in Oyl of St. John's-worth, on each side of the Bearing-place: or let the Part excoriated

be anointed with Oyl of St. John's-worth, twice or thrice a Day; also foment the Parts with barley-water and Honey of Roses, to cleanse them from the Excrements which pass; And when the Woman makes Water, let them be defended with fine Rags, and thereby hinder the Urine from causing Smart and Pains.

IV. The Curdling and Clotting of the Milk, is another Accident that often happens to Woman in Child-bed: For in the beginning of Child-bed, the Woman's Milk is not purified, because of the great Commotion her Body suffered during her Labour; which affected all the Parts, and it is then mixed with many other Humours. Now this Clotting of the Milk, does for the most Parts proceed from the Breasts not being fully drawn; and that either because she hath too much Milk, and that the Infant is too small and weak to suck all; or because she doth not desire to be a Nurse, for the Milk in these Cases remaining in the Breast after Concoction, without being drawn, loseth the Sweetness and Balsomick Quality it had, and by Reason of the Heat it acquires, and the too long stay it makes there, it sours, curdles and clots; in like Manner as we see Runnet put into ordinary Milk turns it into Curds: This curdling of the Milk may be also caused by having taken a great Cold, and not keeping the Breast well covered.

But from what Causes soever this curdling of the Milk proceeds, the most certain Remedy is, speedily to draw the Breasts until they are emitted and dried: But in regard that the Infant, by Reason of its Weakness, cannot draw strong enough, the Woman being hard marked when her Milk is so curdled; it will be most proper to get another Woman to draw her Breasts until the Milk comes freely, and then she may give the Child suck. And that she may not afterwards be troubled with a surplusage of Milk, she must eat such Diet as gives but little Nourishment, and that she keeps her Body open.

But if the Case be such, that the Woman neither can nor will be a Nurse, 'tis then necessary to apply other

Remedies for the Curing of this Distemper: For then it will be the best not to draw her Breasts, for that will be the Way to bring more Milk into them; which in this Case must be by all means prevented: For which Purpose it will be necessary to empty the Body by bleeding in the Arm: Besides which, let the Humours be drawn down by strong Clysters, and bleeding in the Foot; nor will it be amiss to purge gently: And to digest, resolve and dissipate the curdled Milk, apply the Cataplasim of pure Honey, or that of the four Brains boiling in a Decoction of Sage, Milk, Smallage and Fennel, mixing with it Oyl of Camomile, with which let the Oyl Breasts be also well anointed. This following Liniment is also good to scatter and dissipate the Milk.

A Liniment to scatter and dissipate the Milk.

That the Milk flowing back to the Breasts, may without Offence be dissipated, you must use this Oyntment;

Take of pure Wax two Ounces, of Linseed Oyl half a Pound; when the Wax is melted, let a Liniment be made, wherein Linnen cloths must be dipped, and according to their Largenss be laid upon the Breasts; and when it shall be discussed, and pained no more, let other Linnen-cloths be dipped in the distilled Water of Acorns, and put upon them.

Note, That the Cloths dipped in the distilled Water of Acorns, must be used only by those that cannot nurse their own Children; but if a Swelling in the Breasts of them which give suck do arise from abundance of Milk, and threaten an Inflammation, let them use the former Oyntment, but abstain from using the distilled Water of Acorns.

C H A P. VIII.

Directions for Nurses, in ordering new-born Children.

HAVING in the former Chapter shewn how the lying-in Woman should be ordered, it is now high Time to take care of the Infant: To whom, the first Service that should be performed for it, is the Cutting of the Navel-string, of which I have spoken at large before, Page 59.

§. 1. *What is to be done to the new-born Infant, after cutting the Navel-string.*

WHEN the Child's Navel-string hath been cut according to the Rules before prescribed. Let the Midwife presently cleanse it from the Excrements and Filth it brings into the World with it; of which some are within the Body, as the Urine in the Bladder, and the Excrement found in the Guts; and others without, which are thick, and whitish, and clammy, proceeding from the sliminess of the Waters: There are Children sometimes so covered all over with this, that one would say they were rubbed over with soft Cheese; and some Women are of so easier a Belief, that they really think it so; because they had eaten some while they were with Child. From these Excrements let the Child be cleansed with Wine and Water a little warmed, washing every Part of its Body therewith; but chiefly the Head, because of the Hair, also the Folds of the Groin, Arm-pits, and the Cords or Frivities; which Parts must be gently cleansed with a Linnen Rag, or a soft Sponge, dipped in this luke-warm Wine. If this clammy or viscous Excrement stick so close that it will not be so easily washed off from those Places, it may be fetcht off with Oyl of sweet Almonds, or a little fresh Butter melted with Wine, and afterwards well dried off: She must also make Tents of fine Rags, and, wetting them in this

E 4

Liquor,

Liquor, therewith unstop the Ears and Nostrils: but for the Eyes, wipe them only with a dry soft Rag, not dipping it in the Wine, lest it should make them Smart.

The Child being thus washed and cleansed from its native Blood and Impurities, which attended it into the World, it must in the next Place be searched to see whether all Things be right about it, and that there be no Fault or Dislocation; whether its Nose be strait, or its Tongue be tied; or whether there be any Bruise or Tumour of the Head, or whether the Mold be not overshoten; also whether the *Scrotum* (in case it be a Boy) be not blown up and swelled; and in short, whether it has suffered any Violence by its Birth in any Part of its Body; and whether all the Parts be well and duly shap'd; that so suitable Remedies may be applied, if any Thing be not found right. Nor is it enough to see that all be right without, and that the Out-side of the Body be cleansed, but she must also chiefly observe whether it dischargeth the Excrements retained within, and whether the Passages are open; for some have been born without having them perforated: therefore let her examine whether the Conduits of the Urine and Stool be clear: For want of which some have died, not being able to void their Excrements, because timely Care was not taken at first: As to the Urine, all Children, as well Males as Females, do make Water as soon as they are born, if they can, especially when they feel the Heat of the Fire, and sometimes also the Excrements, but not so soon as the Urine. If the Infant does not Ordure in the first Day, then put up into its Fundament a small Suppository, to stir it up to be discharged, that it may not cause painful Gripes, by remaining so long in its Belly. A sugar'd Almond may be proper for this Purpose, anointed over with a little boyled Honey: or else a small Piece of Castle-soap, rubbed over with fresh Butter: she may also give the Child to this Purpose a little Syrup of Roses or Violets at the Mouth, mixed with some Oyl of sweet

Sweet Almonds drawn without Fire, anointing the Belly also with the same Oyl, or a little fresh Butter.

The Midwife having thus washed and cleansed the Child, according to the before-mentioned Directions, let her begin to swaddle it in Swathing-cloaths; and when she dresses the Head, let her put small Rags behind the Ears to dry up the Filth, which usually engenders there; and so let her do also in the Folds of the Arm-pits and Groins and so swathe it, having wrapped it up warm in Beds and Blankets; which there is scarce any Woman so foolish, but knows well enough how to do: only let me give them this Caution, that she swathe not the Child too strait in its Blankets; especially about the Breast and Stomach, that it may breathe the more freely, and not be forced to Vomit up the Milk it sucks, because the Stomach cannot be sufficiently extended to contain it. Therefore let its Arms and Legs be wrapped in its Bed, stretched out strait, and swathed to keep them so, viz. The Arms along its Sides, and its Legs equally both together, with a little of the Bed between them, that they may not be galled by rubbing each other: Then let the Head be kept steady and straight, with a Stay fastened on each side the Blanket; and then wrap the Child up in Manses and Blankets to keep it warm: Let none think this Swathing the Infant is needless to set down, for it is necessary it should be thus swaddled to give its little Body a strait Figure, which is most decent and proper for a Man, and to accustom him to keep upon his Feet; which otherwise would go upon All-four, as most other Animals do.

ES

CHAP.

C H A P. IX.

Of the Indisposition of New-born Infants, with suitable Remedies for each.

IN new-born Children there are so many Distempers they are subject to, that daily Experience shews us. There are not above half the Children that are born which live till they are three Years old; which is occasioned as well because of the Tenderneſs of their Bodies as the Feebleneſs of their Age, which hinders them from expreſſing the Inconmodities they labour under, any otherwiſe than by their Cries. The Buſineſs of this Chapter therefore ſhall be to diſcover the Indispoſitions to which they are ſubject, with the Remedies proper for them.

§. 1. Of Gripes and Pains in the Belly in young Children.

THIS I mention firſt, as 'tis often the firſt and moſt common Diſtemper which happens to little Infants after their Birth: Many Children being ſo troubled and pained therewith, that it cauſes them to cry Night and Day, and at the laſt to die of it. The Cauſe of it for the moſt Part comes from the ſudden Change of the Nouriſhment; for having always received it from the umbelical Veſſels whilſt in their Mother's Womb, they come on a ſudden to change not only the Manner of receiving it, but the Nature and Quality of what they receive, as ſoon as they are born: For inſtead of putrid Blood only, which was conveyed to them by Means of the umbelical Vein, they are now obliged to be nourished with their Mother's Breſt Milk; which they ſuck in by their Mouths, and from which are engendered many humours, cauſing Gripes and Pains, and that not only becauſe it is not ſo pure as the Blood with which it was nourished in the Womb, but becauſe the Stomach and

testines cannot yet make a good Digestion, being unaccustomed to it. It is also caused sometimes by a rough Flegm, and sometimes by the Worms, for Physicians affirm, that Worms have been bred in Children, even in their Mothers Belly.

The Remedy therefore must be suited according to the Cause; if it proceed from the too sudden Changes of Nourishment; the Remedy must be to forbear giving the Child suck for some Days, lest the Milk being mix'd with Flegm, which is then in the Stomach, corrupt; and at first it must suck but little, until it be accustomed to digest it. If it be the Excrements in the Intestines, which by their long Stay increaseth these Pains, give them at the Mouth a little Oyl of sweet Almonds, and Syrup of Roses: If it be Worms, lay a Cloth dipped in Oyl of Wormwood, mixed with Ox-gall, upon the Belly: or a small Cataplasme mixed with the Powder of Rhue, Wormwood, Coliquintida, Aloes, and the Seeds of Citrons, incorporated with Ox-gall, and the Powder of Lupines. Or give it Oyl of sweet Almonds, with Sugar-candy, and a Scruple of Anniseeds; it purgeth new-born Babes from green Chollar and stinking Flegm; and if it be given with Sugar-pap, it allays the griping Pains of the Belly. Also anoint the Belly with Oyl of Dill, or lay Pellitory stamp'd with Oyl of Camomile to the Belly.

§. 9. Of Weakness in new-born Infants.

WWeakness is an Accident that many Children bring into the World along with them, and is often occasioned by the Labour of the Mother; by the Violence and Length whereof, they suffer so much that they are born with so much Weakness, that 'tis many Times difficult to know whether they are alive or dead, the Body appearing so senseless, and their Face so blue and livid, that they seem to be quite choaked; and even after some Hours, their shewing any Signs of Life, is attended

attended with so much Weakness, that it looks like a return from Death, and that they are still upon the Borders of his Kingdom.

In this Case, the best Way to help the Infant, is to lay him speedily in a warm Bed and Blanket, and carry him to the Fire; and then let the Midwife sup a little Wine, and spout it into his Mouth, repeating it often if there be Occasion. Let her apply Linnen to the Breast and Belly dipped in Wine; and let the Face be uncovered, that he may breathe the more freely, also let the Midwife keep his Mouth a little open, and cleanse the Nostrils with small Linnen Tents dipt in White-wine, that he may receive the Smell of it; and let her chafe every Part of his Body well with warm Cloths, to bring back the Blood and Spirits, which being retired inwards thro' Weakness, oft puts him in Danger of being choaked. By the Application of these Means the Infant will insensibly recover Strength and begin to stir his Limbs by Degrees; and at length to cry, which tho' it be but weakly at first, yet afterwards, as he breathes more freely will cry stronger and stronger.

S. 3. Of the Fundaments being closed up in a new-born Infant.

ANother Effect that new-born Infants are liable to is, to have their Fundaments closed up, by Means whereof they can neither evacuate the new Excrement engendered by the Milk they suck, nor that which was amassed in their Intestines, whilst in their Mothers Belly which is certainly Mortal, without a speedy Remedy. There have been some Female Children, who have had their Fundament so closed, and yet have voided the Excrements of the Guts by an Orifice which Nature, to supply that Defect, had made within the Neck of the Womb.

For the Cure or Remedy of this, we must take Notice that the Fundament is closed two Ways: Either by

le Skin, through which one may discover some black
blew Marks proceeding from the Excrements retain-
which if one touch with a Finger, there is felt a soft-
within; and thereabouts it ought to be pierced: Or
it is quite stopped up by a thick fleshy Substance, in
Sorts that there appears nothing without, by which
true Situation may be known. When there is nothing
the single Skin which makes the Closure, the Opera-
is very easie, and the Children may do very well:
then an Apertion or Opening may be made with a
Incision-Knife, cross-ways, that it may the better
ave a round Form, and that the Place may not after-
grow together; taking great Care not to perju-
the Spineter or Muscle of the *Rectum*. The Incisi-
being thus made, the Excrements will certainly have
e. But if by Reason of their long stay in the Belly they
become dry, that the Infant can't void them; then
small Clyster be given, to moisten and bring them a-
afterwards put a Linnen Tent into the new-made
ament, which at first had best be anointed with
ey of Roses, and towards the End with a drying Ci-
zing Ointment, such as *Unguentum Album*, or *Pom-*
x; observing to cleanse the Infant of his Excrements,
dry it again as soon, and as often as he evacuates
; that so the Apertion may be prevented from
ing into a malignant Ulcer.

now if the Fundament be stopped up in such Man-
that neither Mark nor Appearance can be either seen
t, than the Operation is much more difficult; and
when it is done, the Danger is much more of the
's escaping it. And therefore if it be a Female,
that it sends forth its Excrements by the Way I have
ioned before, 'tis better not to meddle, then by en-
uring to remedy an Inconvenience, run an extream
rd of the Infant's Death. But when there is no
for the Excrements, without which Death is una-
ble, there the Operation is justifiable.

The

The Operation in this Case must be thus, Let the Operator with a small Incision-Knife that hath but one Edge, enter into the void Place, and turning the Back of it upwards, within half a Fingers Breadth of the Child's Rump, which is the Place where he will certainly find the Intestine, let him thrust it so forward, that it may be open enough to give free Vent to the Matter there contained, being especially careful of the Sphincter after which, let the Wound be dressed according to the Method above directed.

§. 5. Of the Thrush, or Ulcers in the Mouth of an Infant.

THe Thrush is a Distemper that Infants are often subject to; and it arises from bad Milk, from foul Humours in the Stomach; for, sometimes tho' there be no ill Quality in the Milk itself, yet it is corrupt in the Child's Stomach, because of its Weakness or for some other Indisposition, in which acquiring Acrimony, instead of being well digested, there arises from thence biting Vapours, which forming a thick scum, do thereby produce this Distemper.

It is often difficult, as Physicians tell us, because seated in hot and moist Places, where the Putrefaction is easily augmented, and for that the Remedies suppurate cannot lodge there, being soon washed away with Spittle. But if they arise from too hot a Quality in the Milk, care must be taken to temper and cool it, prescribe her a cool Diet; bleeding and purging her also, if there be occasion.

Take Lentils husked, powder them, and lay it on the Child's Gums. Or, Take Melium in Flower one Ounce, and with Oyl of Roses make a Liniment. wash the Child's Mouth with Barley and Plantane and Honey of Roses, or Syrup of dry Roses, mixing them a little Verjuice or Juice of Lemons, as will loosen and cleanse the viscus Humour, which closes

the Inside of the Child's Mouth, as to cool those Parts which are already over-heated. This may be done by means of a small fine Rag, fastened to the End of a little stick, and dipped therein, wherein the Ulcers may be gently rubbed, being careful not to put the Child to too much, lest an Inflammation make the Distemper worse: The Child's Body must also be kept open, that the Humours being carried to the lower Parts, the Vapours may not ascend, and 'tis usual for them to do, when the Body is Costive, and the Excrements too long retained. If the Ulcers appears malignant, let such Remedies be used as do their Work speedily, that the evil Qualities that cause them being thereby instantly corrected, there Malignity may be thereby prevented: And in this Case touch the Ulcers with Plantane-water sharpened with Spirits of Vitriol; for the Remedy must be made sharp, according to the Malignity of the Distemper. It will not be also necessary to purge these ill Humours out of the whole Habit of the Child, by giving of an Ounce of Succory with Rhubarb.

6. Of Pains in the Ears, Inflammation, Moisture, &c.

The Brain in Infants is very moist, and hath many Excrements which Nature cannot send out at its proper Passages: they get often to the Ears, and there cause Pains, flux of Blood, with Inflammation, and Matting with Pain. And in Children is hard to be known, being no other Way to make it known, but by constant crying; you will also perceive them ready to feel their ears themselves, but will not let the other touch them, if you could help it; and sometimes you may discern the parts about the Ears to be very red. These Pains, if let alone, are of dangerous Consequence, because they may bring both: Watching and Epilepsie; for the Moisture breeds Worms there, and fowls the spongy Bones, and by degrees causes incurable Deafness.

To prevent all these ill Consequences, allay the Pain with all convenient Speed, but have a Care of using strong Remedies. Therefore only use warm Milk about the Ears, with the Decoction of Poppy-tops, or Oyl of Violets: To take away the Moisture, use Honey of Rose and let *Aqua Mellis* be dropt into the Ears. Or, Take Virgin's Honey half an Ounce, red Wine two Ounces, Allom, Saffron, Peter-Salt, each a Dram; mix them and set over the Fire. Or drop in Hempseed-Oyl with a little Wine.

S. 7. Of Redness and Inflammation of the Buttocks, Groins and Thigh of a young Child.

IF there be not great Care taken to change and wash the Child's beds as soon as they are fouled with Excrements, and to keep the Child very cleanly, the Acrimony will be sure to cause Redness, and begin Smarting in the Buttocks, Groin, and Thigh of the Child; which, by Reason of the Pain, will afterwards be subject to Inflammations, which follows the soon through the Delicacy and Tenderness of their Skin from which the outward Skin of the Body is in a short Time separated and worn away.

The Remedy of this is twofold: That is to say, First To keep the Child cleanly: And in the second Place to take off the Sharpness of its Urine. As to keep it cleanly, she is but a sorry Nurse that needs to be taught to do it; for if she lets it but have dry, clean and warm Bed and Clouts, as often and as soon as it has fouled wet them, either by its Urine or Excrements, it will be sufficient, And as to the Second, the taking of the Sharpness of the Child's Urine, that must be done by the Nurse's keeping a cooling Diet, that her Milk may be of the same Quality, and therefore she ought to abstain from all Things that may heat it. But besides these cooling and drying Remedies are requisite to be applied to the inflamed Parts: Therefore let the Parts be washed with Plantane-water, with a fourth Part of Lime-

And to it, each Time the Child's Excrements are wip'd
And if the Pain be very great, let it only be so-
ed with luke warm Milk. The Powder of a Post to-
t, or a little Mill-dust strewed upon the Parts affect-
may be proper enough, and it is used by several
men. Also *Unguentum Album*, or *Diapompholiges*,
d-upon a small Rag, in a Form of a Plaister, will not
hiss. But, the chief Thing must be the Nurse's
a great Care to wrap the inflamed Parts with fine
when she opens the Child; that those Parts may
more gathered and pained by rubbing together.

§. 8. Of Vomiting in young Children.

Vomiting in Children proceeds sometimes from too
much Milk, and sometimes from bad Milk, and
n from a most loose Stomach; for as Dryness re-
so Looseness lets go: This is for the most part
at Danger in Children; and they that Vomit from
Birth are the Lustiest: For the Stomach not being
Meat, and Milk being taken too much, Crudities
ly bred, or the Milk is corrupted: And it is bet-
Vomit these up, than to keep them in. But if
ng last long, it will cause an Atrophy, or Con-
Place on, for want of Nourishment.

Remedy this, If it be from too much Milk, (which
y know from the Child being better after-vomit-
ve it less. If it be from corrupted Milk, that
vomiting in Yellow and Green, or otherwise
ured, and stinking: In this Case, mend the
s has been shewed before; cleanse the Child with
of Roses, and strengthen its Stomach with Syrup
s and Quinces. Or, Take Wood Ashes, Coral,
each half a Dram; Galangal half a Scruple,
up of Quinces, make an Electuary. If the Hu-
hot and sharp give the Syrup of Pomegranats, Cur-
d Coral; and apply to the Belly the Plaister of
the Stomach Cerot, or Bread dipt in Wine hot.
Or,

Or, Take Oyl of Mastich, Quinces, Mints, Wormwood each half an Ounce; of Nutmegs by Expression, half a Dram; chymical Oyl of Mints, three Drops. Coral is an occult Propriety to prevent Vomiting, and is therefore hung about their Necks.

§. 9. Of Breeding of Teeth in young Children.

THIS is a very great, and yet necessary Evil in Children, having variety of Symptoms joined with it: They begin to come forth not all at a Time, one after another, about the sixth and seventh Month the Fore-teeth coming first, then the Eye-teeth, and last of all the Grinders; the Eye-teeth cause more Pain to the Child than any of the rest, because they have a deep Root, and a small Nerve, which hath Communication with that which makes the Eye move. In the breeding of their Teeth, first they feel an itching in the Gums, then they are pierced as with a Needle, pricked by the sharp Bones; whence proceeds great Pain, Watching and Inflammation of the Gums, Fever, Restlessness and Convulsions, especially when they breed their Eye-teeth.

The Signs when Children breed their Teeth are these: First, It is known by their Time, which is usually about the seventh Month. 2. Their Gums are swelled, they feel a great heat there, with an itching, which makes them put their Fingers in their Mouth, to scratch them, from whence Moisture distils down into the Mouth because of the Pain they feel there. 3. They hold the Nipple faster than before. 4. The Gum is white where the Tooth begins to come; and the Nurse in giving suck, finds the Mouth hotter, and that they are more changed, crying every Moment, and cannot sleep but very little at a Time. The Fever that follows the breeding of Teeth, comes from Cholerick Humours increased by Watching, Pain and Heat: And the longer they are breeding, the more dangerous it is; so that

the breeding of them die of Fevers and Convulsions. For Remedy, two Things are to be regarded; One is preserve the Child from the evil Accidents that may open to it by reason of the great Pain: The other two as much as it may be the cutting of the Teeth, when can hardly cut the Gums themselves. For the first of these, *i. e.* the preventing these Accidents to the Child, the Nurse ought to take great care keep a good Diet, and to use all Things that may and temper her Milk; that so a Fever may not w the Pain of the Teeth: And to prevent the Humors from falling too much upon the inflamed Gums, the Child's Belly be kept always loose, to gentle Clysters if he be bound; tho' often times there is no need of them, because they are at those Times usually troubled with a Looseness; and yet for all that, Clysters are not improper neither.

As to the other, which is to assist in the cutting of the Teeth, that the Nurse must do from time to time, molting and loosening them, by rubbing them with her finger dipt in Butter or Honey, or let the Child have a Wax-candle to shew upon. Or anoint the Gums with the Mucilage of Quince made with Mallow-Water or with the Brains of a Hare: Also foment the Gums with the Decoction of *Althaea*, and Camomile-seeds and Dill, or with the Juice of Mallows and fresh Lettuce. If the Gums are inflamed, add Juice of Nightshade and Lettuce. I have already said the Nurse ought to keep a temperate Diet; I will now add, That Barley-water-gruel, rare Eggs, Prunes, Lettuce, and Apples, are very good for her: But let her avoid salt, biting and peppered Meats and Wine.

Of the Flux of the Belly, or Looseness in Infants.

It is very ordinary for Infants to have a Flux of the Belly or Looseness, especially upon the least Indisposition; nor is it to be wondered at, seeing their Natural Moistness

Moistness contributed so much thereto; and if it be extraordinary violent, such are in better store of Heat than those that are bound. This Flux, if violent, proceeds from divers Causes; as, 1. From Breeding of Teeth, and is then commonly attended with a Fever, with the Concoction is hindered, and the Nourishment corrupted. 2. From watching. 3. From Pain. 4. From stirring of the Humours by a Fever. 5. When they suck or drink too much in a Fever: Sometimes they have a Flux without breeding of Teeth, from inward Cold in the Guts or Stomach, that obstructs Concoction. If it be from Teeth, it is easily known, the Signs in breeding of Teeth, will discover it, if it be from external Cold, there are no Signs of such Causes. If from a Humour flowing from the Head, there are Signs of a Catarrh, and the Excrements are frothy. If crude and raw Humours are voided, there is Water, Belching, and flegmatick Excrements. If they be low, green and stink, the Flux is from a hot and acrid Humour. It is best in breeding of Teeth, when the Stool is loose, as I have said before: But if it be too violent, and you are afraid it may end in a Consumption, it must be stopt; and if the Excrements that are voided be Black, attended with a Fever, it is very bad.

The Remedy in this Case, has a principal Respect to the Nurse; and the Condition of the Milk must be observed: The Nurse must be cautioned that she eat no green Fruite, nor Things of a hard Concoction, and the Child suck hot, remove the Flux with Purges, but as leave a binding Quality behind them: As Symplicum, Honey of Roses, or a Clyster. Take the Decoction of Millium Myrobalans each two or three Ounces; with one Ounce or two of Syrup of Roses make a Clyster. For cleansing, if it proceed from a hot Cause, give Symplicum, dried Roses, Quinces, Myrtles, Coral, Currans, or Powder of Diamargariton, Coral, Mastich, Hartshorn, red Roses, or Powder of Myrtles, with a little Safran or Draconis. Also anoint with Oyl of Roses, Myrtles,

each two Drams, with Oyl of Myrtles and Wax, make an Oyntment. Or, Take red Roses, Moulin, each handful, Cypress-roots, two Drams; make a Bag, put it in red Wine, apply it to the Belly; or use the Crumb of Bread, or Stomach-Oyntment. If the Cause be cold, and Excrements white, give Syrup of Mastich, Quinces, with Mint-water. Use outwardly Mints, Clove, Cummin; as, Take Rose-seeds an Ounce; Cummin-seeds, each two Drams; with Oyl of Mastich, Sassafras-wood, and Wax, make an Oyntment.

11. Of the Epilepsie and Convulsion in Children.

This is a Distemper that is the Death of many young Children, and proceeds from the Brain first, as the Humours are bred in the Brain that cause it, or from the Parents, or from Vapours, or bad Humours, that twitch the Membranes of the Brain; it is also sometimes caused from other Distempers, and from Diet. Likewise the Tooth-ach, when the Brain is affected, causes it, and so does a sudden Fright. As to the Distemper itself, it is manifest, and well enough known where it is; and as to the Cause whence it comes, we may know by the Signs of the Disease, whether it be from bad Milk, or Worms, or Teeth: If these be absent, it is certain that the Brain is first affected. When it comes with Small-pox or Measles, it ceaseth when they come forth, if Nature be strong enough.

For the Remedy of this grievous and often mortal Distemper, give this following Powder to a Child to prevent it, as soon as it is born; Take Male Piony-roots gathered in the Decrease of the Moon, a Scruple; with Leaf-mint, make a Powder. Or, Take Piony-roots a Dram, Clove-seeds, Mistletoe of the Oak, Elkes-hoof, Man's Skull, each a Scruple; Musk two Grains: Make a Powder. The best part of the Cure is taking Care of the Child's Diet, which must not be disorderly by any means. If it be from corrupt Milk, provoke a Vomit;

to

110 The Experienced Midwife.

to do which, hold down the Tongue, and put a dipt in sweet Almonds down the Throat. If it be from Worms, give Things that will kill the Worms: you will be directed in the following Section. If there be a Fever, respect that also, and give Coral, Smaragd and Elkes-hoof. In the Fit, give Epileptick Water, Lavender-water, and rub with Oyl of Amber, or a Piony-root, Elkes-hoof, Smaragd about the Neck.

As to a Convulsion, it is when the Brain labours out that which troubles it: the Matter is in the Matter of the Back, and Fountain of the Nerves. It is a born Disease, and often kills.

For Remedy whereof, In the Fit wash the Body especially the Back-bone, with Decoction of Althaea, Piony-roots, Piony and Camomile-flowers; and anoint it with Man's and Goose-grease, Oyl of Worms, Orris, Foxes, Turpentine, Mastick, Storax and Calamint. Sun-flower is also very good, boiled in Water, to the Child.

§. 12. Of the Worms in young Children.

SEveral Physicians have observed, that Children had Worms even in their Mother's Belly, and voided them after they were born: but they are common: The Truth is, Worms, generally are bred by mixing Milk with other Meats, in moist Constitutions: and from sweet Meats and Fruits, both which Worms love: As to their Form is divers: but they are generally round and long, broad and little. And they are known to be in a Child where there is excessive Crying, gnashing of Teeth, troublesome Sleeping, stinking Breath, and much also a dry Cough, Loathings, Vomiting, Hick-ups, loss of Appetite, or too much Thirst: a Belly swelled, bound, or too loose, the Urine thick and white, and away with Pain, when the Belly is empty, and Worms want Food: There is also a cold Sweat of

The Experienc'd Midwife. 111

and a high Colour, and then sudden Paleness; sometimes a Fever and Convulsion, which ceaseth not: But all these are Signs of round Worms, rather than flat; and these long round Worms are the most dangerous, and sometimes have eaten through the Guts and Liver; with a Fever these are very dangerous: Those of a white Colour, are better than those of other Colours.

As to the Remedy: I shall first offer something by way of Preservation; it being better to prevent the breeding of Worms, than to expel them after they are bred.

The Way to prevent the breeding of them is, by giving Meats of good Juice, with Oranges and Pomegranates, and avoiding all Sorts of sweet, fat, and stinking Meats, Flesh, Milk, and Summer-Fruits; and to drink with Scurvy-grass and Sorrel-water in it, and with Juice of Hart's-horn. And let the Belly be kept loose, by Clysters for Children; or give the Decoction of Worm-wood before Meat, or of Wormwood and Scordium; Children will not take Things that are bitter; therefore make Grass-water, and Juice of Lemons and Citrons, drop or two of Spirit of Vitriol.

For Cure, When you know that the Child has the Worms, kill and repel them with Powder of Coralline, Wormseed, Harts-horn, or eight Grains of Mercurius Sulphureus, infuse them a Night in Grass-water, and cast away the substance of the Mercury, and give the Water: Or, Wormseed two Drams, Coralline, Harts-horn prepared each a Dram: Roots of Piony, Dittany, Magistery of Clove each a Scruple: make a Powder: or give the Essence of Peach-flowers, or the Decoction of Fern-water, an Ounce, or an Ounce. If there be a Fever with Worms (as it sometimes happens) then use Juice of Pomegranates, Oranges, Vinegar, Harts-horn, Confection of Hyacinth: Or this following Powder. Take Grass-water, Syrup of Juice of Citrons, an Ounce; of Violets half an Ounce; Spirit of Vitriol two Drops; give two Spoonfuls. Or, Take Raisins ten, Figs seven

seven, boil them in Water; take of it four Ounces, Sugar an Ounce and half; make a Clyster, and give the Child. It is best to use Variety, that the Worm may not be too familiar with one. If you can get the Child to take it, bitter Things will be best at the Mouth; but apply to the Fundament those that are sweet; therefore a Clyster of sweet Milk will be proper. apply Peach-leaves to the Navel, bruised, for a Clyster; of Ox-gall, Wormwood, Gith, Century, Wormseed, Lupines, each half an Ounce; with Oyl of Wormseed and Wax half an Ounce, make an Oyntment. Take half an Ounce of Treacle, mix it with Juice of Wormwood, and apply it to the Navel.

The End of the First Part.

The Compleat and Experienc'd

MIDWIFE.

PART. II.

Containing Proper and Safe REMEDIES
for the Curing of all those Distempers
that are Peculiar to the *Female Sex*: And
especially those that are any Obstruction
to the Bearing of *Children*.

HAVING finished the First Part of this Book;
and therein I hope amply made good my Pro-
mise to the Reader; I am now come to treat
the Distempers peculiar to the *Female Sex*. In
which it is not my Design so to enlarge as to treat of
the Distempers that are incident to, but those
to which they are most Subject when in a Breed-
ing Condition, and those that keep them from being
so. For each of which Distempers I have laid down
the proper and safe Remedies, as with the Divine
Assistance may be sufficient to repel them. And since
amongst all the Diseases to which Humane Nature is
subject, there is none that more diametrically oppo-
ses the very End of our Creation, and the Design of
Nature in the Formation of different Sexes, and the
Power thereby given us for the Work of Generation,
than that of Sterility or Barrenness (which, where it

114 The Experienced Midwife.

prevails, renders the most accomplished Midwife but a useless Person, and destroys the Design of our Book, think therefore Barrenness is an Affect that deserves our first Consideration.

CHAP. I.

Of Barrenness; its several Kinds, with proper Remedies against; and the Signs of Insufficiency both in Men and Women.

§. 1. Of Barrenness in general.

AS there is no general Rule but will admit of some Exception, so this first Chapter seems to be an Exception against this Second Part; for though we have promised to treat herein only of Diseases peculiar to the Female Sex, yet this Chapter will engage me to speak of a Defect in Men, Barrenness being an Affect incident to them also; and therefore it is so necessary to be handled with Respect to Men, as well as Women that without treating of it so, I shall not be able to make good the old Proverb, of *Setting the Saddle on the right Horse.*

Having premised this, and thereby anticipated an Objection, I shall now proceed to the Subject-matter of this Chapter, which is Barrenness.

Barrenness is either Natural or Accidental.

Natural Barrenness is, when a Woman is barren through the Instruments of Generation are perfect both in herself and Husband, and no prosperous or diabolic Course used to cause it; and neither Age nor Disease nor any natural Defect hindering, and yet the Woman remains naturally Barren, and conceives not.

Now this may proceed from a natural Cause, for the Man and Woman be of one Complexion, they seldom have Children; and the Reason is clear,

The Experienced Midwife. 115

The Universal Course of Nature being formed by the Almighty of a Composition of Contraries, cannot be increased by a Composition of Likes: and therefore if the Constitution of the Woman be hot and dry, as well as of the Man, there can be no Conception: and if on the contrary, the Man should be of a cold and moist Constitution, as well as the Woman, the Effect would be the same: And this Barrenness is purely Natural. The only way to help it is, for People before they Marry, to observe each others Constitution and Complexions, they design to have Children: If their Complexions and Constitution be alike, they are not fit to come together: for the Discordant Nature make the only Harmony in the work of Generation.

Another Natural Cause of Barrenness is, want of Love between the Man and Wife: Love is that Vital principal that ought to admire each Organ in the Act of Generation, or else twill be spiritless and dull: for if their Hearts be not united in Love, how should their Bodies unite to cause Conception: and this is sufficiently evidenced in that there never follows a Conception upon Rape: therefore if Men and Women design to have Children, let them take care to live so that their Hearts as well as their Bodies, may be united, or else they may be disappointed of their Expectations.

A third Cause of Natural Barrenness, is the letting Virgins Blood in the Arm, before their natural Course are come down: which is usually in the fourth and fifteenth Years of their Age: sometimes perhaps before the thirteenth, but never before the twelfth: And because usually they are out of Order, and disposed before the Purgations come down, their Parents run to the Doctor to know what is the matter, and he straits prescribes opening a Vein in the Arm, seeing it was Fulness of Blood which was the Cause offending: and this makes her well at present: when the young Virgin happens to be in the same Order again, the Mother strait runs to the Surgeon, and

and uses the same Remedy; and by these Means the Blood is diverted from its proper Channel that comes not down the Womb, as in other Women; and so the Womb dries up, and the Woman is for ever Barren. The Way to prevent this, is to let no Virgin blood in the Arm, before her Courses come well down; but there be Occasion, in the Foot; for that will bring the Blood downward, and by that Means provoke the Menstrues to come down.

Another Cause of Natural Barrenness is the Debility of Persons in Copulation; if Persons perform not that Act with all the Heat and Ardour that Nature requires, they may as well let it alone, and expect to have Children without it; for Frigidity and Coldness never produce Conception. Of the Cure of this we will speak by and by, after I have spoken of,

Accidental Barrenness, which is what is occasioned by some Morbifick Matter or Infirmary upon the Body either of the Man or Woman, which being removed, they become Fruitful: And since as (I have before noted) the first and great Law of the Creation was to Increase and Multiply, and Barrenness is in direct Opposition to the Law, and frustrates the End of our Creation; and that it is so great an Affliction to divers to be without Children, and often causes Man and Wife to have hard Thoughts one of another, each Party thinking the Cause not in them: I shall here, for the Satisfaction of all well meaning People, set down the Signs and Causes of Insufficiency both in Men and Women. Premising this first, that where People have not Children, they must not presently blame either Party, for neither may be in Fault, perhaps God sees it not Good (for Reasons best known to himself) to give them any; of which we have divers Instances in Story. And though the Almighty works the Productions of Nature, works by natural Means, yet where he with-holds his Blessing, natural Means are ineffectual; for it is the Blessing which is the Power

and Energy by which Nature brings her Production forth.

§. 2. *Signs and Causes of Insufficiency in Men.*

One Cause may be in some Viciousness in the Yard, as if the same be crooked, or any Ligaments thereof distorted or broken, whereby the Ways and Passages through which the Seed should flow, come to be stopped or vitiated.

Another Cause may be too much Weakness of the Yard, and Tenderness thereof, so that it is not strong enough erected to inject Seed into the Womb; for the Strength and Stiffness of the Yard very much conduces to Conception, by Reason of the forcible Injection of the Seed.

Also if the Stones have received any Hurt, so that they cannot exercise their proper Gift in producing Seed, or if they be oppressed with an Inflammation or Tumour, Wound or Ulcer, or drawn up within the Belly, and not appearingly outwardly; these are Signs of Insufficiency, and Causes of Barrenness.

Also a Man may be Barren, by Reason of the Defect of Seed; as, First, If he cast forth no Seed at all; or less in Substance than is Needful. Or, Secondly, If the Seed be vicious, or unfit for Generation: as on the one Side, it happens in Bodies that are gross and fat, the Matter of it being defective; and on the other Side too much Leanness, or continual Wasting, or Consumption of the Body, destroys the Seed; Nature turning all the Matter and Substance thereof into Nutrient of the Body.

Too frequent Copulation is also one great Cause of Barrenness in Men; for it attracteth the Seminal Moisture from the Stones, before it is sufficiently prepared and concocted; so if any one by daily Copulation exhaust and draw out all the Moisture of his Seed, then do the Stones draw the moist Humours from the

superior Veins unto themselves; and so having but a little Blood in them, they are forced of Necessity to cast it out raw, and unconcocted; and thus the Stones is violently deprived of the moisture of their Veins, attract the same from the other superior Veins, and the superior Veins from all the other Parts of the Body, for their proper Nourishment, thereby depriving the Body of its vital Spirits; and therefore no wonder that those that use immoderate Copulation, and very weak in their Bodies: seeing their whole Bodies is thereby deprived of their best and purest Blood, and of the Spirits: insomuch that many who have been too much addicted to that Pleasure, have killed themselves in the very Act: and therefore it is no wonder if such unconcocted and indigested Seed, but unfit for Generation.

Gluttony and Drunkenness, and other Excesses, do also much hinder men from Fruitfulness, and make them unfit for Generation.

But among other Causes of Barrenness in men, this also is one that makes them Barren, and almost of the Nature of Eunuchs, and that is the Incision, or the cutting of their Veins behind their Ears: which in Case of Distempers is oftentimes done: for according to the Opinion of most Physicians and Anatomists, the Seed flows from the Brain by those Veins behind the Ears, more than from any other Parts of the Body: from whence it is very probable: that the Transmission of the Seed is hindered by the cutting of the Veins behind the Ears, so that it cannot descend at all to the Testicles, or comes thither very crude and raw. And thus much for Signs and Causes of Barrenness in men.

§. 3. Signs and Causes of Insufficiency, or Barrenness in Women.

ALthough there are many Causes of the Barrenness of Women, yet the chief and principal are Inter-

ternal, respecting either the Privy-parts, the Womb, Menstrous Blood.

Therefore *Hippocrates* saith (speaking of their either easy or difficult Conception of Women) the first Consideration is to be had of their Species: for little Women are more apt to conceive than great; slender, than gross; white and fair, than ruddy and high coloured, black than wan: Those that have their Veins conspicuous are more apt than others; but to the very Flesh is Evil; to have great swelling Breasts, is good.

The next Thing to be considered, is, the Monthly Purgation, whether they have been duly every Month, and whether they flow plentifully, and are of a good Colour, and whether they have them equal every Month, or so they ought to be.

Then the Womb or Place of Conception is to be considered; it ought to be clean and sound, dry and soft; not retracted or drawn up; nor prone, nor descended downwards, nor the Mouth thereof turned awry, nor too close shut. But to speak more particularly,

The first Parts to be spoken of, are the *Pudenda*, or Privities, and the Womb; which parts are shut and inclosed, either by Nature, or against Nature; and from hence such Women are called *Imperforata*; for in some Women the Mouth of their womb continues compressed, or closed up, from the Time of their Birth, untill the coming down of their Courses; and then on a sudden when their Terms press forward to Purgation, they are molested with great and unusual Pains; some of these break of their own accord, others are dissected and opened by a Physician; others never break at all, and then it brings Death.

All these *Actus* particularly handles, shewing that the womb is shut three manner of ways, which hinders Conception: And the first is, when the Lips of the *Pudenda* grow or cleave together; the second is,

when they are certain Membranes growing in the Middle Part of the Matrix within; the Third is what (though the Lips and Bosom of the *Pudenda*, may appear fair and open) the Mouth of the Womb may quite shut up: All which are Occasions of Barrenness in that they hinder both the Use of Man, the Monthly Courses, and Conception.

But amongst all the Causes of Barrenness in Women the greatest is in the Womb, which is the Field of Generation; and if this Field be corrupted, it is in vain expect any Fruit, let it be never so well Sown, for it may be unfit for Generation, by Reason of many Distempers to which it is subject; as for Instance, over much Heat and over-much Cold; for Women whose Wombs are too thick and cold, cannot Conceive, because Coldness extinguisheth the Heat of the Humane Seed. Immoderate Moisture of the Womb also destroys the Seed of Man and makes it ineffectual, as Corn sown in Ponds and Marshes: and so does over-much Dryness in the Womb so that the Seed perisheth for want of Nutriment. Immoderate Heat of the Womb is also a cause of Barrenness; for it scorseth up the Seed, as Corn sown in the Drought of Summer: For immoderate Heat hurts all the Parts of the Body, for no Conception lives in that Woman.

Also when unnatural Humours are engendered, as too much Elegm, Tympanies, Wind, Water, Worms, or any such evil Humours bounding contrary to Nature, it causes Barrenness; as does all the Terms not coming down in due Order as I have already said.

A Woman may also have other Accidental Causes of Barrenness; (at least such as may hinder her Conception) as sudden Frights, Anger, Grief, and Perturbation of the Mind; too violent Exercises, as Leaping, Dancing, Running after Copulation, and the like. But I will now add some Signs by which these Things may be known.

The Experienced Midwife 121

If the Cause of Barrenness be in the man, through
er much Heat in his Seed, the Woman may easily
el that in receiving it.

If the Nature of the Woman be too hot, and so unfit
Conception, it will appear by having her Terms very
cle, and the Colour inclining to Yellowness; she is
o very hasty, cholerick and crafty; her Pulse beats
y swift, and she is very desirous of Copula-
on.

If you would know whether the Fault is in the man
the Woman, Sprinkle the man's Urine upon one Let-
e-Leaf, and the Woman's upon another, and that
ich dries away first, is unfruitful. Also take five
heat-corns, and seven Beans, put them into an earthen
t, and let the Party make Water therein; Let this
nd seven Days, and if in that Time they begin to
out, then the Party is fruitful; but if they sprout not,
en the Party is Barren, whether it be man or Woman.
his is a certain Sign.

There are some that make this Experiment of a
oman's Fruitfulness: Taste myrrh, red Storax, and
ne such odoriferous Things, and make a Perfume of
which let the woman receive into the Neck of the
mb through a Tunnel: If the Woman feel the Smoak
end through her Body to her Nose, then she is
itful, otherwise barren. Some also take Garlick, and
t it, and let the Woman lie on her Back upon't, and
he feel the Scent thereof to her Nose, it's a Sign of
itfulness.

Culper, and others also, give a great deal of Credit
he following Experiment.

Take a Handful of Barley and steep half of it in the
ine of the man, and the other half in the Urine of the
man for the Space of four and twenty Hours, and
take it out, and set it; the man's by itself, and the
man's by itself; set it in a Flower-pot, or some
er Thing where you may keep it dry; ther,
er the man's every morning with his own Urine,

122 The Experienced Midwife.

and the Woman's with hers; and that which grows first is the most Fruitful, and if one grow not at all, that Party is naturally Barren.

But, now having spoken enough of the Disease, it is high Time to assign the Cure.

If Barrenness proceeded from Stoppage of the Menstrues, let the Woman lye at, for that opens the Parts, and the best Way to Sweat is in an Hot-house. Then let the Womb be strengthened by drinking a Draught of White-wine wherein a Handful of Sinking Arrack first bruised, has been boiled: For, by Secret magnetic Virtue it strengthens the Womb, and by a sympathetic Quality removes any Disease thereof. To which add also a Handful of Vervain, which is very good to strengthen both the Womb and the Head, which are commonly afflicted together by Sympathy. Having used these two or three Days, if they come not down, Take of Camomill, Penny-royal, Thyme, Bettony, Dittany, Broom-net, Feather-few, Mugwort, Sage, Piony-roots, Juniper-berries, half a Handful of each, or so many as can be gotten: let all these be boiled in Beer, and drank for ordinary Drink.

Take one part of Gentian-roots, two parts of Century distill them with Ale in an Alimbeck, after you have bruised the Gentian roots, and infused them well. This Water is an admirable Remedy to provoke the Terms, if you have not this Water in a readiness, take a Dram of Century, and half a Dram of Gentian-roots, beat them to Powder, and take it in the Morning in White-wine: Or else take a Handful of Gentian-roots bruised, boyl'd in posset-drink and drink a Draught of it at Night going to bed. Seed of Wild Navev beaten to Powder, and a Dram of it taken in the Morning in White-wine, also is very good. But if it do not do you let her Blood in the Legs. And be sure you administer your Medicines a little before the Full of the Moon, between the new and Full Moon, by no Means in the Wane of the Moon, if you do, you will find them effectual.

If Barrenness proceed from the over-flowing of the Menstrues then strengthen the Womb, as you were taught before; and afterwards anoint the Reins of the back with Oyl of Roses, Oyl of Myrtles, Oyl of Quince every Night; and then wrap a Piece of white Lays about your Reins, the Cotten-side next your Skin, and keep the same always to it. But above all, I commend this medicine to you. Take Comfrey Leaves or Root, and Clown Wound wort, of each a Handful: bruise them well, and boil them in Ale, and a good Draught of it every now and then: Or take Cinnamon, Cassia lignea, Opium of each two Drams; myrrh, white Pepper, Galbanum, of each one Dram; Dissolve the Gum and Opium in white wine; beat the rest into Powder: then make into Pills, by mixing of them together exactly, and let the Patient take two Pills every Night going to Bed; but let both the Pills exceed fifteen Grains.

If Barrenness proceed from a Flux of the womb, the Cure must be according to the Cause producing it, or which the Flux proceeds from, which may be known by these Signs: For a Flux of the Womb being a continual Distillation from it for a long Time together, the Colour of what is voided shews what Humour it is that offends, in some it is Red, and that proceeds from Blood putrified; in some it is Yellow, and that denotes Choler; in others white and pale, and that denotes Flegm of pure Blood comes out, as if a Vein were opened, some Corrosion or gnawing of the womb is to be feared. All of them are known by these Signs.

The Place of Conception is continually moist with the Humours, the Face is ill coloured, the Party swallows meat, and Breaths with Difficulty, the Eyes are much swollen, which is sometimes with Pain. If the offending Humour be pure Blood, then you must let Blood in the Arm, and the Cephalick Vein is fittest to draw back the Blood, and then the Juice of

of Plantain and Comfra be injected into the Womb. If Elegm be the Cause, let Cinnamon be a Spice used in all her Meats and Drink; and let her take a little *Venic-Treacle* or *Mithridate*, every Morning. Let her boyl burnet, Mugwort, Featherfew, and Vervain, in all her Broths. Also half a Dram of Myrrh taken every Morning, is an excellent Remedy against this Malady. If Choler be the Cause, let her take Burrage, Bugloss, red Roses, Endive, and Succory-Roots, Lettice and white Poppy-Seed, of each a Handful; boyl these in White-wine till one half be wasted; let her drink half a Pint every Morning; to which half Pint add Syrup of Peach-flowers and Syrup of Cichory, of each an Ounce, with a little Rhubarb, and this will gently purge her. If it proceed from putrified Blood let her let Blood in the Foot, and then strengthen the Womb, as I have directed in stopping of the Menstrues.

If Barrenness be occasioned by the falling out of the Womb, as sometimes happens, let her apply sweet Scents to her Nose, such as Civet, Galbanum, Storax, Calamitis, Wood of Albes, and such other Things as are of that Nature: And let her lay stinking Things to the Womb, such as *Assa-Fœdita*, Oyl of Amber or the Smoak of her own Hair being burnt; for this is a certain Truth, That the Womb flies from all stinking, and to all sweate Things. But the most infallible Cure in this Case is this, Take a common Burdock-leaf (which you may keep dry if you please all the Year, apply this to her Head, and it will draw the Womb upwards. In Fits of the Mother, apply it to the Soles of her Feet, and it will draw the Womb downward. Bur-Seed beaten into Powder, it draws the Womb which way you please, according as it is applied.

If Barrenness proceed from a hot Cause, let the Party take Whey, and clarify it, then boyl Plantain leaves

The Experienc'd Midwife. 123

yes and roots in it, and drink it for her ordinary
ink. Let her also inject the Juice of Plantain into
Womb with a Syringe: If it be in Winter, when
can get the Juice, make a strong Decoction of the
aves and Roots in Water, and inject that up with a
inge, but let it be but Blood warm; and you will
this Medicine of great Efficacy. And further, To
away Barrenness proceeding of hot Causes, Take
en Conserve of Roses, Cold Lozenges made of Tra-
anth, the Confections of Triasantali, and use to-
ll to Camphire, Rose-water and Saunders. It is al-
good to breathe the Basilica, or Liver-vein, and take
four or five Ounces of Blood; and then take this
ge: Take *Electuarium de Epithymo de succo Rosa-*
n, of each two Drams and an half, clarified Whey four
nces; mix them well together, and take it in the
ning fasting; sleep after it about an Hour and an
lf, and Fast four Hours after it: And about an Hour
ore you eat any Thing, drink a good Draught of
ey. Also, Take Lilly-water, four Ounces; Man-
gora-water, one Ounce; Saffron half a Scruple; beat
Saffron to Powder, and mix it with the Waters, and
nk them warm in the Morning: Use this eight Days
ether.

*These are excellent Remedies against Barrenness, and to cause
Faithfulness.*

T A K E Broom-flowers, Smallage, Parsley-seed,
Cummin, Mugwort, Featherfew, of each half
scruple; Aloes, half an Ounce; India Salt, Saf-
n, of each half a Dram; beat and mix them well
ether, and put it to five Ounces of Featherfew-
er warm; stop it up close, and let it stand and dry in
warm Place; and thus do two or three Times one af-
another; then make each Dram into six Pills, and
e one of them every other Day before Supper.

For a purging Medicine against Barrenness, Take
 Conserve of Benedicts Lax, one Quarter of an Ounce
De Psillo, three Drams; Electuary *de Succo Rosarum*
 one Dram; mix them together with Featherfew wa-
 ter, and drink it in the Morning betimes. About
 three Days after the Patient hath taken this Purg-
 let her be let Blood four or five Ounces in the me-
 an, or common black Vein in the right Foot; and
 then take five Days, one after another, filed Ivory,
 Dram and a Half in Featherfew-water: and, during
 the Time, let her sit in the following Bath an Hour
 together, Morning and Night: Take wild yella
 Rapes, Daucus, Balsam-wood and Fruit, Ash-keys,
 each two Handfuls; red and white Behen, Broo-
 flowers, of each a Handful: musk, three Grains, Am-
 ber, Saffron, of each one Scruple; boyl all in wa-
 sufficiently: but the musk, Saffron, Amber, and Broo-
 flowers, put them into the Decoction, after it is boyl-
 and strained.

A Confection very good against Barrenness: Take
 Pistachia, Pingles, Eringoes, of each half an Ounce
 Saffron, one Dram: Lignum Aloes, Gallingle, Ma-
 Coriophylla, Balm-flowers, red and white Behen,
 each four Scruples: shaven Ivory, Cassia-bark, of
 two Scruples: Syrup of confectioned Ginger, two
 Ounces; white Sugar, six Ounces: decoct all these
 together in twelve Ounces of Balm-water, and stir
 well together: then put to it of Musk and Amber,
 each half a Scruple: Take hereof the Quantity of
 Nutmeg three Times a Day: in the Morning, an Hour
 before Noon, and an Hour after Supper.

But if the Cause of Barrenness either in Man
 Woman, be through the Scarcity or Diminution
 the Natural Seed, then such Things are to be taken
 do increase the Seed, and incite or stir up to Vir-
 ty, and further Conception: which I shall here-
 down, and so conclude this Chapter of Barrenness.

this, yellow Rape-seed baked in Bread, is very good; also young fat Flesh, not too much salted; and the Tails Strincus, and long Pepper prepared in the. Let such Persons eschew all sour, sharp, doughy, slimy Meats, long Sleep after Meat, with Surfeiting Drunkenness; and as much as they can; keep themselves from Sorrow, Grief, Vexation and Care. These Things following increase natural Seed, and stir up Venery, and recover the Seed again when it is lost, viz. Eggs, Milk, Rice boiled in Milk, Sparrows-brain, Flesh, Bones and all, the Stones and Jizzels of Bulls, Bucks, Rams and Boars, and Cock-stones, Lamb-stones, Partridge, Quails, and Pheasants-eggs; and this is an undeniable Apophorism, That whatsoever any Creature is addicted unto, they move or stir the Man or Woman, that eats them, to the like; and therefore Partridges, Quails, Sparrows, &c. being extremely addicted to Venery, they work the same effect in those Men and Women that eat them. To take Notice, That in what Part of the Body the Faculty which you would strengthen, lies, take the same Part of the Body of another Creature in whom the Faculty is strong, as a Medicine. As for Instance: The Procreative Faculty lies in the Testicles, therefore Cock-stones, Lamb-stones, &c. are proper to stir up Venery. I will also give you another general Rule, That all Creatures that are fruitful being eaten, makes them fruitful that eat them; as Crabs, Lobsters, Prawns, Mussels, &c. The Stones of a Fox dried and beaten to Powder, and a Dram taken in the Morning in Sheeps-milk, and the Stones of a Boar taken in like Manner are very good. The Heart of a Male Quail carried about the Man, and the Heart of a Female Quail carried about the Woman, causeth natural Love and Fruitfulness. Let them also that would increase their Seed, eat and drink of the best, as near as they can; For *Sine Cero & Libero friget Venus*, is an old

Pro-

Proverb ; which is, *Without good Meat, and good Drink
Venus will be frozen to Death.*

Pottages good to increase the Seed, are such as
made of Beans, Pease, and Lupines, and mix the
with Sugar; French-beans, Wheat sodden in Broth
Anniseed, Fennel-seed, Mustard-seed, Colewort-seed
and Nettle-seed. Also Onions stewed, Garlicks, Lee
yellow Rapes, fresh Bugwort-roots, Eringo-roots co
fected, Ginger confected, &c. Of Fruits, Hazel-nut
Cyprus-nut, Pistacia, Almonds, and March-panes ma
thereof. Spices good to increase the Seed, are Cin
mon, Cardanum, Galengal, long Pepper, Cloves, G
ger, and Saffron; Asia Fœdita, taken a Dram and a b
in good Wine, is very good for this Purpose.

The Weakness and Debility of a Man's Yard being great hinderance to Procreation, let him, to strengthen it, use the following Oyntments: Take Wax, Oyl of Bever-cod, Marjoram gentle, and Oyl of Costus, each a like Quantity; make it into an Oyntment, and put to it a little Musk, and with it anoint the Yard. Cods. *Ca.* Take of Horle Emmers three Drams, Oyl of white Sefanum, Oyl of Lillies, of each one Ounce pound and bruise the Ants, and put them to the Oyl, and let them stand in the Sun six Days; then strain the Oyl, and add to it Euphorbium one Scruple, Pepper and Rue, of each one Dram, Mustard-seed half a Dram. Set this again altogether in the Sun two or three Days, then anoint the Instruments of Generation therewith. But so much for this Chapter.

C H A P. II.

Of the Diseases of the Womb.

Have already said, That the Womb is the Field of Generation; and if this Field be corrupted it is vain to expect any Fruit, though it be never so well sown. It is there not without Reason, that I intend in this Chapter to set down the several Distempers to which the Woman is obnoxious, proper and safe Remedies against them.

§. 1. *Of the hot Distemper of the Womb.*

THIS Distemper consists in the Excess of Heat; for the Heat of the Womb is necessary for Conception, but if it be too much, it nourisheth not the Embryo, but disperseth its Heat, and hinders the Conception: This Preternatural Heat, is sometimes from the Constitution, and makes them Barren: But if it be Accidental, it arises from hot Causes that bring the Heat and the Blood to the Womb: It arises also from internal and external Medicines, and from too much hot Meats, Drinks and Exercise. Those that are troubled with this Distemper, have but few courses, and those Yellow, Black, burnt and sharp; have Hairs betimes upon their Privities; they are very prone to Lust, and are subject to the Head-ach, abound with choler. And, when the Distemper is long upon them, they have but few Terms, and out of season, being bad and hard to flow; and in Time they come Hypochondriacks, and for the most part barren, and sometimes a Frenzy of the Womb.

The Remedy is to use coolers, so that they offend not the Vessels that must be open for the Flux of the Menstruum. Therefore inwardly use coolers, such as Marsh-mallows, Endive, Violets, Water-lillies, Sorrel, Lettuce, and Symps, and Syrups and Conserves made thereof. Also take

take Conserve of Succory, Violets, Water-lillies, Burra each an Ounce, Conserve of Roses half an Ounce, *Dianthus margariton frigid*, *Diatrisantalon*, each half a Dram, and with Syrup of Violets, or Juice of Citrons, make Electuary. For outward Applications, make use of Qyntment of Roses, Violets, Water-Lillies, Gourds, *Unguentum Navel*, applied to the Back and Loins.

Let the Air be cool, her Garments thin, and Meat be with Endive, Lettuce, Succory and Barley. Give her no hot Meats, nor strong Wine, unless mixed with Water. Rest is good for her, but she must abstain from Copulation, though she may sleep as much as she will.

§. 2. Of the cold Distemper of the Womb.

THIS Distemper is the Reverse of the foregoing, and equally an Enemy to Generation, being caused by a cold Quality abounding to Excess; and proceeding from a too cold Air, Rest, and Idleness, and cured by Medicines. It may be known an Averſation to Letching and taking no Pleasure in the Act of Copulation, when they spend their Seed. Their Terms are flegmatick, thick, and slimy, and do not flow as they should. The Womb is windy, and the Seed crude and waterish. This is the Cause of Obstructions and Barrenness, and hard to be cured.

For the Cure of this Distemper, use the following Water: Take Galengal, Cinnamon, Nutmeg, Mace, Clove each two Drams; Ginger, Cubebs, Zedery, Cardamum each an Ounce; Grains of Paradise, long Pepper, each half an Ounce, beat them, and put them in six Quarts of Wine for eight Days: Then add Sage, Mints, Balm of Therwort, each three Handfuls: Let them stand 8 Days more, then pour off the Wine, and beat the Herbs and Spices; and then pour on the Wine, and distill them. you may use this: Take Cinnamon, Nutmegs, Clove Mace, Ginger, Cubebs, Cardamums, Grains of Para-

The Experienced Midwife. 131

an Ounce and half: Galengal six Drams, long Pepper half an Ounce, Zedoary five Drams, bruise them, add six Quarts of Wine: put them in a Cellar nine days, daily stirring them: Then add Mint two Handfuls, let them stand fourteen Days: pour off the Wine, and distill off them, and then pour on the Wine again, and distill off. Also anoint with Oyl of Lillies, Rue, Angelica, Cinnamon, Clove, Mace, and Nutmeg. Let her stand Air be warm: her Meat of easier Concoction, seasoned with Anniseed, Fennel and Thyme: And let her avoid raw Fruits, and Milk Diets.

§. 3. Of the Inflation of the Womb.

THE Inflation of the Womb is stretching of it by Wind, called by some a windy Mole. The proceeding from a cold Matter, whither thick thin, contained in the Veins of the Womb, by the weak Heat thereof is overcome; and it flows thither from other Parts, or is gathered by cold Meats or Drinks: Cold Air may be a stirring Cause of it also, if Women that Lye in are led to it. This Wind is contained either in the cavity of the Vessels of the Womb, or between the muscles; and it may be known by a Swelling in the bottom of the Womb, which sometimes reaches to Navel, Loins, and Diaphragma; and it rises or falls as the Wind increaseth, or decreaseth. It differs from a Dropsie in that it never swells so high; that neither the Physician nor Midwife may take a Conception, let them observe the Signs of Women with Child laid down in the first Part of this; and if one Sign be wanting, they may suspect it be an Inflation: Of which this is a farther Sign, in Conception the Swelling still increaseth, but in Inflation, it sometimes increaseth, and sometimes decreaseth. Also if you strike upon the Belly, in an

Inflation there will be a Noise, but not so in case there be a conception. It also differs from a Mole, because in that there is a Weight and hardness in the Belly, and, when they move from one Side to another, they feel a Weight which moveth; but not so in this. If the Womb be without the cravity of the Womb, the Pain is greater and more extensive, nor is there any Noise, because the Wind is more pent up.

This Distemper is neither of any long continuance nor Dangerous, if looked after in Time: And, if it be in the cavity of the Womb, is more easily expelled. To which purpose, give her *Diaphanicon*, with a *Caster*, and sharp Clysters that expel Wind. If this Distemper happen to a Woman in Travail, let her not purge after Delivery, nor bleed, because it is from a *Wind* Matter. But if it comes after Child-bearing, let her Terms come not down sufficiently, and that she has fulness of Blood, let the *Saphena Vein* be opened. After which, let her take the following Electuary. Take *Conserve of Betony and Rosemary*, of each an Ounce, and half, candied *Eringo's*, *Citron-peels* candied, of each half an Ounce; *Diacymium*, *Diagalengal*, each a Dram, *Oyl of Anniseed* six Drops, and with Syrup of Citrons make an Electuary. For outward Applications, make a Cataplasme of *Rue*, *Mugwort*, *Camomile*, *Dill*, *Calamint*, *New Penny-royal*, *Thyme*, with *Oyl of Rue*, *Keir*, *Camomile*. And let the following Clyster to expel Wind be put into the Womb: Take *Agnus Castus*, *Rue*, *Calamints*, each an Handful; *Anniseed*, *Cinnamon*, each two Drams, boil them in Wine for a Pint. She may likewise use *Sulphur baths*, and *Sulphur waters*, both inward and outward; because they expel Wind.

S. 4. Of a Dropsie in the Womb.

THIS is another Morbifick Effect of the Wind proceeding from Water, as that before-

The Experienced Midwife. 139

ed did from Wind; by which the Belly is so
led, that it deceives many, causing them to think
nselves with Child, when indeed they are not; be-
no other than an unnatural Swelling raised by the
nering together of Waters, from Moistness mixed
n the Terms, and with an evil Sanguification from
Liver and Spleen; also by immoderate Drinking, or
Eating of crude Meats; all which causing a Repleti-
do suffocate the native Heat. It may also be caused
the over-flowing of the Courses, or by any other im-
erate Evacuation. The Sign of this Distemper, are
e lower Parts of the Belly, with the Privities, are
ed up and are pained; the Feet swell, the natural
our of the Face decays, the Appetite is depraved;
Terms also are fewer, and cease before their Time,
Breasts are also soft, but without Milk. This is di-
guished from a general Dropsie, in that the lower
ts of the Belly are most swelled; neither does the
guificative Faculty appear so hurtful, nor the Urine
ale, nor the Countenance so soon changed, neither
the Superior Parts so extenuated, as in a general
opsie. But yet this Distemper foretells the total Ruin
he natural Functions, by that singular Consent the
mb hath with the Liver, and therefore an evil Habit
ody, or a general Dropsie will follow.

For the Cure of this Disease, First mitigate the Pain
n Fomentations of *Mellilot*, *Mallows*, *Linseed*, *Ca-*
nile and *Althaa*: Then let the Humour be prepared
n Syrup of *Stachus*, *Hyssop*, *Calamint*, *Mugwort* of
Sorts, with the distilled Waters, or Decoctions of
Alder, *Marjoram*, *Sage*, *Origan*, *Speerage*, *Penny-royal*
Bettony: And let her purge with *Senna*, *Agarick*,
barb, and *Elaterium*. To purge the Water, Take
mint, *Mugwort*, *Levage*, *Penny-royal*, each a hand-
Savil, a *Pugil*; *Madder-roots*, *Angelica*, of each
an Ounce; boil them in Wine, and sweeten them
with

with Sugar. Or, if she likes it better, you may make Broths of the same. Also take *Specierem Diamantini*, *Diamasci Dulcis*, *Diacalamenti*, *Diacinnamomi*, *Diamini*, *Troch de Myrrha*, of each two Drams; Sugar Pound; with Bettony-water make Lozenges, and let her take of them two Hours before Meals. Apply also to the bottom of the Belly as hot as can be endured, a little Bag of Camomile, Cummin, and Mellilot boiled in Wine of Rue, and anoint the Belly and Privities with Unguentum Agrippæ, mingling therewith Oyl of Irees. Let the lower Parts of the Belly be covered with a Plaister of Bay-berries, or with a Cataplasme made of Cummin, Camomile and Briony-roots, adding thereto Cows and Goats Dung. For Injections into the Womb, Take Asarum roots, three Drams; Penny-royal, Calamints, each half a Handful; Savin, a Pugil; Mechoacan a Dram: Nutmeg, Cummin, each half a Dram: Boil them, and take six Ounces strained: with Oyl of Elder and Olive Oyl each an Ounce: and inject it into the Womb by a Syringe trenchita. Let the Air be hot and dry; Moderate Exercise may be allowed, but much Sleep is forbidden. She may eat the Flesh of Partridges, Larks, Chickens, Mountain-birds, Hares, Conies, &c. And let her Drink Rhenish Wine, mixed with a little Water.

§. 5. Of the Inflammation of the Womb.

THIS Affect is a Tumour possessing the Womb, accompanied with unnatural Heat, by Obstructions, and gathering together of corrupt Blood: if the Blood that comes to the Womb, get out of its Vessels into its Substance, and grow hot and putrid, it causeth Inflammation, either all over, or in part before or behind, above or below. This happens by Suppression of the Menstrues, repletion of the whole Body, immoderate Copulation, often handling

the Genitels, difficult Child-birth, vehement Agitations of the Body or by Falls or Blows. The Signs of Inflammation, are a Tumour, with Heat and Pain in the Region of the Womb, with stretching and heaviness in the Privities; also Pains in the Head and Stomach, with Vomiting, Coldness of the Knees, Constrictions of the Neck, Doting, Trembling of the Heart; sometimes Straitness of Breath, by reason of the heat which is communicated to the Diaphragma, or Drift; and the Breasts, sympathizing with the Womb, pained and swelled: but more particularly, if the fore-part of the Matrix be inflamed, the Privities are closed, and the Urine is suppressed, or flows forth with Difficulty: If it be behind, the Loins and Back ache, and the Belly is bound: If the Inflammation be at the Bottom of the Womb, the Pain is towards the Pelvis. If the Neck of the Womb be affected, the Midwife, putting up her Finger, may feel the Mouth retracted and closed up with a Hardness about it. As to the Prognosticks of it, all Inflammations of the Womb are dangerous, and sometimes deadly, especially if it be all over the Womb: If the Woman be with Child, she rarely escapes, but an Abortion follows, and the Mother dies.

As to the Cure, First let the Humours flowing to the Womb be repelled: for the effecting of which, if the Belly hath been opened by cooling Clysters, drawing of blood will be needful: Open therefore a Vein in the Arm, but have a Care of bleeding in the Neck, lest thereby you draw more blood to the Womb; afterwards to derive, if it be from the Terms stopt, bleed in the Arm. The Opinion of Galen is, That the blood may be diverted by bleeding in the Arm, or cupping the breasts; and that it may be derived by opening the Ankle-vein, and cupping upon the Hips. Then purge gently with Cassia, Rhubarb, Sena and Myrobalans, thus: Take of Sena, two Drams; Anniseed one Scruple;

Scruple; Myrobolans half an Ounce, Barley-water a sufficient Quantity; make a Decoction, dissolve it in Syrup Succory, with Rhubarb, two Ounces, Pulp of Cassia half an Ounce, Oyl of Anniseed two Drops. and make a Pessary. Also at the beginning of the Disease, anoint the Privities and Reins with Oyls of Roses and Quinces: Make Plaisters of Plantain, Linseed, Barley-meal, Meliss, Fenugreek, and Whites of Eggs; and, if the Pain is vehement, and a little Opium. For Repellers and nodines, Take Venus-navel, Purslain, Lettuce, Horse Vine leaves, each half a Handful; boil them in Wine, Barley-meal two Ounces; Pomegranate-flowers three Drams, boil a Dram with Oyl of Roses, and make a Pessary. Or, Take Diachylon simple two Ounces, Juice of Venus-navel, and Plantain, each half an Ounce; Oyl of Roses an Ounce, Sugar of Lead a Dram; make an Ointment in a Leaden Mortar, and apply it. If the Tumor cannot be received, but tends to Suppuration, Take Fenugreek, Mallow-roots, decocted Figs, Linseed, Barley-meal Doves-dung, Turpentine, of each three Drams, Deers-suet half a Dram, Opium half a Scruple, and Wax make a Plaister. After it is ripe, break it by Motion of the Body, Coughing, Sneezing; and else by Cupping and Pessaries: As, Take Rue half a Handful, Figs half an Ounce, boil them soft, and Honey and Leven, each half an Ounce, Pigeons-dung, Orris-roots, each half a Dram, with Wooll make a Pessary. After it is broken, and the Pains abate, then cleanse and heal the Ulcer with Cleaners as these, viz. Whey, Barley-water, Honey, White-wine, Smallage, Oribus, Orris, Birthwort, Myrrh, Turpentine, Allum; As, Take new Milk boiled a pint, Honey half a Pint, Orris Powder half an Ounce; and use it very often every Day. If it break about the Bladder, make an Emulsion of cold Seeds, Whey and Syrup of Marsh-mallows. Let her Drink Barley-water, or clarified Whey, and Meat be Chickens, and Chicken-broth, boiled with Marsh-mallows, Succory, Sorrel, Bugloss and Mallows.

§. 6. Of a Schirrosity and Hardness of the Womb.

A Phlegmon, or Swelling in the Womb neglected, not perfectly cured, often produces a Schirrosity in the Martix, which is a hard insensible unnatural Swelling, causing Barrenness, and begetting an disposition of the whole Body. The immoderate Cause is a thick earthy Humour, (as natural Melancholy for Instance) gathered in the Womb, and causing a Schirrous without Inflammation. It is a proper Schirrous when there is neither Sense nor Pain, and is an improper Schirrous when there is some little Sense and Pain. This Temper is most usual in Women of a Melancholy Constitution, and also such as have not been cleansed from their Menstrues; or from the retention of the Lochia or After-purging: It is likewise sometimes caused by eating corrupt Meat; or those inordinate Longings called Pica, to which Breeding Women are often subject: and lastly, It may also proceed from Obstructions and Ulcers in the Womb, or from some evil Affects in the Liver and Spleen. It may be known by these Signs, if the Affect be in the Bottom of the Womb, she feels it were a heavy Burden representing a Mole, yet differing, in that the Breasts are attenuated, and the whole Body also. If the Neck of the Womb be hardened, no outward Humour will appear, the Mouth of it is retracted: and touched with the Finger, feels hard; nor can she have the Company of a Man without great Pains and Prickings. This Schirrosity or Hardness is (when confirmed) incurable, and will turn into a Cancer or Tumor; and ending in a Cancer, proves deadly: the reason of which is, because the native Heat in those parts being almost smothered, it is hardly to be restored again.

For the Cure of this, first prepare the Humour with Syrup of Burrage, Succory, Epithymum, and Clarified Whey; which being done, take of these Pills following according to the Strength of the Patient; Take Hieracium, six Drams; black Hellebore, Polypody, of each three Drams and a half; Agarick; Lapis Lazuli, Abluti, Salt of India, Coloquintida, of each one Dram and a Half; mix them, and make Pills. The Body being purged; proceed to mollifie the Hardness as followeth; Anoint the Privities and the Neck of the Womb with the following Oyntment, Take Oyl of Capers, Lillies, sweet Almonds, Jessamine, each an Ounce; fresh Butter, Hens-greese, Goose-greese, of each half an Ounce; Mucilage, Fenugreek, Althaea, Oyntment of Althaea, each six Drams; Ammiacum, dissolved in Wine, an Ounce; which with Water make into an Oyntment. Then apply below the Navel Diachylon Fernelii; and make Emulsions of Figs, Marsh-mallow, Mallows, Penny-royal, Althaea Fennel-roots, Melliss, Fenugreek and Linseed boiled in Water. But for Injections, Take Bdellium dissolved in Wine, Oyl of sweet Almonds, Lillies, Cammonile, each two Ounces; Marrow of a Veal-bone, and Hens-greese each an Ounce, with Yolk of an Egg. The Air must be temperate; and as for her Diet, let her abstain from all gross, viscous and Meats, as Pork, Fish, old Cheese, &c.

§. 7. Of the Straitness of the Womb, and its Vessels.

THis is another Affect of the Womb, which is Obstruction to the bearing of the Children, hindering both the flowing of the Menstrues and Contraction; and is seated in the Vessels of the Womb, and the Neck thereof. The Cause of this straitness are cold and rough Humours that stop the Mouths of the Veins and Arteries: These Humours are bred either of greediness or to much Nourishment; when the Heat of the Womb is so weak, that it cannot attenuate the

mol

hours; which by Reason thereof either flow from the whole Body, or are gathered into the Womb. Now the Vessels are made closer, or straiter several Ways: sometimes by Inflammation, or Schirrous, or other tumours: sometimes by Compression; or by a Scar, or Flesh, or Membrane, that grows after the Wound. The Signs by which this is known are the Stoppage of the Terms, not Conceiving, Curhilities abounding in the body, which are known by particular Signs: For if there was a Wound or Secundine was pulled out by force, Flegm comes from the Wound. If stoppage of the Terms be from an old Obstruction by Humours, it is hard to be cured: If it be only from the disorderly use of Astringents, is the more curable: If it be from a Schirrous or others Tumour, that compressed or closeth the vessels, the Disease is incurable.

For the Cure of that which is curable, Obstructions must be taken away, Flegm must be purged, and the Blood must be let, and shall be hereafter directed in the stoppage of the Terms. Then use this following Medicine: Take of Anniseed and Fennel-seed, each a Dram; Rosemary, Penny-royal, Calamint, Bettony-flower each a Handful; Birthwort and white Dittany-roots each an Ounce: Castus, Cinnamon, Galengal each half an Ounce: Saffron half a Dram, with Wine. Or, Take Asparagus-roots, Parsley-roots, each an Ounce; Penny-royal, Calamints, each a Handful: Wall-flowers Dill-flowers, each two Pugils: boil, strain, and add Syrup of Mugwort, an Ounce and Half. For a Fomentation, Take Penny-royal, Mercury, Calamints, marjoram, mugwort, each two Handfuls: Sage, Rosemary, Bays, Camomile-flower, each a Handful: boil them in Water, and foment the Groin and bottom of the Belly: Or let her sit up to the Navel, in a Bath: and then anoint about the Groin, with Oyl of Lillies, Dill, &c.

§. 8. *Of the Falling of the Womb.*

THIS is another evil Affect of the Womb, which is both very Troublesome, and also a hindrance to Conception. — Sometimes the Womb falleth to the middle of the Thighs, nay, almost to the Knees, and may be known then by its hanging out: Now that which caused the Womb to change its Place, is when the Ligament by which it is bound to the other Parts, are not in Order: For they are four Ligaments, two above, broad and membranous, that comes from the Peritonæum: and two below, that are nervous, round and hollow: it is also bound to the great Vessels by Veins and Arteries, and to the Back by Nerves: Now the Place is changed, when it is drawn another way: or when the Ligaments are loose, and it falls down by its own weight: It is drawn on one Side, when the Menstrues are hindred from flowing, and the Veins and Arteries are full: namely those which go to the Womb. If it be a Mole on one Side, the Liver and Spleen cause it; by the Liver-veins on the right Side, and the Spleen on the Left, as they are more or less filled. Others are of Opinion it comes from the Solution of the Concoction of the fibrous Neck, and the Parts Adjacent: and that is from the weight of the Womb descending: This we deny not: but then the Ligaments must be loose or broken. But Women in a Dropsie could not be said to have the Womb fall down, if it come only from Looseness: but in them it is caused by the Saltness of the water, which dries more than it moistens. — Now if there be a little Tumour within or without the Privities, like a Skin stretched, or a weight felt about the Privities, it is nothing else but a Descent of the Womb: But if there be a Tumour like a goose-egg, and a Hole at the bottom, there is at first a great Pain in the Parts to which

which the Womb is fastened, as the Loins, the Bottom of the Belly, and the Os Sacrum; which proceed from the breaking or stretching of the Ligaments; but a little after the Pain abateth, and there is an Impediment in walking; and sometimes Blood comes forth from the Breath of the Vessels, and the Excrements and Urine are stopt, and then a Fever and Convulsion ensueth, and then it oftentimes proves mortal, especially if it happen to Women with Child.

For the Cure of this Distemper, first put it up, before the Air alter it, or it be swollen or inflamed: And therefore first of all give a Clyster to remove the Excrements; then lay her upon her Back, with her Legs abroad, and Thighs lifted up, and Head down; then take the Tumour in your Hand, and thrust it in without Violence: If it be swelled by Alteration and Cold, foment with the Decoction of Mallows, *Althaea*, *Lime*, *Fenugreek*, *Camomile-flowers*, *Bay-berries*; and anoint it with Oyl of *Lillies* and *Hens-grease*. If there be an Inflammation, don't put it up, but fright it in, by putting a red hot Iron before it, and making a shew as if you intend to burn it, but first sprinkle upon it the Powder of *Mastick*, *Frankincense*, and the like. Thus: Take *Frankincense*, *Mastick*, each two Drams: *Sarcocol* steeped in Milk, a Dram; *Mummy*, *Pomegranate-flowers*, *Sanguis Draconis*, each half a Dram: When it is put up, let her lie with her Legs stretched, and one upon the other, for eight or ten Days: and make a Pessary in the Form of a Pear with Cork or Sponge, and put it into the Womb, dipped in sharp Wine, or Juice of *Acacia*, with Powder of *Sanguis*, with *Galbanum*, and *Bdellium*. Also apply a Cupping-glass with great Flame, under the Naval or Paps, or to both Kidneys; and lay this Plaister to the Back: Take *Opoponax*, two Ounces, *Storax liquid*, half an Ounce, *Mastick*, *Frankincense*, *Pitch*, *Bole*, each two Drams; then with Wax, make a Plaister.

142 The Experienced Midwife.

Or, Take Labdanum a Dram and a half, Mastich and Frankincense, each half a Dram, Wood-alloes, Cloves, Spike each a Dram: Ash coloured, Amber-greece, four Grains; Musk half a Scruple: Make two round Plaisters, to be laid on each Side the Navel: Make a Fume of Snail Skins salted, or of Garlick; and let it be taken in by the Funnel. Use also Astringent Fomentations of Bramble-leaves, Plantain, Horse-tails, Myrtles, each two Handfuls; Wormseed, two Pugils; Pomegranate-flowers, each half an Ounce, boil them in Wine and Water. For an Injection, Take Comfrey-roots, an Ounce, Snake-weed, Pomegranate-flowers, each half an Ounce; Rupture-wort, two Drams: Yarrow, M:gwort, each half an Ounce: boil them in red Wine, and inject it with a Syringe. To strengthen the Womb, Take Harts horn, Bays, of each a Dram; Myrrh, half a Dram, make a Powder for two Doses, and give it with Sharp Wine. Or you may take Zedoary, Parsnep seed, Crabs-eye prepared, each a Dram: Nutmeg half a Dram, and give a Dram in Powder: But Astringents must be used with great Caution, lest by stopping the Courses, a worse Mischief follow. To keep it in its Place, make Rollers and Ligatures, as for the Rupture, and put Pessaries into the Bottom of the Womb, that they may force it to remain, I know some Physicians object against this, and say they hinder Conception; but others in my Opinion, much more justly affirm, That they neither hinder Conception, nor bring any Inconvenience; nay, so far from that, that they help Conception, and retain it, and cure this Disease perfectly — Let the Diet be such as has drying, Astringent, and glewing Qualities, such as Rice, Starch, Quinces, Pears, and Green-cheese: But let Summer-fruits be avoided. And let her Wine be astringent and red.

C. H. A. P. III.

Of Diseases relating to Womens monthly Courses.§. I. *Of Womens monthly Courses in general.*

THAT Divine Providence which with a Wisdom worthy of it self has appointed Woman to Conceive by Coition with the Man, and to bear and bring forth Children: has provided for the Nourishment of Children during their Recess in the Womb of their Mother, by that Redundancy of Blood which is natural to all Women, and which flowing out at certain Periods of Time (when they are not pregnant) are from thence called Terms, and Menses from their Monthly-flowing: And are therefore defined to be a Monthly-flux of excrementious and unprofitable Blood: Now that the Matter flowing forth is excrementious, is to be understood only with respect to the Redundancy and Overplus thereof: being an Excrement only with respect to its Quality: for, as to its Quantity, it is as pure and incorrupted as any Blood in the Veins. And this appears from the final Cause of it, which is the Propagation and Conversation of Mankind: and also from the Generation of it, it being the Superfluity of the last Aliment of the fleshy Parts. If any ask, If the Menstrues be not of a hurtful Quality, how can it Cause such venomous Effects: as if it falls upon Trees and Herbs, it make the one Barren, and mortifies the other? I answer, This Malignity is contracted in the Womb: for the Woman wanting native Heat to digest this Superfluity, send it to the Matrix, where seating itself till the Mouth of the Womb be dilated, becomes corrupt and mortify'd: which may easily be, considering the Heat and Moistness of the Place, and so this Blood being out of his proper Vessels, and too long retained, offends in Quality. But if Frigidity be the Cause why Women

cannot digest all their last Nourishment, and by consequence have these monthly Purgation, how comes it to pass, may some say, why they are of so cold a Constitution more than Men? Of this I having already spoken in the Chapter of Barrenness; only, chiefly thus: The Author of our Being have laid an Intjunction upon Men and Women to propagate their Kind, hath also wisely fitted them from that Work and seeing that in the Act of Coition there must be both an Agent and Patient, (for if they be both of one Constitution, there can be no Propagation) and therefore Man is hot and dry, and Woman cold and moist: He is the Agent, she the Patient or weaker Vessel, that she might be subject to the Office of the Man. It is therefore necessary that the Woman should be of a cold Constitution, because in her is required a Redundancy of Matter for the Infant depending on her: And this is wisely ordained by Nature, for otherwise the Child would detract from and weaken the principal Parts of the Mother; which would most unnaturally render the Production of the Infant the Destruction of the Parent. Now these monthly Purgations usually begin about the 14th Year, and continue till the 46th or 50th Year: Yet not so constantly, but that oftentimes there happens a Suppression; which is sometimes natural, and sometimes morbidical: When they are natural suppress, it is either in breeding Women or such as give Suck: but that is morbidical, must be the subject of the following Sections.

S. 2. Of the Suppression of the Monthly Courses

THE Suppression of the Terms, which is morbidical, is an Interception of that accustomed Evacuation of Blood which should come from the Matrix every Month, and which proceeds from the Matter vitiated——The Cause of this Suppression is either

her internal or external; The internal Cause is either instrumental or material: in the Blood, or in the Womb: The Blood may be faulty two Ways, in Quantity or in Quality: in Quantity, when it is so consumed that there is not an Overplus left, as in Viragoes and all viril Women, who through their Heat and strength of Nature, digest and consume all their best Nourishment: But Women of this Constitution, are rather to be accounted *Anthropophaga*: That is, Women eaters, than Women-breeders: because they consume one of the Principles of Generation, which gives Being to the World *i. e.* The Menstruous Blood: The Blood may also be consumed, and the Terms stayed, by much bleeding at the Nose; and likewise by a Flux of the Hemorrhoids, or by a Dysenteria, evacuations, and chronical and continual Diseases, but secondly, the Matter may be vicious in Quality, as it be sanguineous, flegmatical, bileous, or melancholious; each of these, if they offend in grossness, will cause an Obstruction in the Veins. — The Womb so may be in the Fault divers Ways; as by the Narrowness of the Veins and Passages, by Aposthumes, Tumours, Ulcers, and by over-much Cold and Heat, the one vitiating the Action, and the other consuming the Matter: also by an evil Composition of the uterine Parts; by the Neck of the Womb being turned aside: and sometimes (though but rarely) by a Membrane or Excrecence of Flesh, growing about the Womb. — The external Cause may be Heat, or dryness of the Air, immoderate Watching, great Labour, violent Motion, whereby the Matter is so consumed, and the Body so exhausted, that there is no redundant Blood remaining to be expelled: whence is recorded of the *Amazons*, that being Active, and always in Motion, they had little or no monthly fluxes: It may also be caused by Cold, and most frequent it is so, making the Blood viscous and gross,

condensing and binding up the Passages, that it cannot flow forth.

The Signs of the Disease are Pains in the Head, Neck, Back and Loins, with weariness of the whole Body, but especially of the Hips and Legs, by Reason of a Confinity which the Womb hath in those Parts: If the Suppression proceeds from Cold, it causeth a heavy sluggish Disposition, a pale Colour, a slow Pulse, the Urine crude, waterish, and much in Quantity, and no desire to Copulation, the Excrements of the Gut being usually retained, but if it proceed from Heat, the Signs are contrary. If it be natural, and be caused by Conception, it may be known by drinking Water and Honey after Supper, going to Bed: for if after the taking it, it causeth the Woman to feel a bearing Pain about the Navel and lower Parts of the Belly, it is a Sign she hath conceived, and that the Suppression is natural; if not, then it is vicious, and ought medicinally to be taken away; otherwise many dangerous Diseases will follow, such as Swoonings, Faintings, Intermittent Pulse, Obstructions, Cachexies, jaundice, Dropsies, hardness of the Spleen, Epilepsies, Apoplexies, Frenzies, melancholy Passions, &c. which makes it highly necessary to say something now of the Cure.

The Cure of this Distemper must be by Evacuation for this Suppression is a Plethorick Affect: It will therefore be best in the midst of the menstrual Period to open the Liver-vein: and for the Reversion of the Humours, two Days before the wonted Evacuation, open the Saphenous vein on both Feet; And if the Repletion be not great, apply Cupping-glasses to the Legs and Thighs; After letting Blood, the Humours must be prepared and made flexible with Syrup of Stechas, Harebround, Hyssop, Betony, Maiden-hair, Mugwort, Fumitory: Then let a Bath be made of Rue, Featherfew, Marjoram, Savin, Bay-leaves, Penny-royal, Camomile, and Juniper-berries. After which, Take of the Leaves of Ney, Bettony, Scordil-cory, Maiden-hair, of each, one Handful, make a Decoction

ction, and take thereof three Ounces; Syrup of mugwort,
 succory, Maiden-hair, mix each half an Ounce; and,
 after she comes out of the Bath, let her drink it off.
 When Purge with *Pil. de Agerick, Elephang. Coch. Fœtid.*
alen in this Case commends *Pilula de Hiera cum Colo-*
ntida: for as they be proper to purge the Humour
 offending, so do they open the Passages of the Womb,
 and strengthen the Faculty by their aromitical Quality.
 If the Stomach be overcharged, let her take a Vomit,
 but let it be so prepared as to work both Ways, least
 the Humours should be too much turned back, by work-
 ing only upwards: To which End, Take Trochisks of
Agerick two Drams, infuse them in three Ounces of Oxi-
 mel, in which dissolve *Benedict. Laxat.* half an Ounce,
 and of the Electuary *Diasarum* one Scruple: and let her
 take it after the manner of a Purge. When the Hu-
 mour hath been thus purged, you may proceed to more
 proper and forceable Remedies, Take Extract of Mug-
 wort, one Scruple and Half: Musk, ten Grains: Tro-
 chisks of Myrrh, one Dram and Half: Rinds of Cassia,
 Turfey-seed, Castor, of each one Scruple: and with the
 Juice of Smallage, make twelve Pills, and let her take
 two every Morning, or after Supper going to Bed. Also
 administer to the lower Parts by Suffumigations, Pessa-
 ges, Unctions, Injections, and Inseffions: make Suffu-
 migation of Amber, *Falbanum*, *Memantbum*, Bay-ber-
 ries, Mugwort, Cinnamon, Nutmegs, Cloves, &c. Make
 pessaries of Figs, and the Leaves of Mercury bruised,
 and rolled up with Lint. Make Injections of the Deco-
 tion of Mercury, Bettony, Origan, Mugwort and Figs,
 and inject it into the Womb by an Instrument fit for
 that Purpose. For Unctions, Take Ladant, Oyl of myrrh,
 each two Drams: Oyl of Lillies, Almonds, Capers,
 anemomile, each half an Ounce: and with Wax make
 an Unguent, with which let the Places be anointed. Let
 the Air be hot and dry, her Sleep shorter than ordinary:
 let her use moderate Exercise before Meals, and let her
 Meat and Drink be attenuating.

§. 3. *Of the over-flowing of the Monthly Courses.*

THIS Distemper is directly contrary to that which I have spoken in the foregoing Section and is no less dangerous than the other, and therefore requires to be spoken to next in Order. This Distemper is a sanguineous Excrement, proceeding from the Womb, and exceeding in Time and Quality. I call it Sanguineous, because the Matter of the Flux is only Blood, and differs from the Whites (of which I shall speak afterwards) and I say it proceeds from the Womb because there are two Ways by which the Blood flows forth; one is, by the Internal Veins in the Body of the Womb, which is properly called the monthly Flux, and others is by those Veins which are terminated in the Neck of the Matrix, which some Physicians call the Hemorrhoids of the Womb. And that it exceeds in Quantity, is when they flow about three Days; but this is the most certain Sign of their Excess in flowing when they flow so long, that the Faculties of the Body are thereby weakened. For in Bodies abounding with gross Humours, this immoderate Flux does sometimes unburden Nature of her Load, and is not to be stopped without Advice from a Physician.

The Cause of this immediate flowing is either External or Internal; the External Cause may be the Heat of the Air; lifting, carry heavy Burdens, unnatural Child-birth, Falls, &c. The Internal Cause may be threefold, in the Matter, Instrument, or Faculty: The Matter, which is the Blood, may be vicious two Ways; first, in Quantity, being so much that the Veins are not able to contain it; secondly, in Quality, being adust, sharp, waterish, or unconcocted: The Instrument, *viz.* the Veins are faulty; by the Dilatation of the Orifice, which may be caused two Ways

First, by the heat of the Constitution, Climate, or Season, heating the Blood, whereby the Passages are dilated, and the Faculty weakened, that it cannot retain the Blood, secondly, by Falls, Blows, violent Motion, breaking of a Vein, &c.

This inordinate Flux may be known by the Appetite's being decayed, the Concoction depraved, and all the Actions of the Body weakened; the Feet swelled, the Colour of the Face changed, and a general Feebleness possesseth the whole Body. If it comes by the breaking of a Vein, the Body is something cold, the Blood flows forth on Heaps, and that suddenly with great Pain: If it comes through Heat, the Orifice of the Veins being dilated, then there is a little or no Pain, yet the Blood flows faster than it doth in an Erosion, and not so fast as in a Rupture. If by Erosion, or sharpness of Blood, she feels a great Heat scalding the Passage; it differs from the other two, in that it flows not so suddenly nor so copiously as they do. If it be by weakness of the Womb, she has an Aversion to Copulation. If it proceed from the Blood, drop some of it on a Cloth, and when it is dry, you may judge of the Quality by the Colour: If be Cholerick it will be Yellow; if Melancholy, Black; if Flegmatick, Waterish and Whitish.

The Cure of this consists in three Particulars; First, in repelling and carrying back the Blood: Secondly, in correcting and taking away the fluxibility of the Matter; Thirdly, in corroborating the Veins and Faculties. For the First, to cause a Regression of the Blood, open a Vein in her Arm; and draw out so much Blood as the Strength of the Patient will permit: And that not together, but at several Times; for thereby the Spirits are less weakened, and the Retraction so much the greater: Apply the Cupping-glasses to the Liver, that the Reversion may be in the Fountain. To correct the fluxibility of the Matter-Cathartical Means moderated with Astringencies may be used. If it be caused

caused by sharpness of Blood, consider whether the Erection be by salt Phlegm, or a dust Colour: If by salt Phlegm, prepare with Syrup of Violets, Wormwood, Roses, Citron-peels, Succory, &c. Then take this Purgation following: Take Mirabolans, Cherbul, half an Ounce, Trochisks of Agarick, one Dram; with Plantain water, make a Decoction: Add thereto Styr. Rosat. lax three Ounces, and make a Potion. If by a Dust Colour prepare the Body with Syrup of Roses, Myrtles, Sorrel, Purslain, mixt with Water of Plantain, Knotgrass, and Endive: Then Purge with this Potion: Take Rinds of Mirabolans, Rhubarb, of each one Dram; Cinnamon fifteen Grains; infuse them one Night in Endive-water. Add to the Straining Pulp of Tamarinds, Cassia, of each half an Ounce, Syrup of Roses one Ounce; and make a Potion. If the Blood be waterish and unconcoct, as is in hydropical Bodies, and flows forth by Reason of the Tenuity, to draw off the Water will be profitable: to which End purge with Agarick, Elaterum, and Colicquintida. Sweating is also proper in this Case, for by the Matter offending is taken away: and the Motion of the Blood is carried to the outward Parts. To procure Sweat, use Cardamum-water with Mithridate, or the Decoction of Guiniacum, does also provoke Sweat; and Pills of Sarsaparella taken every Night going to Bed are worthily commended. If the Blood flows forth from the opening or breaking of a Vein, without an evil Quality of itself, then ought Corroboratives only to be applied, which is the Thing to be done, in this inordinate Flux, Bole-armoniack one Scruple, London Treacle one Dram, old Conserve of Roses, half an Ounce; with Syrup of Myrtles make an Electuary. Or, if the Flux have continued long, Take of Mastich two Drams, Olibanum, Tyoch. de Carable, of each one Dram; Balanstitium one Scruple; make a Powder; with Syrup of Quince make it into Pills, and take one always before Meals.

4. *Of Terms coming out of Order; either before or after the usual Time.*

BOTH these have an ill Constitution of Body; every Thing is beautiful in its Order: in Nature as well in Mortality; and if the Order of Nature be broke, shews the Body to be out of Order; Of each of these effects briefly.

When the Monthly Courses come before there Time, shews a depraved Excretion, that comes for the time often; flowing sometimes twice a Month; The cause why they come sooner; is in the Blood, which stirs up the expulsive Faculty in the Womb, or sometimes the whole Body, caused oftentimes by the Persons Diet; which increases the Blood to much, makes it to sharp or to hot, and if the retentive Faculty of the Womb be weak, and the expulsive Faculty strong, and of a quick sense, it brings them forth the sooner; And sometimes they flow sooner by Reason of a Fall, Streak, or some violent Passion, which the Parties themselves can best relate. If it be from Heat, thin and sharp Humours, it is known by the Distempers of the whole Body. The looseness of the Vessels, and weakneses of the retentive Faculty, is known from the moist and loose Habit of the Body, it is more Troublesome than Dangerous; but hinders Conception, and therefore the Cure is necessary for all, but especially such as desire Children. If therefore they come too soon from the Faculty provoked by too much Plethory, let the Person bleed, and use a separate Diet, exercising herself as much as she can. If it proceeds from a sharp Blood, let her temper it by a good Diet and Medicines: To which purpose let her use Bath of Iron-water, that corrects the Distemper of the Bowels, and then evacuate. If it proceeds from the retentive Faculty and looseness of the Vessels, it is to be corrected with gentle Astringents.

As

As to the Courses flowing after their usur'l Time, the Causes are thickness of the Blood, and the smallness of its Quantity, with the straitness of the Passage, and weakness of the expulsive Faculties; either of these may stop the Courses; but if all these concur, they render the Distemper the worse. If the Blood abound not in such a Quantity as may stir up Nature to expel it, its Purging must necessary be deferred till it be enough. And if the Blood be thick, the Passage stop, and the expulsive Faculty weak, the Menses may needs be out of Order, and the purging of them retarded.

For the Care of this, if the Quantity of the Blood be small, let her use a larger Diet, and very little Exercise. If the Blood be thick and foul, let it be made thin, and the Humours mixed therewith be evacuated. It is good to purge after the Courses have done flowing, and use Calamints; and indeed the oftener she purges the better. She may also use Fumes and Pessaries, and apply Cupping glasses without Scarification to the Infles of the Thighs; and rub the Legs, and scarrifie the Anles, and hold the Feet in warm Water, four or five Days before the Courses come down. Let her also anoint the Bottom of her Belly with Things proper to provoke the Terms.

§. 5. Of the false Courses, or Whites.

TH E Whites or false Courses, are a foul Excretion from the Womb; for from the Womb proceeds not only the menstruous Blood, but accidentally many other Excrements: which by the Ancients are comprehended under the Title of *leucorrhœa*; which is a Distillation of variety of corrupt Humours through the Womb, flowing from the whole Body, or part of the same; which, though called Whites, or sometimes Blew, or Green, or Reddish, not flowing at a set Time, or every Month, but

orderly Manner, sometimes longer, and sometimes shorter. It is different from the Running of the Reins, being both less in Quantity; and whiter and thicker in quality, and coming at a great Distance: It is different from those Night pollutions, which is only in Sleep, proceed from the Imagination of Venery.

The Cause of this Distemper is either promiscuously in the whole Body, by a Cacochymia, or Weakness of the same; or in some of the Parts; as in the Liver, which, by the inability of the sanguificative Faculty, hath a Generation of corrupt Blood; and then the Matter is reddish; sometimes it is in the Gall, being retained in its Office, not drawing away those cholerick Superfluities which are ingendered in the Liver, and then the Matter is yellowish: Sometimes in the Spleen not separating and cleansing the Blood of the Dregs and excrementious Parts; and then the Matter flowing forth is blackish. It may also come from Catarrhs in the Uterus, or from any other putrid or corrupt Member. If the Matter of the Flux be white, the Cause is either in the Stomach or Reins: In the Stomach, by a stagnant and crude Matter there contracted and viciated through Grief, Melancholy, and other Distempers; otherwise if the Matter were only pituitous, and not corrupt or viciated, being taken into the Liver, it might be converted into Blood; for Phlegm in the Uterus, is called Nourishment half digested: But if corrupt, though it be sent into the Liver, it cannot be turned into Nutriment; for the second Concoction cannot correct that which the first hath corrupted; therefore the Liver sends it to the Womb, which neither digest it nor repel it, and so it is voided still keeping the Colour which it had in the Vagina. The Cause also may be in the Reins, being heated, whereby the spermatical Matter by reason of its tenuity flows forth: The external Cause may be

be the moistness of the Air, eating of corrupt Meats, Anger, Grief, Slothfulness, immoderate Sleeping, and Costiveness.

The Signes are extenuation of the Body, shortness of Breathing, loathing of Meat, pain in the Head, swelling of the Eyes, Melancholy, Humidity, flowing from the Womb, of divers Colours, as reddish, black, green, yellow, white: It is known from the flowing, over-flowing of the Courses, in that it keeps no certain Periods, and is of so many Colours, all which do degenerate the Blood.

For the Cure of this, it must be by Method adapted to the Cause; and as the Cause are various, so must the Cure.

If it be caused by the Dilation from the Brain, Take Syrup of Bettony, Stachas and Marjoram, Purge with Pill coch. Make Napalia, of the Juice of Sage, Hyssop, Bettony, Negella, with one Drop of Oyl of Cloves, a little silk Cotton. Take Elect. diantb. aromat. red. diambre diamosci dulcis, of each one Dram; Nutmeg half a dram; with Sugar and Bettony-water make Symplices to be taken Morning and Evening. Also Auriæ Alexandrinæ half a dram, at Night going to bed.

If the Matter flowing forth be reddish, upon a Ligature in the Arm; if not, apply Ligatures to the Arms and Shoulders; some have cured this Distemper, by rubbing the upper Parts with crude Honey: and so Galen says he cured the Wife of Batius.

If it proceed from Crudities in the Stomach, or from a cold distemper'd Liver, Take every Morning of Decoction of Lignum Sanctum. Purge with Pill de Scordio, de Hermodact. de Hieme diacolocynthid. For the Aggravative. Take of elect. Aromat. Ros. two drams, Citron-peels dried; Nutmeg, long Pepper, of each one dram; diagalanga, one dram: Santali Albi, Ligni Aromatici of each half a Scruple: Sugar six Ounces: with

The Experienced Midwife. 155

er make Lozenges of it; and take of them after
als.

with Frigidity of the Liver, be joyned a Repression
of the Stomach purging by Vomiting is commendable;
which, Take three Drams of the Electuary of Diasa-
Some Physicians also allow of diuretical Means: as
Opium, Petroselinum, &c.

If the Matter of the Flux be melancholious, prepare
Syrup of Maiden-hair, Epithimum, Polipody, Bur-
Bugloss, Fumetary, Hart's-tongue and Syrups By-
nus, which must be made without Vinegar, other-
it will rather animate the Disease than strengthen
are; for Melancholy by the Use of Vinegar is increa-
and by Hippocrates, Sylvicus and Auentius, it is
flowed of, as an Enemy to the Womb, and there-
not to be used inwardly in uterine Diseases. Pur-
of Melancholy are, Pilula Eumarie, Pilula Inda,
de Lap. Lazuli, Diasena, & Confectio Hameigh.
Stampt Pruens two Ounces, Senna one Dram; Epi-
um, Polypody, Fumitary, of each a Dram and half; 4
s, one Ounce with Endive-water make a Decoction,
of it four Ounces: add unto it Confectionis Hamech
drams: Manna three drams. Or, Pal. Indatum,
etidarum, Agarici, Trochiscati, of each one Scrup-
Lapidis Lazuli, five Grains: with Syrup of Firtbi-
make Pills: and take them one every Week.

If the Matter of the Flux be cholerick, prepare with
of Endive, Violets, Succory, Roses, and purge
Mirabolans, Manna, Rhubarb, Cassia. Take of
arb two Drams: Anniseed one Dram, Cinnamon
uple and a half: infuse them in six Ounces of Prune-
; add to the straining of Manna an Ounce, and take
ording to Art. Take Specierum, Diatrion santalon,
agacant. frig. Diarrhod. Abbatis Dyiacyd nit. of
ne dram, Sugar four Ounces, with Plantain-water
Lozenges.

ly, Let the Womb be cleansed from the corrupt
r, and then corroborated: And for the clean-
sing

156 The Experienced Midwife.

sing therefore, make Injections of the Decoction of
ny, Featherfew, Mugwort, Spikenard, Bistort, Me
Sage; adding thereto Sugar, Oyl of sweet Almon
each two Ounces. Then to corroborate the V
prepare Trochisks in this Manner: Take of Myrrh
therfew, Mugwort, Nutmegs, Mace, Amber, Ligni
Storax, red Roses, of each an Ounce; with Mucil
Tragacanth, make Trochisk; cast them on the C
and smother the Womb therewith: Fomentation
also be made for the Womb, of red Wine, in
hath been decocted Mastich, fine Bole, Balukla
Roses. And drying Diet is best, because this Dist
usually abounds with Phlegmatick and crude Hum
Immoderate Sleep is hurtful, but moderate Exercis
do well.

Thus have I gone through the Principal Affects
liar to the Female Sex; and prescribed for ea
them such Remedies, as with the Divine Blessing
cure their Distempers, confirm their Health, and r
all those Obstructions which might otherwise p
their bearing Children: And I have brought it
narrow a Compass, that it might be of the more
ral Use; being willing to put it into every ones
that has occasion for it, to purchase this rich Treas
an easie Rate.

F I N I S.

Table of the Contents of the several
Chapters and Sections contained in this
book.

THE Introduction

Page 1

C H A P. I.

Anatomical Description of the Instruments of Genera-
tion both in Man and Woman 2

Of the Parts of Generation in Man ibid.

Describing the Parts of Generation in Women 8

Of the Difference between the ancient and modern
Physicians, touching the Womens contributing Seed to
Formation of the Child 19

C H A P. II.

Conception ; what it is ; the Signs thereof ; whether
perceived of a Male or Female ; and how Women are to
order themselves after Conception 22

What Conception is, and the Qualifications requisite
ibid.

The Signs of Conception 24

Whether Conception be of a Male or Female 26

How a Woman ought to order herself after Concep-
tion 27

for the first two Months 29

for the Third Month 31

for the Fourth Month ibid.

for the Fifth, Sixth and Seventh Month ibid.

for the Eighth Month 34

for the Ninth Month ibid.

C H A P.

The Contents.

C H A P. III.

Of the Parts proper to a Child in the Womb. How formed there, and the manner of its Situation in

- §. 1. *Of the Parts proper to a Child in the Womb Of the Umbelicans, or Naval Vessels Of the Secundine, or After Birth*
- §. 2. *Of the Formation of the Child in the Womb*
- §. 3. *Of the Manner of the Child's lying in the Womb*

C H A P. IV.

A Guide for Women in Travail, shewing what is to be when they fall in Labour, in order to their Deliver

- §. 1. *The Signs of the true Time of a Woman's Labour*
- §. 2. *How a Woman ought to be ordered, when the of her Labour is come*

C H A P. V.

Of Natural Labour; What it is, and what the Midwife is to do in such a Labour

- §. 1. *What Natural Labour is*
- §. 2. *Of the Cutting of the Child's Navel-string*
- §. 3. *How to bring away the After-burden*
- §. 4. *Of Laborious and Difficult Labours, and how the Midwife is to proceed therein*
- §. 5. *Of Women labouring with a dead Child*

C H A P. VI.

Of Unnatural Labour, and what is to be done there

- §. 2. *How to deliver a Woman of a dead Child, by manual Operation*
- §. 3. *How a Woman must be delivered, when the Feet come first*
- §. 4. *How to bring away the Head of the Child, separated from the Body, and left behind in the*
- §. 5. *How to deliver a Woman when the Side of the Head is presented to the Birth*
- §. 6. *How to deliver a Woman when the Child presents one or both Hands, together with the Head*

The Contents.

7. *How a Woman is to be Delivered, when the Hands and Feet of the Infant come together* 82

8. *How a Woman shall be Delivered that has Twins, which present themselves in different Postures* 84

C H A P. VII.

Directions for Child-bearing Woman in their Lying in 87

1. *Shewing how a Women newly delivered ought to be Ordered* *ibid.*

2. *How to remedy these Accidents to which a Lying-in Woman is subjected* 89

C H A P. VIII.

Directions for Nurses, in ordering new born Children 95

1. *What is to be done to the new-born Infant, after cutting of the Navel-string* *ibid.*

C H A P. IX.

Of the Indisposition of new born Infants, with suitable Remedies for each 98

1. *Of Gripes and Pains in the Belly in young Children* *ibid.*

2. *Of Weakness in new born Infants* 99

3. *Of the Fundaments being closed up in a new-born Infant* 100

4. *Of the Thrush, or Ulcers in the Mouth of an Infant* 102

5. *Of Pains in the Ears, Inflammation, Moisture, &c.* 103

6. *Of Redness and Inflammation of the Buttocks, Groins and Thighs of a young Child* 104

7. *Of Vomiting in young Children* 105

8. *Of Breeding of Teeth in young Children* 106

9. *Of the Elux of the Belly, or Looseness in Infants* 107

10. *Of the Epilepsie and Convulsion in Children* 109

11. *Of the Worms in young Children* 110

P A R T.

The Contents.

P A R T. II.

Containing proper and safe Remedies for the Curing of those Distempers that are peculiar to the Female and especially those that are any Obstructions to bearing of Children.

C H A P. I.

Of Barrenness; its several Kinds, with proper Remedies against; and the Signs of Insufficiency both in Man and Woman

§. 1. Of Barrenness in general

§. 2. Signs and causes of Insufficiency in Men

§. 3. Signs and Causes of Insufficiency, or Barrenness in Woman

Some excellent Remedies against Barrenness, and to procure Fruitfulness

C H A P. II.

Of the Diseases of the Womb

§. 1. Of the hot Distemper of the Womb

§. 2. Of the Cold Distemper of the Womb

§. 3. Of the Inflation of the Womb

§. 4. Of a Dropsie in the Womb

§. 5. Of the Inflammation of the Womb

§. 6. Of a Scirrhus and Hardness of the Womb

§. 7. Of the Straitness of the Womb, and its Vessels

§. 8. Of the Falling of the Womb

C H A P. III.

Of Diseases relating to Womens Monthly Courses

§. 1. Of Womens Monthly Courses in general

§. 2. Of the Suppression of the Monthly Courses

§. 3. Of the overflowing of the Monthly Courses

§. 4. Of the Terms coming out of Order either before or after their usual Time.

§. 5. Of the falses, or Whites